

①


FILE COPY

AD-A220 599

**SUBJECT INDEX:  
MIL-HDBK-338  
ELECTRONIC  
RELIABILITY  
DESIGN  
HANDBOOK**

DTIC  
ELECTE  
APR 17 1990  
S E D  
Co

**RAC**



**Reliability Analysis Center**

A DoD Information Analysis Center

**DISTRIBUTION STATEMENT A**  
Approved for public release/  
Distribution Unlimited

90 04 13 001

The information and data contained herein have been compiled from government and nongovernment technical reports and from material supplied by various manufacturers and are intended to be used for reference purposes. Neither the United States Government nor IIT Research Institute warrant the accuracy of this information and data. The user is further cautioned that the data contained herein may not be used in lieu of other contractually cited references and specifications.

Publication of this information is not an expression of the opinion of The United States Government or of IIT Research Institute as to the quality or durability of any product mentioned herein and any use for advertising or promotional purposes of this information in conjunction with the name of The United States Government or IIT Research Institute without written permission is expressly prohibited.

***SUBJECT INDEX  
TO  
MIL-HDBK-338  
ELECTRONIC  
RELIABILITY  
DESIGN HANDBOOK  
1989***

Prepared by:

Reliability Analysis Center  
PO Box 4700  
Rome, NY 13440-5700

Under contract to:

Rome Air Development Center  
Griffiss AFB, NY 13441-5000

**Reliability Analysis Center**

A DoD Information Analysis Center

The Reliability Analysis Center (RAC) is a Department of Defense Information Analysis Center sponsored by the Defense Logistics Agency, managed by the Rome Air Development Center (RADC), and operated at RADC by IIT Research Institute (IITRI). RAC is chartered to collect, analyze and disseminate reliability information pertaining to electronic systems and parts used therein. The present scope includes integrated circuits, hybrids, discrete semiconductors, microwave devices, optoelectronics and non-electronic parts employed in military, space and commercial applications.

Data is collected on a continuous basis from a broad range of sources, including testing laboratories, device and equipment manufacturers, government laboratories and equipment users (government and non-government). Automatic distribution lists, voluntary data submittals and field failure reporting systems supplement an intensive data solicitation program.

Reliability data and analysis documents covering most of the device types mentioned above are available from the RAC. Also, RAC provides reliability consulting, training, technical and bibliographic inquiry services which are discussed at the end of this document.

**REQUEST FOR TECHNICAL  
ASSISTANCE AND INFORMATION  
ON AVAILABLE RAC SERVICES  
AND PUBLICATIONS MAY BE  
DIRECTED TO:**

Reliability Analysis Center  
P.O. Box 4700  
Rome, NY 13440-8200

Technical Inquiries (315) 337-9933  
Non-Technical Inquiries: (315) 330-4151  
Autovon: 587-4151  
TeleFax: (315) 337-9932

**ALL OTHER REQUESTS  
SHOULD BE DIRECTED TO:**

Rome Air Development Center  
RBE/Preston R. MacDiarmid  
Griffiss AFB, NY 13441-5700

Telephone: (315) 330-4920  
Autovon: 587-4920

## REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188


1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited. Available from RAC or DTIC: Microfiche only available from DTIC.		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			4. PERFORMING ORGANIZATION REPORT NUMBER(S) MIL-HDBK-338		
6a. NAME OF PERFORMING ORGANIZATION Reliability Analysis Center			6b. OFFICE SYMBOL (If applicable) DTIC/DF		7a. NAME OF MONITORING ORGANIZATION RADC/RBE
6c. ADDRESS (City, State, and ZIP Code) P.O. Box 4700 Rome, NY 13440-8200			7b. ADDRESS (City, State, and ZIP Code) Griffiss AFB, NY 13441-5700		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION DLA/DTIC		8b. OFFICE SYMBOL (If applicable) DTIC/DF		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER F30602-87-C-0228	
8c. ADDRESS (City, State, and ZIP Code) DTIC Cameron Station Alexandria, VA 22314-6145			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO. 65802S	PROJECT NO. 1.0	WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) Index to MIL-HDBK-338					
12. PERSONAL AUTHOR(S)					
13a. TYPE OF REPORT		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Year, Month, Day)	
				15. PAGE COUNT	
16. SUPPLEMENTARY NOTATION Hard copies available from: Reliability Analysis Center, P.O. Box 4700, Rome, NY 13440-8200. (Price \$25.00). DTIC will provide microfiche copies at standard microfiche price.					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Index		
			Reliability Design		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
<p>MIL-HDBK-338, entitled "Electronic Reliability Design Handbook" is a very comprehensive handbook for use by design engineers, reliability engineers and managers to design, produce and deploy reliable and maintainable electronic systems. The handbook itself contains no subject index and can therefore be very awkward to use. The intent of this subject index is to provide a means by which specific topics and subjects can be located within the handbook. Next to each index term is the volume and page that the topic appears on.</p> <p><i>Reliability electronic/handbooks;</i> <i>Electronic equipment/handbooks.</i> <i>(FDC) - f</i></p>					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION		
22a. NAME OF RESPONSIBLE INDIVIDUAL Steven J. Flint, RAC Technical Director			22b. TELEPHONE (Include Area Code) (315) 337-0900		22c. OFFICE SYMBOL

## PREFACE

MIL-HDBK-338, "Electronic Reliability Design Handbook" is a comprehensive 1500 page handbook for use by design engineers, reliability engineers and managers to specify, design, produce, acquire and deploy reliable and maintainable electronic systems. The handbook itself contains no subject index and is therefore very awkward to use.

The intent of this subject index is to provide a means by which specific topics can be located within Volume I (release IA) and Volume II of the handbook. Next to each index term is the volume and page number(s) on which the topic appears.

Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By <i>HC #25.00</i>	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
<i>A-1</i>	<i>24</i>



## A

## ACCELERATION

EFFECTS ON SWITCHES II,5-192  
 ACCEPT-REJECT CRITERIA I,11-55  
 ACCEPTABLE QUALITY LEVEL (AQL) II,4-16  
 ACCEPTANCE TEST, SOFTWARE I,12-73  
 ACCESSIBILITY II,3-1  
 ACHIEVED AVAILABILITY I,5-65  
 ACQUISITION COSTS I,4-2  
 ACQUISITION POLICIES I,10-97  
 ACTIVE REDUNDANCY I,7-49  
 ACTIVE TIME I,3-6, I,3-9  
 ADMINISTRATIVE DOWN TIME I,3-10  
 ADMINISTRATIVE TIME I,3-6, I,3-10  
 AF REG.800-14 I,10-101  
 AFMAP I,7-119  
 AGREE II,1-4  
 AGREE APPORTIONMENT TECHNIQUE I,6-14  
 AIR FORCE LOGISTICS SUPPORT COST MODEL I,10-111  
 AIR IONIZERS II,6-20  
 ALERT TIME I,3-6, I,3-10  
 ALLOCATIONS, RELIABILITY WITHOUT REPAIR I,6-18  
 ALPOS I,10-129  
 AMD 2900 II,5-67  
 ANALOGOUS COST METHOD, LIFE CYCLE COST I,10-106  
 ANALYTIC METHODOLOGY FOR SYSTEM EVALUATION D CONTROL (AMSEC) I,10-130  
 APPORTIONMENT/ALLOCATION (SEE R&M APPORTIONMENT/ALLOCATION)  
 ARC SUPPRESSION TECHNIQUES FOR RELAYS II,5-180  
 ARINC APPORTIONMENT TECHNIQUE I,6-17  
 AROEF, RELIABILITY GROWTH MODELS I,8B-10  
 ARRHENIUS MODEL II,4-17  
 ASSESSMENTS BASED ON PREDICTION AND TESTING I,8-102  
 ATTRIBUTES SAMPLING, MIL-STD-105 I,8A-10  
 AVAILABILITY  
   I,3-3, I,3-8, I,4-13, I,10-1, I,10-12, I,10-14, I,10-15, I,10-55, I,10-58,  
   I,10-69, II,3-1  
   ALLOCATION I,10-69  
   ACHIEVED I,5-65  
   AVERAGE AND POINTWISE I,10-24  
   COSTING I,10-116  
   FAILURE RATE AND REPAIR RATE I,10-61  
   INSTANTANEOUS I,5-63  
   INTRINSIC I,3-5, I,3-8, I,5-65  
   MISSION I,5-63  
   MTBF AND MTTR I,10-61  
   NOMOGRAPH I,10-62, I,12-44  
   SINGLE UNIT I,5-72, I,10-21  
   STEADY STATE I,5-64  
   SURFACE I,10-120  
 AVAILABILITY BASED ON EXPONENTIAL FAILURE AND REPAIR DISTRIBUTIONS I,10-32  
 AVAILABILITY COMPUTER PROGRAMS I,10-57  
 AVAILABILITY DEMONSTRATION I,10-82  
   FIXED SAMPLE SIZE PLANS I,10-82  
   FIXED-TIME SAMPLE PLANS I,10-85  
 AVAILABILITY MODELING (MARKOV PROCESS) I,5-65  
 AVAILABILITY MODELS I,10-19  
   AVERAGE OR INTERVAL AVAILABILITY I,10-23

R&M PARAMETERS NOT DEFINED IN TERMS OF TIME I,10-38  
 REDUNDANT SYSTEMS I,10-28  
 SERIES SYSTEM WITH REPAIRABLE/REPLACEABLE UNITS I,10-25  
 SINGLE UNIT SYSTEM (POINT AVAILABILITY) I,10-19  
 AVAILABILITY THEORY I,5-63  
 AVAILABILITY MODELING (MARKOV PROCESS APPROACH) I,5-65  
 BASIC CONCEPTS I,5-63  
 AVAILABILITY WITH REPAIR I,5-71  
 AVALANCHE DEGRADATION (THERMAL SECONDARY BREAKDOWN) II,6-14  
 AVERAGE AND POINTWISE AVAILABILITY I,10-24  
 AVIONICS FIELD RELIABILITY VERSUS UNIT PRODUCTION COST I,4-7  
 AVIONICS LABORATORY PREDICTIVE OPERATIONS AND SUPPORT COST MODEL I,10-129

## B

BALANCED DESIGN APPROACH I,12-8  
 BARLOW AND SCHEUER, RELIABILITY GROWTH MODELS I,8B-2  
 BARLOW, PROSCHAN AND SCHEUER, RELIABILITY GROWTH MODELS I,8B-3  
 BASE FAILURE RATES FOR GROUP I TRANSISTORS (SILICON, NPN) II,6-28  
 BASIC RELIABILITY AND MAINTAINABILITY FUNCTIONS I,5-39  
 BASIC RELIABILITY CONCEPTS I,5-6  
 BASIC STEPS IN THE PDR CYCLE I,7-152, I,7-156  
 BASIC SYSTEM TERMS I,3-8  
 BASIC TOPOGRAPHS I,7-141  
 BASIC TRANSISTOR CIRCUIT I,7-63  
 BATHTUB (LIFE CHARACTERISTIC) CURVE II,4-4, II,7-1  
 BAYES  
 SEQUENTIAL TESTS I,8A-45  
 SIMPLE POSTERIOR DISTRIBUTION I,5-35  
 SIMPLE PRIOR DISTRIBUTION I,5-34  
 THEOREM I,5-32  
 TREE DIAGRAM EXAMPLE I,5-36  
 BAYESIAN INTERACTIVE GRAPHICS RELIABILITY ASSESSMENT PROCEDURE (BIGRAP) I,6-56  
 BAYESIAN STATISTICS (CONTINUOUS DISTRIBUTION) I,5-36  
 BAYESIAN STATISTICS (DISCRETE DISTRIBUTION) I,5-34  
 BAYESIAN STATISTICS I,5-32  
 BIGRAP I,6-56  
 BIMODAL REDUNDANCY I,7-61, I,7A-27  
 BIMODAL REDUNDANCY -- QUAD CONFIGURATION I,7-61  
 BINOMIAL DISTRIBUTION I,5-17  
 BINOMIAL MODEL I,9-21  
 BINOMIAL TEST I,8A-14  
 BINOMIALLY DISTRIBUTION I,8-45  
 BIPOLAR TRANSISTOR IS CURRENT-DRIVEN, MOSFET IS VOLTAGE-DRIVEN II,5-84  
 BIT-SLICE PROCESSORS II,5-64  
 BLOCK DIAGRAM OF A SERIES SYSTEM I,10-67  
 BLOCK DIAGRAM, RELIABILITY I,6-30, I,6-31  
 BOARD LAYOUT OF ICS II,5-24  
 BOOLEAN REDUCTION OF LOGIC ELEMENTS I,7-17  
 BREAKDOWN VOLTAGE I,7-37  
 BROWN & LIPOW MODEL I,9-21  
 BUBBLE MEMORIES II,5-63  
 BUDGETED GROWTH FOR A NON-HOMOGENEOUS PROGRAM I,8-106  
 BULK BREAKDOWN II,6-16  
 BURN-IN I,5-22, I,11-22, II,3-1



## C

CABABILITY II,3-1  
 CABLES II,5-208  
   APPLICATION II,5-209  
   COAXIAL (RF) CABLE II,5-209  
   CONDUCTOR SIZE II,5-209  
   DEFINITIONS II,5-210  
   INTERCONNECTION CABLE AND WIRE II,5-209  
   INTRODUCTION II,5-208  
   MULTICONDUCTOR CABLE II,5-209  
   PART SELECTION AND CONTROL II,5-208  
   POLYVINYL CHLORIDE INSULATION II,5-208  
   SELECTION AND APPLICATION CONSIDERATIONS II,5-208  
   SELECTION CRITERIA II,5-208  
   SOLID OR STRANDED CONDUCTOR II,5-209  
 CAPACITORS II,A-2, II,5-144  
   ALTITUDE EFFECTS II,5-160  
   ALUMINUM ELECTROLYTIC CAPACITORS II,5-145  
   ALUMINUM ELECTROLYTIC, GENERAL APPLICATION CONSIDERATIONS II,5-156  
   CAPACITOR SELECTION II,5-146  
   CERAMIC II,5-144  
   CERAMIC DIELECTRIC, GENERAL APPLICATION CONSIDERATIONS II,5-154  
   DERATING II,5-167  
   DERATING FACTORS II,5-166  
   ELECTROLYTIC II,5-145  
   ELECTROLYTIC, GENERAL APPLICATION CONSIDERATIONS II,5-155  
   FAILURE RATES II,A-2  
   GENERAL APPLICATION CONSIDERATIONS II,5-153  
   GLASS II,5-144  
   INTRODUCTION II,5-144  
   MICA DIELECTRIC, GENERAL APPLICATION CONSIDERATIONS II,5-154  
   MIL-C-10950, SPECIAL CONSIDERATIONS II,5-158  
   MIL-C-11015, SPECIAL CONSIDERATIONS II,5-158  
   MIL-C-14409, SPECIAL CONSIDERATIONS II,5-158  
   MIL-C-19978, SPECIAL CONSIDERATIONS II,5-159  
   MIL-C-20, SPECIAL CONSIDERATIONS II,5-157  
   MIL-C-23183, SPECIAL CONSIDERATIONS II,5-160  
   MIL-C-23269, SPECIAL CONSIDERATIONS II,5-161  
   MIL-C-39001, SPECIAL CONSIDERATIONS II,5-161  
   MIL-C-39003, SPECIAL CONSIDERATIONS II,5-161  
   MIL-C-39006, SPECIAL CONSIDERATIONS II,5-162  
   MIL-C-39014, SPECIAL CONSIDERATIONS II,5-164  
   MIL-C-39018, SPECIAL CONSIDERATIONS II,5-164  
   MIL-C-39022, SPECIAL CONSIDERATIONS II,5-165  
   MIL-C-55365, SPECIAL CONSIDERATIONS II,5-165  
   MIL-C-55514, SPECIAL CONSIDERATIONS II,5-166  
   MIL-C-55681, SPECIAL CONSIDERATIONS II,5-166  
   MIL-C-81, SPECIAL CONSIDERATIONS II,5-158  
   NONSOLID TANTALUM II,5-145  
   OPERATING FREQUENCY LIMITS II,5-153  
   PAPER/PLASTIC/PAPER-PLASTIC DIELECTRIC,  
     GENERAL APPLICATION CONSIDERATIONS II,5-156  
   PARAMETER CHANGE WITH TIME (TYPICAL) I,7-27  
   PART SELECTION AND CONTROL II,5-144  
   SELECTION AND USAGE GUIDE FOR CAPACITORS II,5-147  
   SELECTION CRITERIA II,5-146  
   SOLID TANTALUM II,5-144

STANDARD CAPACITORS II,5-145  
 SWITCHED DATA APPLICATIONS II,5-30  
 TANTALUM, GENERAL APPLICATION CONSIDERATIONS II,5-155  
 TANTALUM, RELIABILITY CONSIDERATIONS II,5-156  
 USAGE FACTORS II,5-146  
 CATCHING DIODE REDUCES TRANSIENT STRESS I,7-38  
 CATHODE RAY TUBE II,B-1  
 CAUSE-CONSEQUENCE CHARTS I,7-94  
 CDR I,7-155  
 CFR I,5-23  
 CHANCE FAILURES I,5-23  
 CHART FOR 95% CONFIDENCE LIMITS I,8-46  
 CHECKOUT II,3-1  
 CHEMICAL EFFECTS, ELECTRICAL CONNECTORS II,5-203  
 CHI-SQUARE I,8-59  
 CHI-SQUARE (2) TEST I,8-54  
 CHI-SQUARE DISTRIBUTION I,8-40  
 CHIEF PROGRAMMER TEAM ORGANIZATIONAL STRUCTURE I,9-40  
 CHIP CARRIERS II,5-17, II,5-23  
 CIRCUIT ANALYSIS TECHNIQUES I,7-34  
 CIRCUIT DESIGN WITH DISCRETE COMPONENTS I,7-37  
 CLASS B DEVICES, SCREENING TEST COSTS II,7-26  
 CLASS JANS ORDER OF PROCEDURE DIAGRAM II,7-9  
 CLIMATIC EXTREMES FOR MILITARY EQUIPMENT I,7B-1  
 CLOCK SPIKE PROBLEMS IN P-CHANNEL SHIFT REGISTERS I,7-36  
 CLOSED LOOP FAILURE REPORTING AND CORRECTIVE ACTION SYSTEM I,8-3, II,9-3  
 CLUE APPLICATION, FTA I,7-140  
 CMOS HANDLING PRECAUTIONS I,7-23, II,5-98  
 CMOS PROTECTION I,7-23, II,5-98  
 CODED QUALITY INSPECTION LEVELS I,11-82  
 COLDWALL-COOLED CARD MOUNTING II,6-44  
 COLLECTOR SUPPLY VOLTAGE I,7-39  
 COMBINATORIAL MODELS I,9-16  
 COMBINED CONFIGURATION NETWORK MODELING I,5-28  
 COMPARISON OF CUMULATIVE LIFE CYCLE COSTS I,8-91  
 COMPARISON OF DESIGN ANALYSIS METHODS I,7-145  
 COMPARISON OF RELIABILITY GROWTH/RELIABILITY DEMONSTRATION TESTING I,8-109  
 COMPARISON OF SCREENING METHODS II,7-22  
 COMPARISON OF TEST METHODS II,7-31  
 COMPARISON OF TEST TYPE WITH HIT RATE II,7-32  
 COMPARISON OF TWO SOFTWARE SYSTEMS BY "STRUCTUREDNESS" I,9-6  
 COMPARISON OF VARIABILITY ANALYSIS METHODS I,7-30  
 COMPUTER AIDED DESIGN I,7-33  
   ASTAP I,7-33  
   BELAC I,7-33  
   CIRC I,7-33  
   CIRCUS 2 I,7-33  
   ECAP I,7-33  
   MARTHA I,7-33  
   SCEPTRE I,7-33  
   SYSCAP I,7-33  
 COMPUTER PROGRAM LIFE CYCLE (FROM AF REG. 800-14) I,10-101  
 COMPUTER PROGRAMS  
   AVAILABILITY - RELIABILITY ANALYSIS I,10-55  
   COMPUTER SOFTWARE MANAGEMENT I,10-56  
   FAULT TREE ANALYSIS I,7-132  
   GENERAL EFFECTIVENESS METHODOLOGY (GEM) I,10-54  
   LCC I,10-127

ORACLE (OPTIMIZED RELIABILITY AND COMPONENT LIFE ESTIMATES) I,10-54  
 R&M PREDICTION I,10-55  
 RELIABILITY AREA I,6-52  
 RELIABILITY, MAINTAINABILITY & AVAILABILITY TRADE-OFF TOOL (R&MA T) I,10-54  
 SEE - SYSTEMS EFFECTIVENESS EVALUATION COMPUTER PROGRAM I,10-55  
 SUMMARY OF PROGRAMS FOR AVAILABILITY/EFFECTIVENESS EVALUATION I,10-57  
 TIGER I,10-54  
 COMPUTER SOFTWARE MANAGEMENT & INFORMATION CENTER (COSMIC) I,6-53  
 COMPUTERIZED RELIABILITY PREDICTION METHODS I,6-51  
 CONCEPT OF SYSTEM EFFECTIVENESS I,10-1  
 CONCEPTUAL PHASE  
   PLANNING I,12-4  
   RELIABILITY AND MAINTAINABILITY DECISION POINTS I,12-55  
   RELIABILITY AND MAINTAINABILITY TASKS I,12-56  
   TRADEOFF STUDIES I,12-22  
 CONDITIONAL PROBABILITY I,5-65  
 CONDUCTIVE COMPOUND USE TO INCREASE HEAT TRANSFER II,6-42  
 CONFIDENCE INTERVAL I,8-34, I,8-38, I,8-44, II,4-12  
 CONFIDENCE INTERVAL CALCULATION FACTORS I,8-43  
 CONFIDENCE LEVEL I,8-37, I,8-44  
 CONFIDENCE LIMITS AND INTERVALS I,8-32  
 CONFIDENCE LIMITS, EXPONENTIAL DISTRIBUTION I,8-39  
 CONFIDENCE LIMITS, NORMAL DISTRIBUTION I,8-35  
 CONFIDENCE-INTERVAL, BINOMIAL I,8-45  
 CONFIGURATION CONTROL FLOW I,9-42  
 CONFIGURATION CONTROL, SOFTWARE I,9-41  
 CONNECTOR II,A-2  
   DERATING (SEA-LEVEL) II,5-205  
   FAILURE RATES II,A-2  
   SELECTION CRITERIA II,5-194  
   SERVICE LIFE VS. HOTSPOT TEMPERATURE II,5-202  
   VOLTAGE DERATING AT ALTITUDE II,5-205  
 CONSTANT FAILURE RATE I,5-23  
 CONSTANT HAZARD RATE I,5-13  
 CONSUMERS RISK I,8-61, II,4-15  
 CONTINUOUS DISTRIBUTION, BAYES' EXAMPLE I,5-36  
 CONTINUOUS DISTRIBUTIONS I,5-7  
 CONTRACTOR SELECTION I,12-99  
 CONVECTION COOLING II,6-39  
 COOLING TECHNIQUES FOR MULTILAYER PC BOARDS II,6-43  
 CORRECTION OF DEFICIENCIES I,12-15  
 CORRECTIVE ACTION REQUEST FORM (SAMPLE) II,9-7  
 CORRECTIVE MAINTENANCE TIME I,3-6, I,3-10  
 COSMIC I,6-54, I,6-55, I,6-56  
 COST  
   CALCULATION FORM, EXAMPLE I,10-115  
   COMBAT AIRCRAFT I,4-3  
   COMPARISON OF ALTERNATIVE DESIGN CONFIGURATIONS I,10-65  
   CURVE I,10-124  
   DOCUMENT PREPARATION (NON-STANDARD PARTS) II,1-17  
   EFFECTIVENESS INFLUENCES I,12-40  
   EFFECTIVENESS OF SCREENING II,7-25  
   ESTIMATING RELATIONSHIPS, EXAMPLES OF I,10-110  
   FACTORS AND GUIDELINES, R&M PLANNING I,12-7  
   GROWTH TREND I,4-2  
   OPTIMIZING SYSTEM TO EVALUATE RELIABILITY (COSTER) I,10-128  
   QUALIFICATION/TESTING (NON-STANDARD PARTS) II,1-17  
   REMOVAL AT LEVELS OF PART/CIRCUIT INTEGRATION II,1-16

REMOVAL AT LEVELS OF PART/CIRCUIT INTEGRATION II,1-16  
 COST OF OWNERSHIP I,4-13  
 COST AND TIME I,4-13  
 CRITICAL ANALYSIS WORKSHEET FORMAT 7,7-120  
 CRITICAL DESIGN REVIEW (CDR) I,7-150, I,7-155, I,9-27  
 CRITICAL FUNCTIONS APPLICATIONS II,1-16  
 CRITICAL PARTS II,5-7  
 CRITICALITY ANALYSIS I,7-120  
 CROSSED FIELD AMPLIFIER II,B-1  
 CROW, RELIABILITY GROWTH MODELS I,8B-7  
 CUMULATIVE DENSITY FUNCTION II,4-4  
 CUMULATIVE DISTRIBUTION FUNCTIONS I,5-2, I,8-6, II,4-3  
 CURRENT AMP FEEDBACK LOOP II,5-39  
 CURRENT DENSITY LIMITATIONS I,7-37  
 CURRENT GAIN LIMITATION I,7-42  
 CYCLING EFFECTS, ELECTRICAL CONNECTORS II,5-203

## D

D/A CONVERTER USING R-2R RESISTOR LADDER NETWORK II,5-44  
 DATA BASE SPECIFICATION I,9-36  
 DATA COLLECTION AND ANALYSIS I,11-93  
 DATA COLLECTION, ANALYSIS, AND CORRECTIVE ACTION SYSTEM I,12-52  
 DATA COLLECTION, RELIABILITY I,8-1  
 DATA ITEMS, R&M I,12-76  
 DATA ON TIMES TO FAILURE OF 20 ITEMS, EXAMPLE OF DATA ON I,8-7  
 DECOUPLING AND GROUNDING II,5-32  
 DECOUPLING NEGATIVE SUPPLY OPTIMIZED FOR "GROUNDED" LOAD II,5-33  
 DECOUPLING NEGATIVE SUPPLY OPTIMIZED FOR "VIRTUAL GROUND" LOAD II,5-33  
 DECREASING GAIN IN RELIABILITY AS NUMBER OF ACTIVE ELEMENTS INCREASES I,7-52  
 DEFECTS/SCREENS OF MICROCIRCUITS II,7-19  
 DEFINITIONS II,3-1  
 AVAILABILITY I,3-2  
 BASIC SYSTEM TERMS I,3-1, I,3-8  
 DESIGN ADEQUACY I,3-3  
 INTRINSIC AVAILABILITY I,3-5  
 MAINTAINABILITY I,3-4, I,3-9  
 MISSION RELIABILITY I,3-2, I,3-8  
 OPERATIONAL READINESS I,3-2, I,3-8  
 PREVENTIVE MAINTENANCE TIME I,3-10  
 RELIABILITY I,12-28  
 RELIABILITY I,6-2  
 RELIABILITY I,3-2, I,3-8  
 RELIABILITY THEORY II,4-1  
 REPAIRABILITY I,3-4, I,3-9  
 SERVICEABILITY I,3-4, I,3-9  
 SYSTEM EFFECTIVENESS I,3-1, I,3-8  
 TIME CATEGORIES I,3-9  
 TIME CONCEPTS I,3-5  
 DEBUGGING II,3-1  
 DEGRADATION I,7-20, I,7-28, I,7-77  
 DELAY TIME I,3-6, I,3-9  
 DEMONSTRATED II,3-1  
 DEMONSTRATION TESTS I,8A-1  
 DEPENDABILITY I,4-13, I,10-14, I,10-15, I,10-42, II,3-1  
 DEPENDABILITY MODELS I,10-41  
 DEPLOYMENT PHASE PLANNING I,12-7  
 DEPLOYMENT PHASE R&M DECISION POINTS I,12-6

DEPOT MAINTENANCE REQUIREMENT AREAS I,11-87

DERATING I,7-4, II,3-1

GRAPH, TYPICAL DERATING II,6-29

CAPACITORS II,5-166

CONNECTORS AT ALTITUDE II,5-205

CONNECTORS AT SEA LEVEL II,5-205

CRITERIA FOR MAGNETIC DEVICES II,5-173

DIGITAL MICROCIRCUITS II,5-73

DIODES II,5-93

DISCRETE SEMICONDUCTOR DEVICES II,5-94

ELECTRICAL CONNECTORS II,5-205

HYBRID DEVICES II,5-73

LINEAR MICROCIRCUITS II,5-72

MAGNETIC DEVICES II,5-173

MECHANICAL AND STRUCTURAL COMPONENTS I,7-8

MICROCIRCUITS II,5-73

RELAYS II,-178

RELAYS II,5-178

SWITCHES II,5-193

SWITCHES II,5-193

TRANSISTORS II,5-94

TRANSISTORS II,5-95

WIRE SIZE USED IN MAGNETIC DEVICES II,5-174

DERATING CURVE

1N3263 POWER DIODE II,6-31

MIL-R-11804 RESISTOR II,5-121

MIL-R-12934 RESISTOR II,5-122

MIL-R-18546 RESISTOR II,5-123

MIL-R-19 RESISTOR II,5-117

MIL-R-22 RESISTOR II,5-118

MIL-R-22097 RESISTOR II,5-124

MIL-R-26 RESISTOR II,5-119

MIL-R-39008 RESISTOR II,5-131

MIL-R-39009 RESISTOR II,5-132

MIL-R-39015 RESISTOR II,5-133

MIL-R-39017 RESISTOR II,5-135

MIL-R-39023 RESISTOR II,5-136

MIL-R-39035 RESISTOR II,5-138

MIL-R-55182 RESISTOR II,5-139

MIL-R-55342 RESISTOR II,5-140

MIL-R-83401 RESISTOR II,5-13

MIL-R-94 RESISTOR II,5-120

MIL-T-23648 THERMISTOR II,5-143

DERATING OF MECHANICAL AND STRUCTURAL COMPONENTS I,7-8

DERIVATION OF CONTROL LIMITS FOR INTERFACING PARAMETERS I,11-61

DESIGN

ADEQUACY I,3-3, I,3-9

CONSIDERATIONS II,5-1

ERRORS, MINIMIZING I,7-33

GUIDELINES I,7-1

GUIDELINES TO REDUCE COMPONENT OVER-HEATING II,6-8

LIMITATIONS I,7-37

REDUNDANCY CONSIDERATIONS I,7-49

RELIABILITY TASKS FOR THE CDR I,7-155

RELIABILITY TASKS FOR THE PDR I,7-153

SIMPLIFICATION I,7-13

SIMPLIFICATION I,7-13

VERIFICATION I,7-148

DESIGN REVIEW I,7-146  
 CHECKLIST I,7-154  
 CHECKLIST I,7-158  
 GROUP MEMBERS AND RESPONSIBILITIES I,7-151  
 GROUP MEMBERS AND RESPONSIBILITIES I,7-151  
 INTRODUCTION AND GENERAL INFORMATION I,7-146  
 MAINTAINABILITY PARTICIPATION I,12-51  
 SOFTWARE RELIABILITY MANAGEMENT I,9-41  
 SYSTEM ENGINEERING CYCLE I,7-149  
 DESIGN-TO-COST PROCEDURES I,12-11  
 DESIGN-TO-COST PROGRAMS I,12-12  
 DESIGNING FOR THE ENVIRONMENT I,7-75  
 DETERIORATION CLASSIFICATION OF MATERIAL I,11-78  
 DETERMINATION OF PREAMPLIFIER CRITICALITY I,7-116  
 DETERMINING UPPER AND LOWER CONFIDENCE LIMITS I,8-44  
 DIAGRAM DEPICTING A STANDBY REDUNDANT PAIR I,7A-37  
 DIDS I,12-78, I,12-80, I,12-81  
 MAINTAINABILITY I,12-80  
 R&M I,12-78  
 RELIABILITY I,12-78  
 SOFTWARE QUALITY ASSURANCE I,12-81  
 DIELECTRIC BREAKDOWN II,6-15  
 DIFFERENTIAL CONTRACTION I,7-77  
 DIGITAL MICROCIRCUIT DERATING II,5-73  
 DIODES II,5-79  
 DERATING II,5-94  
 PROTECTION I,7-25  
 PROTECTION II,5-100  
 DIPS II,5-17  
 DIRECT SIMULATION METHOD OF FAULT TREE ANALYSIS I,7-131  
 DISCRETE DISTRIBUTIONS I,5-9, I,5-17  
 DISCRETE DISTRIBUTIONS BAYES' EXAMPLE I,5-34  
 DISCRETE ELECTRONIC PART, EQUIVALENT THERMAL CIRCUIT II,6-36  
 DISCRETE SEMICONDUCTOR BASE FAILURE RATE PARAMETERS II,6-27  
 DISCRETE SEMICONDUCTOR DEVICES  
 BIPOLAR TRANSISTORS II,5-83  
 DERATING II,5-94  
 DIODE DERATING II,5-95  
 DIODES II,5-78  
 FET (FIELD EFFECT TRANSISTOR) II,5-83  
 GENERAL APPLICATION DATA II,5-75  
 MICROWAVE SEMICONDUCTOR DEVICES II,5-91  
 MIL-STD-750 TEST METHODS II,7-9  
 MOSFET CAPACITIVE SPEED-UP CIRCUIT II,5-87  
 MOSFET CAUTION II,5-90  
 MOSFET MAXIMUM OPERATING FREQUENCY II,5-87  
 MOSFET PARALLELING II,5-90  
 MOSFET SAFE OPERATING AREA II,5-89  
 MOSFET TEMPERATURE STABILITY II,5-90  
 POWER MOSFET II,5-84  
 POWER TRANSISTOR SECONDARY BREAKDOWN II,5-82  
 RECOVERY TIME II,5-79  
 RECTIFIER JUNCTION MOUNTING II,5-79  
 RECTIFIERS II,5-78  
 SCHOTTKY BARRIER RECTIFIERS II,5-79  
 SILICON CONTROLLED RECTIFIERS (SCRs) II,5-80  
 THYRISTORS II,5-80  
 TRANSISTOR APPLICATION DATA II,5-81

TRANSISTOR DERATINGS II,5-94  
 TRANSISTOR MAXIMUM POWER DISSIPATION II,5-81  
 TRANSISTOR MAXIMUM VOLTAGES II,5-81  
 VARACTORS II,5-80  
 DISSIPATION PER UNIT AREA FOR COMMON COOLING TECHNIQUES II,6-38  
 DISTRIBUTION GRAPHICAL EVALUATION I,8-17  
 DISTRIBUTION OF MAINTENANCE TASK STEPS I,11-61  
 DOD-C-85045 CABLES, FIBER OPTICS, GENERAL SPECIFICATIONS II,5-212  
 DOD DOLLAR CONVERSION INDICES I,10-117  
 DOD-HDBK-263 ELECTROSTATIC DISCHARGE CONTROL HANDBOOK I,7-18  
 DOD-STD-1678 FIBER OPTICS TEST METHODS II,5-212  
 DOD-STD-1686 ELECTROSTATIC DISCHARGE CONTROL PROGRAM I,7-18  
 DOWNTIME I,3-6  
 DRAIN-SOURCE BLOCKING CHARACTERISTIC II,5-85  
 DUAL-IN-LINE PACKAGE II,5-17  
 DUANE CHART I,8-73  
 DUANE POSTULATE I,8-71  
 DUANE, RELIABILITY GROWTH MODELS I,8B-6  
 DUPLICATE PARALLEL REDUNDANCY (OPERATIVE CASE) I,6A-10  
 DYNAMIC PROGRAMMING  
     APPORTIONMENT FORMULATION I,6A-6  
     APPROACH I,6-24  
     FORMULATION EXAMPLE I,6A-8  
     REPRESENTATION FOR N-STAGE I,6A-2

## E

ECAP (ELECTRONIC CIRCUIT ANALYSIS PROGRAM) I,7-119  
 EFFECTIVENESS OF ENVIRONMENTAL SCREENS I,11-30  
 EIA STANDARD RS-455 II,5-212, II,5-213  
 ELECTRICAL CHARACTERISTIC TESTS (300 CLASS) II,1-26  
 ELECTRICAL CONNECTORS II,5-194  
     ALTITUDE DERATING II,5-204  
     CHEMICAL EFFECTS II,5-203  
     CYCLING EFFECTS II,5-203  
     DERATING II,5-204  
     ELECTRICAL EFFECTS II,5-201  
     ENVIRONMENTAL CONSIDERATIONS II,5-201  
     HIGH TEMPERATURE EFFECTS II,5-201  
     INSERT TEMPERATURE II,5-204  
     LOW TEMPERATURE EFFECTS II,5-203  
     MAXIMUM OPERATING TEMPERATURES II,5-201  
     MECHANICAL CONSIDERATIONS II,5-20.  
     MECHANICAL EFFECTS II,5-201  
     OPERATION IN PARALLEL II,5-204  
     PIN CURRENT II,5-204  
     POTTING II,5-204  
     PROTECTIVE MEASURES II,5-204  
     SELECTION AND CONTROL II,5-194  
     THERMAL EFFECTS II,5-201  
     VOLTAGE BETWEEN CONTACTS II,5-204  
 ELECTRICAL SYMBOLS FOR BIPOLAR AND MOSFET II,5-83  
 ELECTRO OPTICS, REFERENCES II,5-214  
 ELECTRO OPTICS/FIBER OPTICS II,5-211  
     INTRODUCTION II,5-211  
     SPECIFICATIONS AND STANDARDS II,5-212  
 ELECTRO-OPTICS, SPECIFICATIONS AND STANDARDS RELEVANT TO MILITARY APPLICATIONS II,5-212

ELECTROMAGNETIC RADIATION PROTECTION I,7-83  
 ELECTRON TUBES II,5-206  
     FAILURE MODES AND MECHANISMS II,5-206  
     FAILURE RATES II,B-1  
     INTRODUCTION II,5-206  
     SELECTION CRITERIA II,5-206  
 ELECTRONIC EQUIPMENT RELIABILITY CLASSIFICATIONS I,6-34  
 ELECTRONIC RELIABILITY DESIGN HANDBOOK  
     APPLICATION I,1-1  
     GENERAL STATEMENTS I,4-1  
     INTRODUCTION AND BACKGROUND I,4-1  
     ORGANIZATION I,1-1  
     PURPOSE I,1-1  
     SCOPE I,1-1  
 ELECTRONICS-X PROJECT I,4-3  
 ELECTROSTATIC DISCHARGE (ESD) I-6-148, I,7-18  
 ELECTROSTATIC DETECTORS II,6-20  
 ENVIRONMENT AND SYSTEM USE CONDITIONS CHECK LIST (TYPICAL) I,7B-14  
 ENVIRONMENT REGION, ASSOCIATION OF FACTOR IMPORTANCE WITH I,7B-18  
 ENVIRONMENTAL ANALYSIS I,7B-16  
 ENVIRONMENTAL CONSIDERATIONS  
     CHECKLIST (TYPICAL) I,7B-2  
     DESIGN I,7B-1  
     ELECTRICAL CONNECTORS II,5-201  
     ENVIRONMENTAL FACTORS I,7B-1  
     ENVIRONMENTAL STRENGTH I,7B-1  
     MIL-STD-1670 (ENVIRONMENTAL CRITERIA AND GUIDELINES FOR AIR  
         LAUNCHED WEAPONS I,7B-13  
     MIL-STD-210 (CLIMATIC EXTREMES FOR MILITARY EQUIPMENT) I,7B-1  
     SWITCHES II,5-191  
     SYSTEM USE CONDITIONS AND ENVIRONMENT I,7B-13  
 ENVIRONMENTAL COVERAGE CHECKLIST (TYPICAL) I,7B-2  
 ENVIRONMENTAL CRITERIA, AIR-LAUNCHED WEAPON SAMPLE I,7B-19  
 ENVIRONMENTAL DESIGN I,7-75  
     ALTITUDE II,5-160, II,5-192  
     DESIGNING FOR THE ENVIRONMENT I,7-75  
     ELECTROMAGNETIC RADIATION PROTECTION I,7-83  
     EXPLOSION PROOFING I,7-82  
     INTRODUCTION I,7-75  
     LOW TEMPERATURE PROTECTION METHODS I,7-77  
     MOISTURE PROTECTION I,7-80  
     NUCLEAR RADIATION I,7-85  
     SAND AND DUST PROTECTION I,7-81  
     SHOCK AND VIBRATION PROTECTION I,7-78  
     TEMPERATURE PROTECTION I,7-76  
 ENVIRONMENTAL EFFECTS I,7-87, I,7B-8, II,6-1  
 ENVIRONMENTAL PAIRS I,7B-4  
 ENVIRONMENTAL SCREENS I,11-30  
 ENVIRONMENTAL STRESS SCREENING (ESS) I,11-29, I,12-37  
 ENVIRONMENTAL TEST CYCLE I,11-53  
 ENVIRONMENTAL TESTS (100 CLASS) II,1-26  
 ELECTRICAL CONNECTORS INTRODUCTION II,5-194  
 EQUAL APPORTIONMENT TECHNIQUE I,6-13  
 EQUIPOTENTIAL BONDING II,6-17  
 EQUIVALENT NON-REDUNDANT UNIT I,6-68  
 EQUIVALENT THERMAL CIRCUIT OF A DISCRETE ELECTRONIC PART II,6-36  
 ERROR SEEDING SOFTWARE I,9-20  
 ERRORS, SOFTWARE SPECIFICATION I,9-13



ERSION 3 RELIABILITY GOAL STATUS I,6-53  
 ESD I,7-18, II,6-13  
 ESD, SAMPLE TRIBOELECTRIC SERIES II,6-19  
 EVALUATION CRITERIA (CONTRACTOR SELECTION) I,12-99  
 EXAMPLE OF MAINTENANCE RESPONSIBILITY FLOW CHART I,11-89  
 EXAMPLE OF THE "D" TEST (KOLOMOROV-SMIRNOV TEST) I,8-51  
 EXAMPLES OF CATEGORIES OF SNEAK CIRCUITS I,7-138  
 EXPECTED VALUE AVAILABILITY I,5-63  
 EXPENDITURES DURING LIFE CYCLE I,12-9  
 EXPLOSION PROOFING I,7-82  
 EXPLOSION RESISTANCE EFFECTS ON SWITCHES II,5-192  
 EXPONENTIAL APPROXIMATION I,5-61  
 EXPONENTIAL APPROXIMATION OF LOGNORMAL MAINTAINABILITY FUNCTIONS I,5-62  
 EXPONENTIAL DISTRIBUTION I,5-13, I,5-23, I,5-59, I,6-3, I,6-29, I,8A-15,  
 I,8A-23, II,4-5  
 CONFIDENCE LIMITS I,8-39, II,4-14  
 FAILURES IN TIME I,8-25  
 MIL-STD-781 I,8A-36  
 EXPONENTIAL FAILURE AND REPAIR DISTRIBUTIONS I,10-32  
 EXPONENTIAL RELIABILITY FUNCTION I,8-29  
 EXPONENTIAL RELIABILITY FUNCTION, THEORETICAL I,8-26  
 EXPONENTIAL SURVIVAL CURVE I,8-25, I,8-27  
 EYRING MODEL II,4-17

## F

FACTORS AFFECTING PART FAILURE RATE II,A-1  
 FACTORS EFFECTING UNRELIABILITY I,7-12  
 FACTORS FOR IC'S II,A-4  
 FACTORS FOR SEMICONDUCTOR DEVICES II,A-3  
 FACTORS INFLUENCING SYSTEM EFFECTIVENESS I,4-14  
 INTERRELATIONSHIPS AMONG SYSTEM PROPERTIES I,4-15  
 OPERATIONAL READINESS I,4-16  
 SYSTEM PERFORMANCE (DESIGN ADEQUACY) I,4-15  
 FAILURE II,3-2  
 FAILURE ANALYSIS II,3-2, II,9-11  
 APPARATUS II,9-16  
 APPROACH FLOW DIAGRAM II,9-13  
 FLOW DIAGRAM, GENERALIZED II,9-15  
 LABORATORY EQUIPMENT REQUIREMENTS II,9-13  
 REPORT FORM (SAMPLE) II,9-6  
 FAILURE DATA I,8-18  
 FAILURE, DEFINITION I,6-7  
 FAILURE DENSITY AND RELIABILITY FUNCTIONS OF DISCRETE DISTRIBUTIONS I,5-9  
 FAILURE DENSITY FUNCTIONS I,5-4, I,5-8, I,5-9  
 FAILURE, DEPENDENT II,3-2  
 FAILURE EFFECTS ANALYSIS FORM I,7-107  
 FAILURE-FREE CYCLES I,11-27  
 FAILURE FREQUENCY STABILIZATION I,5-25  
 FAILURE, INDEPENDENT II,3-2  
 FAILURE MECHANISM FOR DIGITAL AND LINEAR DEVICES II,8-7  
 FAILURE MECHANISM ANALYSIS, SOLID TANTALUM CAPACITORS II,8-11  
 FAILURE MECHANISM ANALYSIS, TANTALUM FOIL CAPACITORS II,8-12  
 FAILURE MODE AND EFFECTS ANALYSIS (FMEA) I,7-94, I,7-100  
 FAILURE MODES IN THE OPERATIVE REDUNDANT CASE I,7A-16  
 AFMAP (AUTOMATED FAILURE MODE ANALYSIS PROGRAM) I,7-119  
 COMPUTER ANALYSIS I,7-119

ECAP (ELECTRONIC CIRCUIT ANALYSIS PROGRAM) I,7-119  
 EXAMPLE I,7-118  
 IM 045-NAA I,7-119  
 IM 063-NAAL I,7-119  
 IM 066-NAA I,7-119  
 INTRODUCTION I,7-100  
 NET-1 I,7-119  
 PHASE 1 PROCEDURES I,7-103  
 PHASE 2 PROCEDURES I,7-113  
 SUMMARY I,7-121  
 FAILURE MODELING I,5-22  
 FAILURE MODELING TYPICAL FAILURE RATE CURVE I,5-22  
 FAILURE MODES I,11-69  
   AFFECTED BY VARIOUS USE AND STORAGE CONDITIONS II,8-13  
   DISTRIBUTION I,7-108  
   EFFECTS, AND CRITICALITY ANALYSIS (FMECA) I,12-35  
   ENCOUNTERED WITH ELECTRONIC COMPONENTS DURING STORAGE II,8-3  
   MECHANISMS OF MOS SSI/MSI DEVICES II,8-8  
   MECHANISMS, MAGNETIC DEVICES II,5-172  
   PRINTED CIRCUITRY II,5-220  
   SHIPMENT AND STORAGE I,11-68  
 FAILURE MODE ANALYSIS PROGRAM I,7-119  
 FAILURE, RANDOM II,3-2  
 FAILURE RATES (SEE PART FAILURE RATES ALSO)  
 FAILURE RATE I,6-3, I,12-27, II,3-2  
   ACTIVATION ENERGY II,4-18  
   FACTORS FOR MONOLITHIC AND HYBRID MICROCIRCUITS II,A-4  
   FACTORS FOR SEMICONDUCTOR DEVICES II,A-3  
   TEMPERATURE DEPENDENCE ARRHENIUS MODEL II,4-17  
   TEMPERATURE DEPENDENCE EYRING MODEL II,4-17  
   TEMPERATURE RELATIONSHIP OF NPN TRANSISTORS I,7-7  
 FAILURE RATE VS. DEVELOPMENT TIME FOR WEIBULL FAILURE RATE I,8-76  
 FAILURE REPORT FORM I,8-4  
 FAILURE REPORT FORM (SAMPLE) II,9-5  
 FAILURE REPORTING I,12-94, II,9-1  
 FAILURE REPORTING AND ANALYSIS II,9-1  
   AIR FORCE DATA REPORTING SYSTEMS II,9-8  
   ARMY DATA REPORTING SYSTEMS II,9-8  
   CLOSED LOOP FAILURE REPORTING/CORRECTIVE ACTIONS SYSTEMS II,9-1  
   COMMON CAUSES OF PARTS FAILURE II,9-18  
   CUSTOMER DATA REPORTING SYSTEMS II,9-4  
   DATA COLLECTION AND RETENTION II,9-4  
   DEPARTMENT OF DEFENSE (DOD) II,9-10  
   FAILURE ANALYSIS II,9-11  
   FAILURE ANALYSIS APPARATUS II,9-16  
   FAILURE ANALYSIS, INFORMATION OBTAINED FROM II,9-17  
   FAILURE CATEGORIES II,9-18  
   FAILURE REPORTING II,9-1  
   FAILURE REPORTING SYSTEMS II,9-3  
   FORMS, FAILURE REPORTING II,9-4  
   GENERAL CONSIDERATIONS II,9-12  
   MARINE CORPS DATA REPORTING SYSTEMS II,9-9  
   NAVY DATA REPORTING SYSTEMS II,9-9  
   RELIABILITY IMPROVEMENT WARRANTIES (RIW) II,9-10  
 FAILURE REPORTING AND CORRECTIVE ACTION I,12-50  
 FAILURE REPORTING, AND AND CORRECTIVE ACTION SYSTEMS  
   (FRACAS) I,8-1, I,8-2, I,8-3, I,12-34, II,9-3  
 FAILURE REVIEW BOARD (FRB) I,12-34

FAILURE TIMES AND ESTIMATED FAILURE RATE I,8-78  
 FAILURE TRUNCATED TESTS I,8A-24  
 FAILURE, CLEAR DEFINITION OF I,6-7  
 FAILURE-MODE PROBABILITIES RELATED TO QUANTITY OF PARALLEL ELEMENTS I,7A-20  
 FAILURES, INFANT MORTALITY I,11-11  
 FALLOUT FROM MIL-STD-883 TESTS II,7-26  
 FARADAY CAGE SHIELDING II,6-18  
 FATIGUE FAILURE EXAMPLE I,5-12  
 FAULT TREE ANALYSIS I,7-121  
     COMPUTER PROGRAMS I,7-132  
     DIRECT SIMULATION METHOD I,7-131  
     FTA METHODS I,7-131  
     MONTE CARLO METHOD I,7-131  
     PROCEDURES I,7-122  
     PROGRAMS I,7-133  
     SYMBOLS I,7-123  
     SYMBOLS I,7-122  
 FAULT TREE FOR SIMPLIFIED ROCKET MOTOR FIRING CIRCUIT I,7-128  
 FAULT TREE LOGIC DIAGRAMS FROM RELIABILITY BLOCK DIAGRAMS I,7-124, I,7-125  
 FEASIBILITY-OF-OBJECTIVES TECHNIQUE I,6-18  
 FET II,5-83  
 FIBER OPTICS II,5-211  
     REFERENCES II,5-214  
 FIELD MTBF I,4-6  
 FIXED RESISTOR HEAT DISSIPATION IN FREE AIR II,5-110  
 FIXED SAMPLE I,8-66  
 FLAT PACK II,5-22  
 FLASH OR PARALLEL A/D CONVERTER II,5-47  
 FLOW CHART OF THERMAL SYSTEMS MANAGEMENT PROGRESS II,6-44  
 FLOW DIAGRAM FOR A GENERAL OPTIMIZATION PROCESS I,4-17  
 FMEA (SEE FAILURE MODE AND EFFECTS ANALYSIS) I,7-100  
 FMEA EXAMPLE I,7-118  
 FMECA I,12-35  
 FORCED AIR COOLING TECHNIQUES FOR MICROELECTRONIC PARTS, LIMITATIONS II,6-38  
 FORCED-CONVECTION-COOLED EQUIPMENT II,6-40  
 FORECAST PRESENTING COST TREND BASED ON HISTORICAL DATA I,10-108  
 FORMAL DESIGN REVIEWS I,7-150, I,9-27  
 FRACAS MIL-STD-785, TASK 104, FRACAS PROGRAM I,8-2, I,12-34, II,9-1  
 FREE-CONVECTION-COOLED EQUIPMENT II,6-40  
 FTA (SEE FAULT TREE ANALYSIS) I,7-121  
 FUEL SYSTEM FAILURE TIMES I,8-56  
 FULL SCALE DEVELOPMENT (FSED),  
     PRODUCTION AND DEPLOYMENT PHASE, TRADEOFFS I,12-26  
 FULL SCALE DEVELOPMENT PHASE  
     PLANNING I,12-6  
     RELIABILITY AND MAINTAINABILITY DECISION POINTS I,12-61  
     TASKS I,12-59  
     TASKS, SCHEDULE OF I,12-59  
 FUNCTIONAL VIEW OF SOFTWARE I,9-9  
 FUNDAMENTAL DESIGN LIMITATIONS I,7-37  
 FUNDAMENTAL SYSTEM PROCESS CYCLE I,4-11  
 FUTURE TRENDS IN MICROCIRCUIT DEVELOPMENT II,1-29

## G

GaAs II,1-31  
 GAMMA DISTRIBUTION I,5-14, II,4-13  
 GASEOUS ARC DISCHARGE II,6-15  
 GATES II,5-51  
 GATE SPEED-UP CIRCUIT II,5-86  
     RELATIONSHIPS BETWEEN SWITCHING TIMES AND DRAIN CURRENT II,5-88  
     VALUES AND SWITCHING TIMES II,5-87  
 GEOMETRICAL INTERPRETATION OF A CONFIDENCE INTERVAL I,8-34  
 GOEL NHPP MODEL I,9-24  
 GOODNESS OF FIT TESTS I,8-47  
     GRAPHIC METHOD I,8-50  
     KOLMOGOROV-SMIRNOV I,8-49  
 GOVERNMENT DOCUMENTS I,2-1  
 GOVERNMENT/INDUSTRY DATA EXCHANGE PROGRAMS (GIDEP) II,1-5  
 GRAPHICAL EVALUATION I,8-17  
 GRAPHICAL METHODS I,8-6, I,8-10  
 GRAPHICAL POINT ESTIMATION FOR THE NORMAL DISTRIBUTION I,8-8  
 GRAPHICAL POINT ESTIMATION FOR THE WEIBULL DISTRIBUTION I,8-15  
 GRAPHICAL SOLUTION OF SEQUENTIAL BINOMIAL TEST I,8A-14  
 GROUND RULES FOR PARTS SELECTION AND CONTROL I,7-3  
 GROUNDING AND DECOUPLING II,5-25  
 GROWTH MODELS TAILORING I,8-104  
 GROWTH POTENTIAL I,8-100  
 GUARANTEE I,12-19  
     AVAILABILITY I,12-16  
     CHRONICK LINE REPLACEABLE UNIT (LRU) I,12-17  
     LOGIC SUPPORT COSTS I,12-16  
     MAXIMUM PARTS COST I,12-16  
     PLANS I,12-20  
     RELIABILITY I,12-16  
 GUNN II,5-92

## H

HANDLING PRECAUTIONS, CMOS I,7-23  
 HARDWARE/SOFTWARE SNEAK ANALYSIS INTEGRATION I,7-143  
 HARDWARE/SOFTWARE SYSTEM LIFE CYCLE RELATIONSHIP I,9-4, I,12-66  
 HAZARD AND DENSITY FUNCTIONS I,8-21  
 HAZARD RATE AS A FUNCTION OF AGE FAILURE I,5-24  
 HAZARD RATE I,5-3  
 HAZARD RATE FUNCTIONS I,5-8, II,4-4  
 HEAT DISSIPATION FROM FIXED RESISTORS IN FREE AIR II,5-110  
 HEAT SINK II,6-37  
 HEAT TRANSFER, CONDUCTIVE COMPOUND II,6-42  
 HIGH DISSIPATION PARTS, EFFECTS OF CONVECTION ON PARTS II,6-39  
 HIGH LEVEL HIPO CHART I,9-30  
 HIGH TEMPERATURE EFFECTS, ELECTRICAL CONNECTORS II,5-201  
 HIGH-POWER PARTS MOUNTING TO INCREASE HEAT TRANSFER II,6-42  
 HIPO CHART I,9-30  
 HISTORY OF COMPONENT RELIABILITY  
     ADVISORY GROUP ON RELIABILITY OF ELECTRONIC EQUIPMENT, AGREE II,1-4  
     ARMY SIGNAL CORPS MICROMODULE PROGRAM (1958-1963) II,1-6  
     ARMY'S DIAMOND ORDINANCE FUZE LABORATORIES 2-D PROGRAM (1957-1959) II,1-6

EPILOGUE II,1-12  
 GOVERNMENT/INDUSTRY DATA EXCHANGE PROGRAMS (GIDEP) II,1-5  
 LARGE SCALE INTEGRATED CIRCUIT (LSI) (1970-1980) II,1-9  
 NAVY'S PROJECT TINKERTOY (1950-1953) II,1-6  
 RADC RELIABILITY NOTEBOOK II,1-5  
 THE DECADE OF THE INTEGRATED CIRCUIT (1960-1970) II,1-7  
 THE EMERGENCE OF THE TRANSISTOR (1950-1960) II,1-4  
 THE RELIABILITY DECADE (1950-1960) II,1-4  
 VACUUM TUBE ERA (1940-1950) II,1-3  
 VERY HIGH SPEED INTEGRATED CIRCUITS (VHSIC) (1980) II,1-11  
 VERY LARGE SCALE INTEGRATED CIRCUITS (VLSI) (1980) II,1-11  
 HOTSPOT TEMPERATURE OF CONNECTORS II,5-202  
 HUMAN ENGINEERING I,7-90, II,3-2  
 HUMAN ERROR RATE I,7-100  
 HUMAN FACTORS I,7-86, II,3-2  
     CHARACTERISTICS OF HUMANS AND MACHINES I,7-96  
     DESIGN AND PRODUCTION I,7-89  
     HUMAN ENGINEERING I,7-90  
     THEORY I,7-93  
     HUMAN PERFORMANCE RELIABILITY I,7-91  
     INTERACTIONS AND TRADEOFFS I,7-99  
     INTRODUCTION I,7-86  
     LIST OF PREDICTIVE METHODS I,7-92  
     MAINTAINABILITY METHODS I,7-92  
     MAN/MACHINE ALLOCATION AND RELIABILITY I,7-94  
     MIL-H-46855 I,7-90  
     MIL-STD-1472 I,7-90  
     RELIABILITY RELATIONSHIP I,7-91  
     THEORY I,7-93  
     THERP (TECHNIQUE FOR HUMAN ERROR RATE PREDICTION) I,7-100  
 HUMAN PERFORMANCE PREDICTIVE METHODS I,7-92  
 HUMAN PERFORMANCE RELIABILITY I,7-91  
 HUMANS AND MACHINES, CHARACTERISTICS I,7-96  
 HYBRID DEVICES DERATING II,5-73  
 HYBRID MICROCIRCUIT MOUNTING TO INCREASE HEAT TRANSFER II,6-41  
 HYDRAULIC LEAKS I,7-77  
 HYDRAULIC STIFFENING I,7-77  
 HYPERGEOMETRIC I,9-20  
 HYPOTHESIS TEST A I,8-61  
 HYPOTHESIS TEST A I,8-61  
 HYPOTHESIS TEST B I,8-62  
 HYPOTHESIS TEST B I,8-62  
 HYPOTHETICAL AVAILABILITY SURFACE I,10-120  
 HYPOTHETICAL BUDGET CURVES I,10-122  
 HYPOTHETICAL HISTORY OF A MACHINE GUN USAGE I,10-39

## I

IBM MODEL, ROSNER, RELIABILITY GROWTH MODELS I,8B-7  
 ICE DAMAGE I,7-77  
 IDEAL OPERATING CHARACTERISTIC CURVE II,4-15, I,8-62  
 IMPACT OF DESIGN AND PRODUCTION ACTIVITIES ON EQUIPMENT RELIABILITY I,11-15  
 IMPATT II,5-92  
 INACTIVE TIME I,3-6, I,3-9  
 INDUCTIVE TEST CIRCUIT, CLAMPED II,5-89  
 INFANT MORTALITY I,5-22, II,3-2  
 INFANT MORTALITY, FOUR TYPES OF FAILURES I,11-11

## I, L

INFORMAL RELIABILITY DESIGN VERIFICATION I,7-148  
INFORMATION SOURCES THAT INITIATE RELIABILITY GROWTH I,8-97  
INHERENT RELIABILITY II,3-3  
INPUT DOMAIN BASED MODELS I,9-16  
INSPECTION I,12-15  
INSPECTION DURING STORAGE I,11-81  
INSPECTION FREQUENCY MATRIX I,11-79  
INSPECTION OF SUPPLIES AND CORRECTIONS OF DEFECTS I,12-15  
INSPECTION SYSTEM REQUIREMENTS I,11-6  
INSTANTANEOUS AVAILABILITY I,5-63  
INSTANTANEOUS FAILURE RATE I,5-3  
INSTANTANEOUS MISSION EVENT I,5-64  
INSULATION BREAKDOWN II,5-172  
INTEGRATED CIRCUITS, FILM TYPE II,1-22  
INTEGRATION ALGORITHM, DUAL-SLOPE II,5-48  
INTEL 8048/8035/8748 II,5-67  
INTEL 8086 II,5-68  
INTERACTIONS AND TRADEOFFS I,7-99  
INTERCONNECT CABLE AND WIRE II,5-210  
INTERFERENCE DEMONSTRATION TESTS I,8A-42  
INTERNAL REACTION I,7-93  
INTERRELATIONSHIP OF REQUIREMENTS AND CONSTRAINTS I,12-10  
INTRINSIC AVAILABILITY I,5-65  
INTRINSIC DEFECTS I,11-13  
INTRODUCTION I,7-1  
IPC-CF-150 II,5-216  
IPC-T-50 II,5-216, II,5-217

## J

JAN, JANTX, AND JANTXV DEVICE TYPES, ALTERNATE ORDER OF PROCEDURE II,7-8  
JAN, JANTX, AND JANTXV DEVICE TYPES, ORDER OF SCREENING PROCEDURE II,7-7  
JOSEPHSON JUNCTIONS II,1-33

## K

K-OUT-OF-N CONFIGURATION, RELIABILITY MODELING I,5-30  
KLYSTRON II,B-2, II,B-23  
KOLMOROV-SMIRNOV (K-S) TEST I,8-48  
KURTOSIS II,4-3

## L

LARGE GROUND BASED RADAR SYSTEM, LCC BREAKDOWN STRUCTURE I,10-103  
LARGE LOTS I,8A-5  
LCC I,10-127  
LCC  
BREAKDOWN STRUCTURE OF LARGE GROUND-BASED RADAR SYSTEM I,10-103  
BREAKDOWN STRUCTURES I,10-99, I,10-104  
CATEGORIES VS. LIFE CYCLE I,10-91  
COMPUTERIZED MODELS AN APPRAISAL OF MODELS USED IN LIFE-CYCLE-COST  
ESTIMATION FOR USAF AIR CRAFT SYSTEMS I,10-131  
COMPUTERIZED MODELS ANALYTIC METHODOLOGY FOR SYSTEM EVALUATION AND  
CONTROL (AMSEC) I,10-130

COMPUTERIZED MODELS AVIONICS LABORATORY PREDICTIVE OPERATIONS AND  
 SUPPORT (ALPOS) COST MODEL I,10-129  
 COMPUTERIZED MODELS COMPUTER MODEL FOR ANALYSIS OF ARMY AIRCRAFT  
 RAM IMPROVEMENT PROPOSALS I,10-130  
 COMPUTERIZED MODELS COST OPTIMIZING SYSTEM TO EVALUATE  
 RELIABILITY (COSTER) I,10-128  
 COMPUTERIZED MODELS IN CURRENT USE I,10-127  
 COMPUTERIZED MODELS LOGISTICS COST ANALYSIS MODEL 5 I,10-130  
 COMPUTERIZED MODELS OPERATING AND SUPPORT COST MODEL I,10-129  
 COMPUTERIZED MODELS PERSHING PROJECT OFFICE I,10-129  
 COMPUTERIZED MODELS RELIABILITY AND COST MODEL I,10-128  
 COMPUTERIZED MODELS SAVE (SYSTEMS AVIONICS VALUE ESTIMATION) MODEL  
 FOR LOGISTIC SUPPORT COSTS I,10-129  
 COMPUTERIZED MODELS STEP (STANDARDIZATION EVALUATION PROGRAM) I,10-129  
 COMPUTERIZED MODELS I,10-127  
 GUIDELINES I,10-97  
 GUIDELINES I,10-97  
 MODELS I,10-94  
 LEARNING FACTORS II,A-4  
 LEARNING FACTORS/FAILURE RATE MULTIPLIERS FOR MICROCIRCUITS II,A-4  
 LEAKAGE CURRENT I,7-43  
 LEWIS AND SHEDLER, RELIABILITY GROWTH MODELS I,8B-7  
 LIFE CHARACTERISTIC (BATHTUB) CURVE II,7-1  
 LIFE CHARACTERISTIC CURVE I,11-12  
 LIFE CYCLE I,12-2  
 RELATIONSHIP, HARDWARE/SOFTWARE SYSTEM I,9-4  
 LIFE CYCLE COMPONENT COST II,1-16  
 LIFE CYCLE COST (LCC) I,12-9  
 ACQUISITION POLICIES I,10-97  
 ACTIVITIES I,12-13  
 AIR FORCE LOGISTICS SUPPORT COST MODEL I,10-111  
 ANALOGOUS COST METHOD I,10-106  
 BREAKDOWN I,10-95  
 BREAKDOWN STRUCTURE I,10-99, I,10-102  
 CERS WITH DISCOUNTING AND ESCALATING I,10-113  
 COMBINED DISCOUNTING AND ESCALATING I,10-114  
 COMPUTER PROGRAM LIFE CYCLE (FROM AF REG. 800-14) I,10-101  
 COMPUTERIZED MODELS IN CURRENT USE I,10-127  
 CONCEPTS I,12-12  
 CONCEPTS I,10-90  
 COST CALCULATION FORM I,10-115  
 COST ESTIMATING RELATIONSHIPS (CERS) I,10-106  
 COSTING SYSTEM AVAILABILITY I,10-116  
 CUMULATIVE I,8-91  
 DESIGN ACTIONS I,10-97  
 DISCOUNTED PRESENT VALUE CALCULATION I,10-113  
 DOD DOLLAR CONVERSION INDICES I,10-117  
 DOD LCC BREAKDOWN STRUCTURES (LCCBSS) I,10-101, I,10-99  
 EFFECT OF EARLY DECISIONS I,12-9  
 ELEMENT MATRIX CONCEPT I,10-99  
 ESCALATING I,10-114  
 EXAMPLES OF DETAILED COST ESTIMATING RELATIONSHIPS I,10-110  
 GENERAL R&M TRADEOFF METHODOLOGY I,10-123  
 GENERIC LIFE CYCLE COST BREAKDOWN STRUCTURE I,10-102  
 LARGE GROUND BASED RADAR SYSTEM LCC BREAKDOWN STRUCTURE I,10-103  
 LCC BREAKDOWN STRUCTURES I,10-99  
 LCC GUIDELINES I,10-97  
 LCC MODELS I,10-94

LCC REVISITED I,10-125  
 LCCBSS USED IN THE MILITARY SERVICES I,10-104  
 LIFE CYCLE COST BREAKDOWN I,10-95  
 LIFE CYCLE COST ELEMENT MATRIX CONCEPT (REF. 29) I,10-99  
 OPERATIONS AND SUPPORT I,10-115  
 PARAMETRIC COST METHOD I,10-106  
 RELIABILITY GROWTH I,8-90  
 RESEARCH AND DEVELOPMENT ACTIONS I,10-97  
 SOFTWARE LIFE CYCLE COST BREAKDOWN STRUCTURE I,10-105  
 THE GEOMETRY OF SYSTEM R&M TRADEOFFS I,10-119  
 TYPICAL STANDARD COST FACTORS I,10-107  
 LIFE CYCLE COSTS VS. RELIABILITY I,10-96  
 LIFE CYCLE DEGRADATION I,11-2  
 LIFE CYCLE EXPENDITURES I,12-9  
 LIFE SUPPORT II,3-3  
 LINEAR IC'S II,5-38  
 LINEAR MICROCIRCUIT DERATING II,5-72  
 LITTLEWOOD MODELS I,9-23  
 LLOYD AND LIPOW, RELIABILITY GROWTH MODELS I,8B-1, I,8B-10  
 LOAD-SHARING REDUNDANT CONFIGURATION I,7A-40  
 LOG-NORMAL DISTRIBUTION II,4-6  
 LOGIC BLOCK DIAGRAM I,7-104, I,7-105, I,7-115  
 RADAR EXAMPLE I,7-115  
 SYSTEM I,7-104  
 UNIT I,7-105  
 LOGIC REPRESENTATION OF  $E=AB+ACD+BCD$  I,7-15  
 LOGIC REPRESENTATION OF  $E=AB+C+D$  I,7-15  
 LOGISTIC SUPPORT COST I,10-12  
 LOGISTIC SUPPORT COSTS (NON-STANDARD PARTS) II,1-17  
 LOGISTICS COST ANALYSIS MODEL 5 I,10-130  
 LOGISTICS PLANNING I,12-50  
 LOGNORMAL DISTRIBUTION I,5-2, I,5-12, II,4-6  
 LOGNORMAL MAINTAINABILITY FUNCTIONS I,5-62  
 LOT TOLERANCE PERCENT DEFECTIVE (LTPDP) II,4-17  
 LOW TEMPERATURE EFFECTS, ELECTRICAL CONNECTORS II,5-203  
 LOW TEMPERATURE PROTECTION METHODS I,7-77  
 LOWER TEST MTBF I,6-3  
 LSI MICROCIRCUITS II,5-61  
 LSI TECHNOLOGY CHARACTERISTICS II,5-21A

## M

MAGNETIC DEVICES II,5-169  
 CONSTRUCTION GRADE II,5-173  
 CURRENT DERATING FOR WIRE SIZE USED IN CONSTRUCTION II,5-174  
 DERATING CRITERIA FOR TRANSFORMERS, INDUCTORS AND COILS II,5-173  
 DERATING REQUIREMENTS II,5-173  
 FAILURE MODES AND MECHANISMS II,5-172  
 GENERAL APPLICATION CONSIDERATIONS II,5-173  
 INSULATION BREAKDOWN II,5-172  
 INTRODUCTION II,5-169  
 MAGNETIC CORE CHARACTERISTICS II,5-172  
 OPEN CONDUCTOR II,5-172  
 PARAMETER VARIATION II,5-172  
 RESISTANCE CHANGE WITH TEMPERATURE II,5-173  
 SELECTION AND USAGE GUIDELINES II,5-170  
 SHIELDING II,5-173



TEMPERATURE CLASS II,5-173  
 MAGNETRON II,B-2  
 MAINTAINABILITY I,3-4, I,3-9, I,10-58, II,3-3  
   ANALYSIS I,12-49  
   AVAILABILITY RELATIONSHIPS I,10-60  
   CONTROL I,12-50  
   CONTROL PARAMETERS I,11-59  
   DESIGN ATTRIBUTES I,11-59  
   DESIGN CRITERIA I,12-51  
   DESIGN REVIEWS I,12-51  
   DESIGN SUPPORT I,12-49  
   DESIGN TRADEOFFS I,12-51  
   DIDS I,12-80  
   FUNCTION M(T) I,5-52  
   MEASUREMENT, BASIC METHODS I,5-41  
   METHODS FOR HUMAN FACTORS I,7-92  
   MILESTONES, LIFE CYCLE PHASE I,12-52  
   MODELS, STATISTICAL DISTRIBUTIONS I,5-40  
   PREDICTION I,12-51  
   PROGRAM ELEMENTS I,12-52  
   PROGRAM PLAN I,12-49  
   PROGRAM TASKS I,12-48  
   REQUIREMENTS FOR SUBSYSTEM OR EQUIPMENT SPECIFICATIONS, EXAMPLE I,12-46  
   REQUIREMENTS IN SUBCONTRACTOR AND VENDOR CONTRACT SPECIFICATIONS I,12-51  
   REQUIREMENTS, EXAMPLE OF SPECIFIED INTERMEDIATE LEVEL I,12-47  
   SPECIFICATION REQUIREMENTS I,12-45  
   STATUS REPORTS I,12-52  
   TASKS IN THE SYSTEM LIFE CYCLE I,12-53  
   TASKS VS. LIFE CYCLE PHASE I,12-52  
   TESTING I,12-50  
   TRADEOFFS I,5-77  
 MAINTAINABILITY ASSURANCE TASKS IN THE PRODUCTION PHASE I,11-60  
 MAINTAINABILITY CONSIDERATIONS I,12-41  
   DEMONSTRATE ACHIEVEMENT OF MAINTAINABILITY REQUIREMENTS I,12-52  
   ESTABLISH DATA COLLECTION, ANALYSIS, AND CORRECTIVE ACTION SYSTEM I,12-52  
   ESTABLISH MAINTAINABILITY DESIGN CRITERIA I,12-51  
   EXAMPLE OF A SPECIFICATION FOR A PERMISSIBLE PREVENTIVE  
     MAINTENANCE DOWNTIME I,12-47  
   EXAMPLE OF A SPECIFICATION FOR UNINTERRUPTED OPERATIONAL CAPABILITY  
     WITHOUT MAINTAINABILITY CONSIDERATIONS PREVENTIVE MAINTENANCE I,12-48  
   EXAMPLE OF A SPECIFIED LIMITATION IN MAINTENANCE MANHOUR  
     REQUIREMENTS I,12-48  
   EXAMPLE OF MAINTAINABILITY REQUIREMENTS FOR SUBSYSTEM OR EQUIPMENT  
     SPECIFICATIONS I,12-46  
   EXAMPLE OF SPECIFIED INTERMEDIATE LEVEL MAINTAINABILITY  
     REQUIREMENTS I,12-47  
   INCORPORATE AND ENFORCE MAINTAINABILITY REQUIREMENTS IN SUBCONTRACTOR  
     AND VENDOR CONTRACT SPECIFICATIONS I,12-51  
   INTEGRATE OTHER ITEMS I,12-51  
   MAINTAINABILITY ANALYSIS I,12-50  
   MAINTAINABILITY PROGRAM PLAN I,12-49  
   MAINTAINABILITY PROGRAM TASKS I,12-48  
   MAINTAINABILITY SPECIFICATION REQUIREMENTS I,12-45  
   MAINTAINABILITY TASKS VS. LIFE CYCLE PHASE I,12-52  
   PARTICIPATE IN DESIGN REVIEWS I,12-51  
   PERFORM DESIGN TRADEOFFS I,12-51  
   PREDICT MAINTAINABILITY PARAMETER VALUES I,12-51  
   PREPARE INPUTS TO THE DETAILED MAINTENANCE CONCEPT AND DETAILED

MAINTENANCE PLAN I,12-50  
 PREPARE MAINTAINABILITY STATUS REPORTS I,12-52  
 R&M MILESTONES VS. SYSTEM LIFE CYCLE PHASE I,12-52  
 RELATIVE EMPHASIS ON MAINTAINABILITY PROGRAM ELEMENTS I,12-52  
 SCHEDULE OF CONCEPTUAL PHASE RELIABILITY AND MAINTAINABILITY TASKS I,12-56  
 SCHEDULE OF FULL-SCALE DEVELOPMENT PHASE TASKS I,12-59  
 SCHEDULE OF PRODUCTION PHASE TASKS I,12-62  
 SCHEDULE OF VALIDATION PHASE RELIABILITY AND MAINTAINABILITY TASKS I,12-57  
 MAINTAINABILITY CONTROL PRODUCTION I,11-58  
 MAINTAINABILITY FUNCTION DERIVED FROM TIME-TO-REPAIR  
   DISTRIBUTION I,5-41, I,12-46  
 MAINTAINABILITY PROGRAM TASKS  
   CONCEPTUAL PHASE I,12-52  
   DEVELOPMENT PHASE I,12-59  
   PRODUCTION PHASE I,12-62  
   VALIDATION PHASE I,12-57  
 MAINTAINABILITY THEORY I,5-38  
   BASIC CONCEPTS I,5-38  
   MAXIMUM TIME TO REPAIR I,5-40  
   MEAN TIME TO REPAIR, MTTR I,5-40  
   MEDIAN TIME TO REPAIR I,5-40  
   STATISTICAL DISTRIBUTIONS USED IN MAINTAINABILITY MODELS I,5-40  
 MAINTENANCE II,3-3  
   CONCEPT I,12-50  
   CORRECTIVE II,3-3  
   DEGRADATION CONTROL (DURING DEPOT OPERATIONS) I,11-85  
   DOCUMENTATION REQUIREMENTS I,11-88  
   MANHOUR REQUIREMENTS, EXAMPLE OF A SPECIFIED LIMITATION IN I,12-48  
   MANPOWER COST I,10-12  
   PLAN I,12-50  
   PLAN FOR DEGRADATION CONTROL, IMPORTANCE I,11-87  
   PREVENTIVE II,3-3  
   REQUIREMENT AREAS, DEPOT I,11-87  
   STEPS IN EXAMPLE REPLACEMENT ACTION I,11-61  
   TASK STEPS I,11-61  
   TIME I,3-6, I,3-9  
 MAINTENANCE-MANHOURS-PER-MAINTENANCE-ACTION, DIRECT (DMMH/MA) I,10-15  
 MAJORITY VOTE REDUNDANCY (TWO OUT OF THREE) DIVIDE BY 8 COUNTER CIRCUIT I,7-68  
 MAJORITY VOTING REDUNDANCY I,7-65, I,7A-35  
 MAN/MACHINE INTERACTION I,7-94  
 MAN/MACHINE RELIABILITY PREDICTION I,7-98  
 MANAGEMENT ACTIVITIES I,4-10  
 MARKOV GRAPH FOR SINGLE UNIT I,5-66  
 MARKOV-PROCESS I,5-65, II,8-25  
 MATERIALS AND PROCESSES USED IN SEMI-CONDUCTOR FABRICATION II,1-20  
 MAXIMUM POWER DISSIPATION II,5-36  
 MAXIMUM TIME TO REPAIR I,5-40  
 MEAN FLIGHT HOURS BETWEEN FAILURES (MFHBF) I,4-6  
 MEAN LIFE I,6-1  
 MEAN LIFE ESTIMATION BY USE OF PERCENTILES II,4-10  
 MEAN TIME BETWEEN FAILURE (MTBF) I,5-6, I,12-27, II,3-3  
 MEAN TIME BETWEEN FAILURE-VERIFICATION TEST I,12-16  
 MEAN-TIME-BETWEEN-DOWNING-EVENTS (MTBDE) I,10-15  
 MEAN-TIME-BETWEEN-MAINTENANCE-ACTIONS (MTBMA) I,10-15, II,3-3  
 MEAN TIME TO FAILURE (MTTF) I,5-5, II,3-4  
 MEAN TIME TO REPAIR (MTTR) I,5-40, II,3-4  
 MEAN-TIME-TO-RESTORE-SYSTEM (MTTRS) I,10-15  
 MECHANICAL EQUIPMENT, STATISTICAL DISTRIBUTIONS USED IN I,5-11

MEDIAN TIME TO REPAIR I,5-40  
 MEMORY/LSI FAILURE MODES AND MECHANISMS II,8-8  
 METALLIZATION MELT II,6-15  
 MFHBF I,4-6  
 MICROCIRCUITS II,5-12  
   A/D CONVERSION II,5-46  
   AMD 2900 FAMILY II,5-67  
   APPLICATION CONSIDERATIONS II,5-17  
   APPLICATION OF LINEAR IC'S II,5-38  
   APPLICATION OF LSI MICROCIRCUITS II,5-61  
   BIPOLAR DEVICE TECHNOLOGIES II,5-13  
   BIT-SLICE PROCESSORS II,5-64  
   BUBBLE MEMORIES II,5-63  
   CONSIDERATIONS IN THE BOARD LAYOUT OF ICS II,5-24  
   DECOUPLING AND GROUNDING II,5-32  
   DEFECTS/SCREENS II,7-18  
   DERATING II,5-73  
   DIGITAL MICROCIRCUIT APPLICATIONS II,5-51  
   DIGITAL MICROCIRCUIT DERATING II,5-72  
   DIGITAL MICROCIRCUITS II,5-51  
   FABRICATION AND DESIGN II,5-18  
   HYBRID DEVICES DERATING II,5-73  
   IC PACKAGE TYPES II,5-17  
   INTEL 8048/8035/8748 II,5-67  
   INTEL 8086 II,5-68  
   LINEAR ICS II,5-38  
   MAXIMUM POWER DISSIPATION II,5-36  
   MICROCIRCUIT SELECTION GUIDELINES II,5-1  
   MICROCOMPUTERS II,5-66  
   MICROPROCESSORS II,5-66  
   MIL-STD-883 TEST METHODS II,7-16  
   MONOLITHIC MICROCIRCUIT TECHNOLOGY II,5-12  
   MOS TECHNOLOGY FAMILIES II,5-16  
   MOTOROLA 6800 II,5-69  
   MOTOROLA MC 68000 II,5-69  
   MOUNTING AND CONNECTIONS II,5-22  
   NOISE TYPE AND DESIGN CONSIDERATIONS II,5-24  
   OPERATING ICS WITH OR WITHOUT HEAT SINKS II,5-36  
   POWER DISSIPATION IN ICS II,5-34  
   PRINTED CIRCUIT BOARDS II,5-34  
   RCA CDP 1802 II,5-69  
   SELECTION GUIDELINES II,5-12  
   SELECTION OF PROCESSING UNITS II,5-64  
   SPEED AND APPLICATIONS II,5-21  
   SPEED AND POWER TRADEOFFS II,5-19  
   TTESTING II,7-27  
   TEXAS INSTRUMENTS SBP 9989 II,5-70  
   THERMAL RESISTANCE II,5-36  
   TI 9900A II,5-70  
   ZILOG Z8 FAMILY II,5-71  
   ZILOG Z80 II,5-71  
   ZILOG Z8000 FAMILY II,5-71  
 MICROCOMPUTERS II,5-64, II,5-66  
 MICROPROCESSORS II,5-64, II,5-66  
 MICROWAVE SEMICONDUCTOR DEVICES II,5-01  
   CHARACTERISTICS II,5-91  
   SI VS GAAS FOR MICROWAVE APPLICATIONS II,5-91  
   THE GUNN OR TRANSFERRED ELECTRON DEVICE (TED) II,5-92

THE IMPATT DEVICE II,5-92  
 MICROWAVE TUBE I,5-10  
 MIL SPECIFICATIONS FOR RELAYS II,5-177  
 MIL SPECIFICATIONS, SEE SPECIFICATIONS AND STANDARDS ALSO  
 MIL-C-10950 II,5-147, II,5-158  
 MIL-C-11015 II,5-148, II,5-158  
 MIL-C-11272 II,5-147  
 MIL-C-12889 II,5-148  
 MIL-C-14409 II,5-152, II,5-158, II,5-167  
 MIL-C-15305 II,5-171  
 MIL-C-17 II,5-209  
 MIL-C-18312 II,5-148  
 MIL-C-19547 II,5-209  
 MIL-C-19978 II,5-148, II,5-159, II,5-167, II,5-160  
 MIL-C-20 II,5-149, II,5-157, II,5-167  
 MIL-C-21097 II,5-198, II,5-215  
 MIL-C-21609 II,5-209  
 MIL-C-22931 II,5-209  
 MIL-C-22992 II,5-196  
 MIL-C-23183 II,5-160  
 MIL-C-23269 II,5-147, II,5-18, II,5-161, II,5-167  
 MIL-C-23437 II,5-209  
 MIL-C-23806 II,5-209  
 MIL-C-24308 II,5-196  
 MIL-C-25 II,5-148  
 MIL-C-26482 II,5-195  
 MIL-C-27072 II,5-209  
 MIL-C-27500 II,5-209  
 MIL-C-28731 II,5-197  
 MIL-C-28748 II,5-197  
 MIL-C-28804 II,5-197  
 MIL-C-3432 II,5-209  
 MIL-C-3655 II,5-198  
 MIL-C-3899 II,5-197  
 MIL-C-38999 II,5-195  
 MIL-C-39001 II,5-147, II,5-161, II,5-167  
 MIL-C-39003 II,5-149, II,5-161, II,5-167  
 MIL-C-39006 II,5-150, II,5-162, II,5-167  
 MIL-C-39010 II,5-169, II,5-171  
 MIL-C-39012 II,5-198  
 MIL-C-39014 II,5-149, II,5-164, II,5-167  
 MIL-C-39018 II,5-164, II,5-166  
 MIL-C-39022 II,5-151, II,5-165, II,5-167  
 MIL-C-39024 II,5-197  
 MIL-C-3965 II,5-149  
 MIL-C-442 II,5-209  
 MIL-C-5 II,5-147  
 MIL-C-5015 II,5-195  
 MIL-C-55021 II,5-209  
 MIL-C-55302 II,5-199, II,5-216  
 MIL-C-55365 II,5-151, II,5-165  
 MIL-C-55514 II,5-151, II,5-166, II,5-167  
 MIL-C-55681 II,5-151, II,5-166  
 MIL-C-62 II,5-149  
 MIL-C-7078 II,5-209  
 MIL-C-81 II,5-151, II,5-167  
 MIL-C-81659 II,5-197  
 MIL-C-83421 II,5-167

MIL-C-83723 II,5-196, II,5-197  
 MIL-E-1 II,5-207  
 MIL-E-16400 I,7-2, II,5-223  
 MIL-E-4158 I,7-2  
 MIL-E-5086 II,5-209  
 MIL-E-5400 I,7-2, II,5-223  
 MIL-F-14256 II,5-217  
 MIL-H-46855 I,7-90  
 MIL-HDBK-189 I,8-92  
 MIL-HDBK-217 I,6-37, I,7-20, I,7-130, II,5-10, II,5-193, II,5-206  
 MIL-HDBK-217D I,6-45  
 MIL-HDBK-246 II,5-222  
 MIL-HDBK-251 I,7-78  
 MIL-I-45208 I,11-6  
 MIL-I-46058 II,5-215  
 MIL-L-3890 II,5-209  
 MIL-M-28787 I,7-18, II,5-222  
 MIL-M-83436 II,5-220  
 MIL-P-11268 II,5-194  
 MIL-P-13949 II,5-215  
 MIL-P-28809 II,5-215  
 MIL-P-50884 II,5-215  
 MIL-P-55110 II,5-216, II,5-220  
 MIL-P-81728 II,5-215  
 MIL-Q-9858 I,11-4  
 MIL-R-10509 II,5-104  
 MIL-R-11 II,5-104  
 MIL-R-11804 II,5-104, II,5-121  
 MIL-R-12934 II,5-122  
 MIL-R-18546 II,5-123  
 MIL-R-19 II,5-106, II,5-116, II,5-117  
 MIL-R-22 II,5-106, II,5-118  
 MIL-R-22097 II,5-107, II,5-124  
 MIL-R-22684 II,5-104  
 MIL-R-23285 II,5-106, II,5-125, II,5-126  
 MIL-R-23648 II,5-143  
 MIL-R-26 II,5-104, II,5-119  
 MIL-R-27208 II,5-107, II,5-127  
 MIL-R-27777 II,5-177  
 MIL-R-28750 II,5-177  
 MIL-R-39002 II,5-107, II,5-128  
 MIL-R-39005 II,5-104, II,5-129  
 MIL-R-39007 II,5-104, II,5-130  
 MIL-R-39008 II,5-105, II,5-131  
 MIL-R-39009 II,5-105, II,5-123, II,5-132  
 MIL-R-39015 II,5-107, II,5-127, II,5-133  
 MIL-R-39016 II,5-177  
 MIL-R-39017 II,5-105, II,5-134, II,5-135  
 MIL-R-39023 II,5-136  
 MIL-R-39035 II,5-107, II,5-124, II,5-137, II,5-138  
 MIL-R-55182 II,5-105, II,5-139  
 MIL-R-55342 II,5-140  
 MIL-R-55432 II,5-105  
 MIL-R-5757 II,5-177  
 MIL-R-6106 II,5-177  
 MIL-R-83401 II,5-106, II,5-141, II,5-142  
 MIL-R-83516 II,5-177  
 MIL-R-83726 II,5-177

MIL-R-93	II, 5-104
MIL-R-94	II, 5-120
MIL-S-12285	II, 5-186
MIL-S-15291	II, 5-187
MIL-S-15743	II, 5-186
MIL-S-18396	II, 5-186
MIL-S-19500	I, 7-6, I, 7-7, II, 5-76, II, 5-212
MIL-S-21604	II, 5-186
MIL-S-22710	II, 5-187
MIL-S-22885	II, 5-185
MIL-S-24236	II, 5-185
MIL-S-24317	II, 5-185
MIL-S-3786	II, 5-187
MIL-S-3950	II, 5-187
MIL-S-45743	II, 5-217
MIL-S-46844	II, 5-217
MIL-S-5432	II, 5-188
MIL-S-55433	II, 5-188
MIL-S-6807	II, 5-187
MIL-S-83502	II, 5-199
MIL-S-83505	II, 5-199
MIL-S-83734	II, 5-199
MIL-S-8805	II, 5-187
MIL-S-8834	II, 5-187
MIL-S-9395	II, 5-187
MIL-STD-105	I, 8A-10
MIL-STD-1130	II, 5-220
MIL-STD-1132	II, 5-5, II, 5-186
MIL-STD-1286	II, 5-169
MIL-STD-1346	II, 5-175, II, 5-177
MIL-STD-1353	II, 5-194
MIL-STD-1378	II, 5-222
MIL-STD-1389	II, 5-222
MIL-STD-1472	I, 7-90
MIL-STD-1547	II, 5-76
MIL-STD-1562	II, 5-5
MIL-STD-1634	II, 5-222
MIL-STD-1670	I, 7B-13
MIL-STD-198	II, 5-5, II, 5-103, II, 5-111, II, 5-146
MIL-STD-200	II, 5-207
MIL-STD-202	II, 5-5, II, 5-191, II, 7-5
MIL-STD-2068	I, 8-88
MIL-STD-210	I, 6-5, I, 7B-1
MIL-STD-275	II, 5-216
MIL-STD-414	I, 8A-32
MIL-STD-454	II, 5-177, II, 5-186, II, 5-194, II, 5-207, II, 5-216, II, 5-217
MIL-STD-701	II, 5-5
MIL-STD-721	I, 3-7
MIL-STD-750	II, 5-5, II, 7-10
MIL-STD-756	I, 6-61
MIL-STD-781	I, 6-3
MIL-STD-781C	I, 11-52
MIL-STD-785	I, 8-1
MIL-STD-785B	I, 12-33
MIL-STD-883	II, 5-4, II, 7-16, II, 7-25
MIL-STD-965	II, 5-2
MIL-T-21038	II, 5-169, II, 5-171
MIL-T-23648	II, 5-107, II, 5-143

MIL-T-27 II,5-169, II,5-170  
 MIL-T-55631 II,5-169, II,5-171  
 MIL-T-83720 II,5-169  
 MIL-T-83721 II,5-169, II,5-171  
 MIL-W-16878 II,5-209  
 MIL-W-19150 II,5-209  
 MIL-W-22759 II,5-209  
 MIL-W-25038 II,5-209  
 MIL-W-7072 II,5-209  
 MIL-W-76 II,5-209  
 MIL-W-81044 II,5-209  
 MIL-W-81381 II,5-209  
 MIL-W-8777 II,5-209  
 MILLS MODEL I,9-22  
 MINIMAL PATH AND MINIMAL CUT TECHNIQUES I,6-55  
 MINIMIZATION OF EFFORT ALGORITHM I,6-20  
 MINIMIZING DESIGN ERRORS I,7-33  
 MISSION II,3-4  
   AVAILABILITY I,5-63  
   OPERATING TIME I,5-64  
   PROFILES I,6-7  
   RELIABILITY I,3-2, I,3-8, I,10-14, I,10-15, I,10-42  
   RELIABILITY AND DEPENDABILITY MODELS I,10-41  
   SUCCESS I,10-12  
   TIME I,3-6, I,3-10  
 MISSION-TIME-BETWEEN-CRITICAL-FAILURES (MTBCF) I,10-15  
 MISSION-TIME-TO-RESTORE-FUNCTIONS (MTTRF) I,10-15  
 MODE II,4-3  
 MODELS - DETERMINISTIC, MATHEMATICAL, PROBABILISTIC, STOCHASTIC I,5-1  
 MODIFICATION TIME I,3-6, I,3-9  
 MOISTURE EFFECTS ON SWITCHES II,5-192  
 MOISTURE PROTECTION I,7-80  
 MOMENT ANALYSIS I,7-28, I,7-31  
 MONITOR/CONTROL OF SUBCONTRACTORS AND SUPPLIERS I,12-34  
 MONTE CARLO ANALYSIS I,7-28  
 MOS (METAL OXIDE SEMICONDUCTOR) I,7-35  
 MOS SSI/MSI DEVICE REPORTED FAILURE MODES AND MECHANISMS II,8-8  
 MOS TECHNOLOGY FAMILIES II,5-16  
 MOSFET II,5-84  
   CAPACITIVE SPEED-UP CIRCUIT II,5-86  
   CAUTION II,5-90  
   MAXIMUM OPERATING FREQUENCY II,5-87  
   PARALLELING II,5-90  
   SAFE OPERATING AREA II,5-90  
   TEMPERATURE STABILITY II,5-90  
 MOTOROLA 6800 II,5-69  
 MOUNTING AND CONNECTIONS, MICROCIRCUITS II,5-22  
 MOUNTING TECHNIQUES FOR RESISTORS II,5-31  
 MOUNTING TO INCREASE HEAT TRANSFER, HIGH POWER PARTS II,6-41  
 MOUNTING TO INCREASE HEAT TRANSFER, HYBRIDS II,6-41  
 MPCAG (MILITARY PARTS CONTROL ADVISORY GROUP) II,5-3  
 MRAP/SRAP II,5-5  
 MTBF (MEAN TIME BETWEEN FAILURES) I,4-6, I,5-6  
 MTBF APPROXIMATION I,11-17  
 MTBF VERSUS ACTIVE ELEMENTS FOR VARIOUS RELIABILITY CLASSES I,6-35  
 MTTF (EXPECTED VALUE) I,5-6  
 MTTR (MEAN TIME TO REPAIR) I,5-52  
 MULTICONDUCTOR CABLE II,5-208

MULTILAYER PC BOARD COOLING TECHNIQUES II,6-43  
 MULTILAYER PRINTED WIRING BOARDS II,5-219  
 MULTIPLE REDUNDANCY I,7A-8  
 MULTIPLE REDUNDANT ARRAY OF M ELEMENTS I,7A-10  
 MUSA MODEL I,9-21

## N

NAC TP-526, SEM MICROPROCESSOR APPLICATION HANDBOOK II,5-222  
 NAC TP-528, SEM MEMORY APPLICATION HANDBOOK II,5-222  
 NAC TP-529, SEM THERMAL APPLICATION HANDBOOK II,5-222  
 NAC TP-531, SEM MODULE DESCRIPTIONS HANDBOOK II,5-222  
 NAC TP-532, SEM HARDWARE CATALOG II,5-223  
 NAVY STANDARD ELECTRONIC MODULES (SEM) I,7-18, II,5-221  
 NAVY STANDARD ELECTRONIC MODULES (SEM) PROGRAM (MIL-M-28787) I,7-18  
 NETWORK TREE PRODUCTION I,7-139  
 NEW TECHNOLOGIES II,1-31  
 NEW-GENERATION COST PROGRESSION I,1-4  
 NOISE II,5-24  
 NOISE FIGURE PERFORMANCE OF GAAS LABORATORY DEVICES II,1-34  
 NOISE GENERATION DUE TO POOR TRANSMISSION-LINE RETURNS II,5-26  
 NOISE TYPE AND DESIGN CONSIDERATIONS II,5-24  
 NONEXPONENTIAL FAILURE DENSITIES MODIFICATIONS I,6-47  
 NON-PARAMETRIC AND THEORETICAL NORMAL RELIABILITY FUNCTIONS I,8-30  
 NONOPERATING FAILURE RATES I,6-49  
 NON-REDUNDANT UNIT, EQUIVALENT I,6-68  
 NON-REDUNDANT VOLTAGE SUPPLIES I,7-62  
 NON-REPAIRABLE EQUIPMENT SITUATIONS II,1-15  
 NON-STANDARD PARTS DOCUMENT COSTS II,1-17  
 NONOPERATING FAILURE RATES, MODIFICATION TO INCLUDE I,6-49  
 NONREDUNDANT RF AMPLIFIER CHANNEL I,7-71  
 NONREDUNDANT RF RECEIVER CHANNELS I,7-74  
 NONREDUNDANT TRANSISTOR CIRCUIT, COMPARISON WITH QUAD I,7-66  
 NONREDUNDANT VS REDUNDANT CONFIGURATION I,7-70  
 NORMAL (GAUSSIAN) STRESS-STRENGTH DISTRIBUTIONS AND UNRELIABILITY  
   IN DESIGN I,7-11  
 NORMAL CURVE I,5A-3  
 NORMAL DISTRIBUTION I,5-7, I,5-56, I,8-61, I,8A-1, I,8A-17, I,8A-26,  
   I,8A-31, I,8A-38, II,4-2, II,4-6  
   CONFIDENCE LIMITS I,8-35  
   FAILURES IN TIME I,8-25  
   GRAPHICAL POINT ESTIMATION I,8-8  
   RELIABILITY CALCULATIONS USING I,5-10  
 NORMAL RELIABILITY FUNCTION, COMPUTATION FOR I,8-28  
 NORMAL RELIABILITY FUNCTIONS I,8-30  
 NORMAL SURVIVAL CURVE I,8-25, I,8-27  
 NOT OPERATING TIME I,3-6, I,3-10  
 NTIA-SP-79-4 II,5-212, II,5-214  
 NUCLEAR RADIATION I,7-85

## O

O&M DOLLAR CONVERSION INDICES, DOD I,10-117  
 OBSERVED AND THEORETICAL EXPONENTIAL SURVIVAL CURVES I,8-27  
 OBSERVED AND THEORETICAL NORMAL SURVIVAL CURVES I,8-27  
 OC CURVE CHARACTERISTICS I,8-64



OPERABLE II,3-4  
 OPERATING AND SUPPORT COST MODEL I,10-129  
 OPERATING CHARACTERISTICS CURVE I,8-62, I,8-63, II,4-15, II,4-16  
 OPERATING TIME I,5-64  
 OPERATIONAL II,3-4  
 OPERATIONAL EFFECTIVENESS I,4-13  
 OPERATIONAL MAINTAINABILITY I,10-42  
 OPERATIONAL R&M ASSESSMENT AND IMPROVEMENT I,11-83  
     DATA COLLECTION AND ANALYSIS (DURING FIELD DEPLOYMENT) I,11-93  
     DEPOT MAINTENANCE REQUIREMENT AREAS I,11-87  
     FACTORS CONTRIBUTING TO R&M DEGRADATION DURING FIELD OPERATION I,11-84  
     IMPORTANCE OF A MAINTENANCE PLAN FOR DEGRADATION CONTROL I,11-87  
     MAINTENANCE DEGRADATION CONTROL (DURING DEPOT OPERATIONS) I,11-85  
     MAINTENANCE DOCUMENTATION REQUIREMENTS I,11-88  
     RELIABILITY CENTERED MAINTENANCE CONCEPT I,11-91  
     SYSTEM R&M ASSESSMENT I,11-95  
     SYSTEM R&M IMPROVEMENT I,11-97  
     SYSTEM R&M IMPROVEMENT PROGRAM I,11-98  
 OPERATIONAL READINESS I,3-2, I,3-8, I,4-16, I,10-14, I,10-15  
 OPERATIONAL READINESS MODELS I,10-43, I,10-45, I,10-46, I,10-48  
 OPERATIONAL READINESS PROBABILITY I,10-53  
 OPERATIVE REDUNDANCY I,7A-16, I,7A-25, I,7A-44  
 OPTIMIZATION OF SYSTEM EFFECTIVENESS I,4-16  
 OPTIMIZATION PROCESS I,4-17  
 OPTIMIZATION TECHNIQUES I,4-19  
 ORACLE (OPTIMIZED RELIABILITY AND COMPONENT LIFE ESTIMATES) I,10-54, I,6-51  
 OUTPUT RESPONSE I,7-93  
 OVERSTRESS PROTECTION OF ELECTRONIC COMPONENTS I,7-18

## P

PACKAGE TYPES II,5-17  
 PACKAGING I,11-68, II,1-24  
 PACKAGING TRADE-OFFS II,6-10  
 PACKING I,11-68  
 PARALLEL CONFIGURATION MODELING I,5-27  
 PARALLEL ELEMENT CIRCUIT I,7A-32  
 PARALLEL ELEMENTS I,7A-18  
 PARALLEL ELEMENTS RELATED TO FAILURE-MODE PROBABILITIES I,7A-20  
 PARALLEL NETWORK I,7-45  
 PARALLEL REDUNDANCY I,7-58, I,7A-11  
 PARALLEL REDUNDANCY, DUPLICATE (OPERATIVE CASE) I,7A-10  
 PARALLEL SERIES REDUNDANCY CIRCUIT EXAMPLE I,7-57  
 PARALLEL SERIES REDUNDANCY RELIABILITY GAIN I,7-55  
 PARALLEL-SERIES CONFIGURATION I,7A-4, I,7A-26  
 PARALLEL-SERIES ELEMENTS I,7A-24  
 PARAMETER CHANGE WITH STRESS AND TIME, RESISTORS I,7-29  
 PARAMETER CHANGE WITH TIME, RESISTORS I,7-26  
 PARAMETER CHANGE WITH TIME, CAPACITORS I,7-27  
 PARAMETER DEGRADATION I,7-20  
 PARAMETER DEGRADATION AND ANALYSIS I,7-20  
 PARAMETER VARIATION ANALYSIS I,7-28, I,7-31, I,7-94  
 PARAMETER VARIATIONS OF MAGNETIC DEVICES DURING USEFUL LIFE II,5-172  
 PART COUNT TECHNIQUE I,6-27, I,6-39  
 PART FAILURE MODE DISTRIBUTION I,7-108  
 PART FAILURE RATES II,A-1  
     CAPACITORS II,A-2  
     ELECTRON TUBES II,B-1

FACTORS AFFECTING FAILURE RATES OF PARTS II,A-1  
 FAILURE RATE FACTORS FOR MONOLITHIC MICROCIRCUITS II,A-4  
 FAILURE RATE FACTORS FOR SEMICONDUCTOR DEVICES II,A-3  
 LEARNING FACTORS/FAILURE RATE MULTIPLIERS FOR MICROCIRCUITS II,A-4  
 RELAYS, SWITCHES AND CONNECTORS II,A-2  
 RESISTORS II,A-2  
 PART SELECTION AND CONTROL I,7-1, I,7-3, I,12-36, II,5-1, II,5-3  
 CABLES II,5-208  
 CAPACITORS II,5-144  
 CRITICAL PARTS II,5-7  
 DISCRETE SEMICONDUCTOR DEVICES II,5-75  
 ELECTRICAL CONNECTORS II,5-194  
 ELECTRO OPTICS/FIBER OPTICS II,5-211  
 FAILURE RATE PREDICTION II,5-10  
 GROUND RULES I,7-3  
 GROUND RULES II,5-1  
 MAGNETIC DEVICES II,5-169  
 MPCAG II,5-3  
 MRAP/SRAP II,5-5  
 PART APPLICATION II,5-7  
 PART APPROVAL II,5-6  
 PART AVAILABILITY II,5-2  
 PART CONTROL II,5-1  
 PART CRITICALITY II,5-2  
 PART JUSTIFICATION II,5-6  
 PART PARAMETERS II,5-7  
 PART SELECTION II,5-2  
 PART TEST METHODS II,5-5  
 PARTS SELECTION GUIDELINES II,5-12  
 PREFERRED PARTS II,5-5  
 PRINTED CIRCUITRY II,5-215  
 RELAYS II,5-175  
 RESISTORS II,5-103  
 STANDARD ELECTRONIC MODULE (SEM) PROGRAM II,5-221  
 SWITCHES II,5-185  
 PART TYPE VS. SCREENING DESIGNATOR II,1-14  
 PARTIAL REDUNDANCY I,5-18, I,7A-9  
 PARTS SELECTION AND CONTROL, GROUND RULES I,7-3  
 PASSIVE COOLING TECHNIQUES I,7-76  
 PASSIVE PARTS II,7-4  
 PCB TEMP-CYCLE ENVIRONMENTAL PROFILE I,11-37  
 PDR I,7-152  
 PERCENTILE USED TO ESTIMATE MEAN LIFE II,4-10  
 PERFORMANCE LIMITS I,6-6  
 PERMISSIBLE FAILURE AND REPAIR RATES I,10-79  
 PERSHING PROJECT I,10-129  
 PHASE LOCK LOOP BLOCK DIAGRAM II,5-49  
 PHOTOFABRICATION II,1-20  
 PHOTOLITHOGRAPHY II,1-22  
 PHYSICAL CHARACTERISTIC TESTS (200 CLASS) II,1-26  
 PIN RATING, CONNECTORS II,5-204  
 POISSON DISTRIBUTION I,5-20  
 POISSON PROCESSES, RELIABILITY GROWTH MODELS I,8B-5  
 POSITIVE VOLTAGE REGULATOR II,5-42  
 POSTERIOR DISTRIBUTION I,5-35  
 POTTING, ELECTRICAL CONNECTORS II,5-204  
 POWER DISSIPATION IN ICS II,5-34  
 POWER DISSIPATION LIMITATIONS I,7-37

POWER MOSFET II,5-84  
 POWER TRANSISTOR SECONDARY BREAKDOWN II,5-83  
 PREDICTED II,3-4  
 PREDICTING MAN/MACHINE RELIABILITY I,7-98  
 PREDICTION BY FUNCTION TECHNIQUE I,6-27, I,6-36  
 PREDICTIVE METHODS FOR HUMAN FACTORS I,7-92  
 PREFERRED PARTS II,5-5  
 PRELIMINARY DESIGN REVIEW (PDR) I,7-150, I,7-152, I,9-27  
 PREPRODUCTION RELIABILITY DESIGN REVIEW (PRDR) I,7-154  
 PRESENT STATE OF THE ART II,1-18  
 PRESERVATION I,11-68  
 PREVENTIVE MAINTENANCE DOWNTIME I,12-47, I,3-10  
 PREVENTIVE MAINTENANCE TIME, DEFINITION I,3-6, I,3-10  
 PREVENTIVE MAINTENANCE, PERMISSIBLE DOWNTIME I,12-47  
 PRINCIPAL FAILURE MECHANISMS FOR DIGITAL AND LINEAR DEVICES II,8-7  
 PRINTED CIRCUIT BOARD II,5-34  
   APPLICATION AIDS II,5-35  
   ELECTRICAL OPPORTUNITIES AND PITFALLS II,5-35  
 PRINTED CIRCUIT TECHNIQUES, TYPICAL APPLICATIONS II,5-35  
 PRINTED CIRCUITRY II,5-215  
   ALTERNATE TYPES OF INTERCONNECTION II,5-219  
   COMPONENT MOUNTING (SOLDERING) II,5-218  
   DESIGN AND TREATMENT CRITERIA II,5-215  
   FAILURE MODES II,5-220  
   HAND SOLDERING II,5-218  
   HIGH CIRCUIT OR PACKAGING DENSITY II,5-219  
   INTRODUCTION II,5-215  
   MATERIALS AND PROCESSES CRITERIA II,5-217  
   MULTILAYER PRINTED WIRING BOARDS II,5-219  
   PART SELECTION AND CONTROL II,5-215  
   PRINTED WIRING BOARD SELECTION II,5-219  
   SOLDER AND FLUX II,5-218  
   VAPOR PHASE SOLDERING II,5-218  
   WAVE SOLDERING II,5-218  
 PRINTED WIRING BOARD SELECTION II,5-219  
 PRIOR DISTRIBUTION I,5-34  
 PROBABILITY DENSITY FUNCTION I,5-46, II,4-3  
   CUMULATIVE DISTRIBUTION FUNCTIONS II,4-3  
   KURTOSIS II,4-3  
   MEAN II,4-3  
   MEDIAN II,4-3  
   MODE II,4-3  
   SKEW II,4-3  
   STANDARD DEVIATION II,4-3  
   VARIANCE II,4-3  
 PROBABILITY DISTRIBUTIONS II,4-4  
   EXPONENTIAL DISTRIBUTION II,4-5  
   GAMMA DISTRIBUTION II,4-12  
   HAZARD RATE II,4-4  
   LOGNORMAL DISTRIBUTION II,4-6  
   NORMAL DISTRIBUTION II,4-6  
   PROBABILITY PLOTTING II,4-7  
   WEIBULL DISTRIBUTION II,4-7  
 PROBABILITY GRAPH PAPERS I,8-6  
 PROBABILITY OF SUCCESS I,6-2, I,12-27  
 PROBABILITY OF SURVIVAL I,6-1, I,12-27  
 PROBABILITY PLOTTING II,4-7  
 PROCEDURE FOR PERFORMING RELIABILITY PREDICTION AND ALLOCATION I,6-57

PROCESS-INDUCED DEFECTS I,11-13  
 PROCESSING UNIT CHARACTERISTICS II,5-65  
 PROCUREMENT DOLLAR CONVERSION INDICES, DOD I,10-117  
 PRODUCERS RISK I,8-61, II,415  
 PRODUCT PERFORMANCE AGREEMENTS I,12-14, I,12-15  
 PRODUCTION AND USE (DEPLOYMENT) R&M I,11-1  
     OPERATIONAL R&M ASSESSMENT AND IMPROVEMENT I,11-83  
     PRODUCTION MAINTAINABILITY CONTROL I,11-58  
     PRODUCTION RELIABILITY CONTROL I,11-3  
     SHIPMENT AND STORAGE I,11-66  
 PRODUCTION MAINTAINABILITY CONTROL I,11-58  
     MAINTAINABILITY ASSURANCE AND THE QUALITY PROGRAM I,11-63  
     MAINTAINABILITY ASSURANCE TASKS IN THE PRODUCTION PHASE I,11-60  
     MAINTAINABILITY CONTROL PARAMETERS I,11-59  
     MAINTAINABILITY DESIGN ATTRIBUTES I,11-59  
 PRODUCTION PHASE PLANNING I,12-7  
 PRODUCTION PHASE RELIABILITY AND MAINTAINABILITY DECISION POINTS I,12-63  
 PRODUCTION PHASE TASKS I,12-62  
 PRODUCTION RELIABILITY ACCEPTANCE TEST (PRAT) I,12-39  
 PRODUCTION RELIABILITY ACCEPTANCE TESTING (MIL-STD-781) I,11-50  
 PRODUCTION RELIABILITY CONTROL  
     ACCEPTANCE TESTING (MIL-STD-781) I,11-50  
     DATA COLLECTION AND ANALYSIS I,11-57  
     DEGRADATION ASSESSMENT & CONTROLS I,11-9  
     INTERMEDIATE LEVEL SCREENING I,11-31  
     MIL-I-45208 INSPECTION SYSTEM REQUIREMENTS I,11-6  
     MIL-Q-9858 QUALITY PROGRAM ELEMENTS I,11-4  
     PART LEVEL SCREEN TESTING I,11-24  
     PROCESS RELIABILITY ANALYSIS I,11-14  
     PRODUCTION FAILURE CATEGORIES I,11-11  
     PRODUCTION SCREENING AND BURN-IN I,11-22  
     QUALITY ENGINEERING & CONTROL TASKS I,11-7  
     RELIABILITY DEGRADATION - INFANT MORTALITY I,11-11  
     SCREEN TEST PLANNING AND EFFECTIVENESS I,11-42  
     SCREENING AT MODULE AND UNIT/SYSTEM LEVEL I,11-29  
     SCREENING TEST EFFECTIVENESS I,11-43  
     STRESS SCREENING GUIDELINES MATRIX I,11-44, I,11-46  
     STRESS SCREENING MODEL (SSM) I,11-44  
     THERMAL AND VIBRATION SCREEN DEFECTS PRECIPITATED I,11-40  
     UNIT/EQUIPMENT AND SYSTEM LEVEL SCREENS I,11-40  
 PRODUCTION SCREENING AND BURN-IN I,11-22  
 PROGRAM EVALUATION AND SURVEILLANCE I,12-97  
 PROGRAM EVALUATION CRITERIA (CONTRACTOR SELECTION) I,12-99  
 PROGRAM FLOW CHART I,9-7  
 PROGRAM MATRIX  
     DESIGN EVALUATION I,12-92  
     MANAGEMENT I,12-91  
     PRODUCTION RELIABILITY AND DATA COLLECTION I,12-93  
     TEST/DEMONSTRATION AND FAILURE REPORTING I,12-94  
 PROGRAM PARTS SELECTION LIST (PPSL) II,5-3  
 PROGRAM PLAN, SOFTWARE R & M I,12-73  
 PROGRAM PROVING I,9-11  
 PROGRAM REQUIREMENTS BASED UPON THE TYPE OF PROCUREMENT I,12-88  
 PROGRAM REVIEW, SOFTWARE R & M I,12-75  
 PROGRAM REVIEWS I,12-34  
 PROGRAM TESTING I,9-11  
 PROGRAMS FOR FAULT TREE ANALYSIS I,7-133, I,7-132  
 PROGRESSIVE EXPANSION OF RELIABILITY BLOCK DIAGRAM AS DESIGN I,6-60

PROPERTIES OF SILICON AND GAAS AT 300°K II,1-31  
 PROTECTION METHODS  
   LOW TEMPERATURE I,7-77  
   SHIPMENT AND STORAGE I,11-70  
   TRANSIENTS I,7-18, II,5-93  
 PULSE WAVEFORM, TRANSIENT II,5-101

## Q

QQ-S-571 SOLDER II,5-217  
 QUAD REDUNDANT TRANSISTOR CIRCUIT I,7-64  
 QUALITY CONTROL (QC) I,5-18, I,11-3, II,4-14  
 QUALITY DEFECTS, STORAGE-INDUCED I,11-74  
 QUALITY ENGINEERING I,11-3, I,11-5, I,11-7  
 QUALITY INSPECTION LEVELS I,11-82  
 QUALITY PROGRAM ELEMENTS I,11-4

## R

R&M ACTIVITIES SYSTEM LIFE CYCLE I,12-2  
 R&M AND COST METHODS I,0-93  
 R&M APPORTIONMENT/ALLOCATION I,6-12  
   AGREE APPORTIONMENT TECHNIQUE I,6-14  
   ALLOCATION, STATE OF ART CONSTRAINTS I,10-78  
   APPORTIONMENT FACTORS I,6-16  
   APPORTIONMENT FORMULATION I,6A-6  
   ARINC APPORTIONMENT TECHNIQUE I,6-17  
   AVAILABILITY, FAILURE AND REPAIR RATES I,10-61. I,10-69  
   DYNAMIC PROGRAMMING I,6A-1  
   DYNAMIC PROGRAMMING APPROACH I,6-24, I,6A-6  
   EQUAL APPORTIONMENT TECHNIQUE I,6-13  
   EXAMPLE USING DYNAMIC PROGRAMMING I,6A-5  
   FEASIBILITY-OF-OBJECTIVES TECHNIQUE I,6-18  
   INTRODUCTION I,6-12  
   MAN/MACHINE INTERACTION I,7-94  
   MECHANICAL-ELECTRICAL SYSTEM I,6-21  
   MINIMIZATION OF EFFORT ALGORITHM I,6-20  
   PARALLEL REDUNDANT SYSTEMS I,10-76  
   SUBSYSTEMS OPERATING IN SERIES I,6A-3  
 R&M ASSESSMENT, SYSTEM I,11-95  
 R&M DATA ITEMS  
   MAINTAINABILITY DIDS I,12-80  
   R&M DIDS I,12-78  
   RELIABILITY DIDS I,12-78  
   SOFTWARE QUALITY ASSURANCE DIDS I,12-81  
 R&M DEGRADATION DURING FIELD OPERATION, CONTRIBUTING FACTORS I,11-84  
 R&M DIDS I,12-78  
 R&M IMPROVEMENT, SYSTEM I,11-97  
 R&M MANAGEMENT I,12-1  
   COMPUTER SOFTWARE R&M CONSIDERATIONS I,12-65  
   INTRODUCTION I,12-1  
   MAINTAINABILITY CONSIDERATIONS I,12-41  
   R&M DATA ITEMS I,12-76  
   R&M PLANNING AND BUDGETING I,12-4  
   R&M PROGRAM EVALUATION AND SURVEILLANCE I,12-97  
   R&M PROGRAM REQUIREMENTS BASED UPON THE TYPE OF PROCUREMENT I,12-88  
   RELIABILITY CONSIDERATIONS I,12-27

R&M MILESTONES VS. SYSTEM LIFE CYCLE PHASE I,12-52  
 R&M MANAGEMENT I,12-1  
 R&M PLANNING I,12-4  
   CONCEPTUAL PHASE PLANNING I,12-4  
   CONCEPTUAL PHASE TRADEOFF STUDIES I,12-22  
   COST FACTORS AND GUIDELINES I,12-7  
   DEPLOYMENT PHASE PLANNING I,12-7  
   DESIGN-TO-COST PROCEDURES I,12-11  
   FEATURES OF CURRENT WARRANTY-GUARANTEE PLANS I,12-20  
   FULL SCALE ENGINEERING DEVELOPMENT PHASE PLANNING I,12-6  
   LIFE CYCLE COST (LCC) CONCEPTS I,12-12  
   LIFE CYCLE COST ACTIVITIES I,12-13  
   PRODUCT PERFORMANCE AGREEMENTS I,12-14  
   PRODUCTION PHASE PLANNING I,12-7  
   TRADEOFFS I,12-22, I,12-26  
   TYPES OF DESIGN-TO-COST PROGRAMS I,12-12  
   TYPES OF PRODUCT PERFORMANCE AGREEMENTS I,12-15  
   VALIDATION PHASE PLANNING I,12-5  
   VALIDATION PHASE TRADEOFF STUDIES I,12-25  
   WARRANTY APPLICATION CRITERIA I,12-21  
   WARRANTY/GUARANTEE PLANS I,12-19  
 R&M PROGRAM AND TEST MATRIX I,12-96  
 R&M PROGRAM EVALUATION CRITERIA (CONTRACTOR SELECTION) I,12-99  
 R&M PROGRAM EVALUATION GUIDELINES I,12-101  
 R&M SYSTEM PARAMETERS I,10-15  
 R&M TRADEOFF  
   ALTERNATIVE DESIGN CONFIGURATIONS I,10-65  
   GEOMETRY OF I,10-119  
   METHODOLOGY I,10-123  
   TECHNIQUES I,5-73  
 RADAR SYSTEM HIERARCHY (PARTIAL LISTING) I,6-28  
 RADC ORACLE (OPTIMIZED RELIABILITY AND COMPONENT LIFE ESTIMATES) I,6-51  
 RADC RELIABILITY NOTEBOOK II,1-5  
 RAM - RELIABILITY ANALYSIS MODEL I,6-55  
 RATING II,3-4  
 RCA CDP 1802 II,5-69  
 RDT&E DOLLAR CONVERSION INDICES, DOD I,10-117  
 REACTION TIME I,3-6  
 RECTIFIERS II,5-78  
 REDUNDANCY I,7-45, II,3-4  
   ACTIVE I,7-48  
   ADAPTIVE MAJORITY LOGIC I,7-50  
   BIMODAL PARALLEL/SERIES I,7-48  
   BIMODAL SERIES/PARALLEL I,7-48  
   BIMODAL REDUNDANCY -- QUAD CONFIGURATION I,7-61  
   COMBINATIONS I,7A-3  
   COMPUTATIONS, PROBABILITY NOTATION FOR I,7A-3  
   CONTINUOUS MONITORING I,7A-43  
   DEPENDENT FAILURE PROBABILITIES I,7A-36  
   DESIGN EXAMPLES I,7-58  
   DESIGN, REDUNDANCY CONSIDERATIONS I,7-49  
   DUPLEX I,7-48  
   EQUIPMENTS I,5-20  
   FAILURE MODES IN THE OPERATIVE REDUNDANT CASE I,7A-16  
   FURTHER REDUNDANCY CONSIDERATIONS I,7-73  
   GATE CONNECTOR I,7-50  
   IN TIME DEPENDENT SITUATIONS I,7-47  
   INTERVAL MONITORING I,7A-46

LOAD-SHARING I,7A-7  
 LEVELS I,7A-1  
 MAJORITY VOTE REDUNDANCY I,7-50, I,7-65  
 MULTIPLE REDUNDANCY I,7A-8  
 NETWORK, SERIES-PARALLEL I,7-46  
 OPERATING I,7-50, I,7A-7  
 OPERATIVE OR ACTIVE REDUNDANT CONFIGURATIONS I,7A-8  
 OPERATIVE REDUNDANCY, SWITCHING REQUIRED I,7A-25  
 OPTIMUM ALLOCATION OF REDUNDANCY I,7A-39  
 OPTIMUM NUMBER OF PARALLEL ELEMENTS I,7A-18  
 PARALLEL ELEMENTS I,7A-18  
 PARALLEL REDUNDANCY I,7-45  
 PARALLEL-SERIES ELEMENTS I,7A-24  
 PARTIAL REDUNDANCY I,5-21, I,7A-9  
 PROBABILITY NOTATION FOR REDUNDANCY COMPUTATIONS I,7A-3  
 REDUNDANCY COMBINATIONS I,7A-3  
 REDUNDANCY-WITH-REPAIR I,7A-8, I,7A-42  
 SERIES ELEMENTS I,7A-21  
 SERIES-PARALLEL ELEMENTS I,7A-22  
 SERIES-PARALLEL NETWORK I,7-46  
 SIMPLE PARALLEL REDUNDANCY I,7-58  
 STANDBY REDUNDANCY I,7-48, I,7-49, I,7-50, I,7-69, I,7A-8, I,7A-34  
 STATES OF OPERATION OF A THREE PARALLEL ELEMENT CIRCUIT I,7A-32  
 STATES OF OPERATION OF A THREE PARALLEL ELEMENT CIRCUIT I,7A-32  
 SWITCHING I,7A-7  
 TECHNIQUES I,7-48  
 TECHNIQUES I,7-49  
 THREE PARALLEL ELEMENTS I,7A-30  
 TIME DEPENDENT CONSIDERATIONS I,7A-5  
 TRADE-OFF PROCESS I,7-56  
 TWO PARALLEL ELEMENTS I,7A-28  
 TYPES AND CLASSIFICATIONS OF REDUNDANCY I,7A-7  
 VOTING REDUNDANCY I,7A-32, I,7A-8  
 WITH REPAIR I,7-53, I,7A-42  
 WITH REPAIR, OPERATIVE I,7A-44  
 WITH REPAIR, STANDBY I,7A-45  
 WITH SWITCHING I,7-54  
 WITH SWITCHING I,7A-29  
 REDUNDANT  
 ARRAY I,7A-10, I,7A-14, I,7A-17  
 CIRCUIT SWITCHED GROUND I,7-137  
 CONFIGURATION OF  $N = 3$  ELEMENTS, WITH  $K = 2$  REQUIRED FOR SUCCESS I,7A-12  
 CONFIGURATION, LOAD-SHARING I,7A-40  
 CONFIGURATIONS I,7A-12  
 CONFIGURATIONS RESULTING FROM ALLOCATION STUDY I,7A-41  
 CONFIGURATIONS WITH SWITCHING, THREE-ELEMENT I,7A-31  
 RF RECEIVER CHANNELS I,7-74  
 SYSTEM AVAILABILITY I,10-32  
 SYSTEMS I,5-21, I,10-28  
 TRANSISTOR CIRCUIT, QUAD I,7-64, I,7-66  
 VOLTAGE REGULATOR SUPPLY I,7-60, I,7-62  
 REDUNDANT VS NONREDUNDANT CONFIGURATION I,7-70  
 REFERENCED DOCUMENTS I,2-1, II,2-1  
 REFERENCES  
 DESIGN GUIDELINES I,7-162  
 ELECTRO OPTICS/FIBER OPTICS II,5-214  
 FAILURE REPORTING AND ANALYSIS II,9-18  
 HISTORY OF COMPONENT RELIABILITY II,1-12, II,1-35

MICROCIRCUITS II,5-74  
 PRINTED CIRCUITRY II,5-220  
 PRODUCTION AND USE (DEPLOYMENT) R&M I,11-101  
 R&M MANAGEMENT CONSIDERATIONS I,12-113  
 RELAYS II,5-184  
 RELIABILITY AND MAINTAINABILITY THEORY I,5-78  
 RELIABILITY DATA COLLECTION AND ANALYSIS, DEMONSTRATION, AND GROWTH I,8-111  
 RELIABILITY SPECIFICATION, ALLOCATION AND PREDICTION I,6-71  
 SOFTWARE RELIABILITY I,9-43  
 STANDARD ELECTRONIC MODULE (SEM) PROGRAM II,5-223  
 SYSTEM EFFECTIVENESS I,4-20  
 SYSTEMS RELIABILITY ENGINEERING I,10-132  
 REGULATED VOLTAGE SUPPLY I,7-59  
 REJECT-ACCEPT CRITERIA I,11-55  
 RELATIVE FAILURE RATE DIFFERENCES II,7-6  
 RELAY  
   DRIVERS I,7-38  
   FAILURE RATES II,A-2  
   MIL SPECIFICATIONS II,5-177  
   SELECTION CRITERIA II,5-177  
 RELAYS II,A-2, II,5-175  
   APPLICATION CONSIDERATIONS II,5-177  
   DERATING II,5-178  
   DEVICE SELECTION II,5-175  
   ELECTROMECHANICAL RELAY II,5-181  
   ENVIRONMENT II,5-178  
   INTRODUCTION II,5-175  
   LOADS II,5-178  
   MECHANICAL, DIRECT CURRENT ARC SUPPRESSION TECHNIQUES II,5-180  
   MECHANICAL, EFFECT OF CURRENT ON OPERATING LIFE II,5-179  
   PART SELECTION AND CONTROL II,5-175  
   REFERENCES II,5-184  
   RELAY SELECTION CRITERIA II,5-178, II,5-176  
   SOLID STATE RELAYS II,5-181  
 RELIABILITY I,3-8, I,4-1, I,4-8, I,10-58, II,3-4  
 RELIABILITY ACCEPTANCE TESTING I,11-50  
 RELIABILITY ALLOCATION I,6-12, I,6A-1  
 RELIABILITY APPORTIONMENT I,6-12  
 RELIABILITY DEFINITIONS I,6-2, I,6-10  
 RELIABILITY DESIGN CHECKLIST I,7C-1  
 RELIABILITY AND MAINTAINABILITY TASKS I,5-1, I,12-56, I,12-57  
   AVAILABILITY THEORY I,5-63  
   INTRODUCTION I,5-1  
   MAINTAINABILITY THEORY I,5-38  
   R&M TRADE-OFF TECHNIQUES I,5-73  
   RELIABILITY THEORY I,5-2  
 RELIABILITY AND QUALITY DURING SHIPMENT AND STORAGE I,11-66, I,11-81  
   COMPONENT FAILURE MODES I,11-69  
   DATA COLLECTION AND ANALYSIS I,11-83  
   DEGRADATION I,11-66  
   FAILURE MODES ENCOUNTERED WITH I,11-69  
   PROTECTION METHODS I,11-68  
   STORAGE SERVICEABILITY STANDARDS I,11-71  
   STORAGE-INDUCED QUALITY DEFECTS I,11-74  
 RELIABILITY BLOCK DIAGRAM  
   DEPICTING REDUNDANCY AT VARIOUS LEVELS I,7A-2  
   DEVELOPMENT AS DESIGN BECOMES KNOWN I,6-30, I,6-31  
   OF HYPOTHETICAL ROCKET MOTOR FIRING CIRCUIT I,7-127



RELIABILITY COMPUTATION FROM I,6-54  
 TO FAULT TREE LOGIC DIAGRAMS I,7-124, I,7-125  
 WITH REDUNDANT ELEMENTS I,6-68  
 RELIABILITY CENTERED MAINTENANCE CONCEPT I,11-91  
 RELIABILITY COMPARISON OF REDUNDANT AND NONREDUNDANT  
 CONFIGURATIONS I,7-70  
 RF RECEIVER CHANNELS I,7-74  
 VOLTAGE SUPPLIES I,7-62  
 RELIABILITY CONCEPTS I,5-6  
 RELIABILITY CONSIDERATIONS  
   ANALYSIS OF RELIABILITY TASK EMPHASIS I,12-43  
   COST EFFECTIVENESS INFLUENCES I,12-40  
   ELECTRONIC PARTS/CIRCUIT TOLERANCE ANALYSIS I,12-36  
   ENVIRONMENTAL STRESS SCREENING (ESS) I,12-37  
   FAILURE MODES, EFFECTS, AND CRITICALITY ANALYSIS (FMECA) I,12-35  
   FAILURE REPORTING, ANALYSES, AND CORRECTIVE ACTION SYSTEMS  
     (FRACAS) I,12-34  
   FAILURE REVIEW BOARD (FRB) I,12-34  
   MONITOR/CONTROL OF SUBCONTRACTORS AND SUPPLIERS I,12-34  
   PARTS SELECTION/APPLICATION CRITERIA I,12-36  
   PRODUCTION RELIABILITY ACCEPTANCE TEST (PRAT) I,12-39  
   PROGRAM REVIEWS I,12-34  
   RELIABILITY CRITICAL ITEMS I,12-37  
   RELIABILITY DEVELOPMENT/GROWTH TESTING (RDGT) I,12-37  
   RELIABILITY MODELING I,12-35  
   RELIABILITY PREDICTION I,12-35  
   RELIABILITY PROGRAM ELEMENTS I,12-39  
   RELIABILITY PROGRAM PLAN I,12-32  
   RELIABILITY PROGRAM TASKS I,12-31  
   RELIABILITY QUALIFICATION TEST (RQT) I,12-39  
   RELIABILITY SPECIFICATION REQUIREMENTS I,12-27  
   SATISFACTORILY PERFORMANCE LIMITS I,12-30  
   SNEAK CIRCUIT ANALYSES (SCA) I,12-36  
 RELIABILITY CONTROL, PRODUCTION I,11-3  
 RELIABILITY CRITICAL ITEMS I,12-37  
 RELIABILITY DATA ANALYSIS I,8-5  
   ANALYTICAL METHOD EXAMPLE (WEIBULL DISTRIBUTION) I,8-52  
   CENSORED DATA I,8-28  
   CHI-SQUARE (2) TEST I,8-54  
   COMPARISON OF K-S ('D' TEST) AND 2 (CHI-SQUARE) TESTS I,8-59  
   COMPUTATION OF EXPONENTIAL RELIABILITY FUNCTION I,8-26  
   COMPUTATION OF NORMAL RELIABILITY FUNCTION I,8-28  
   CONFIDENCE INTERVAL I,8-38  
   CONFIDENCE LIMITS - EXPONENTIAL DISTRIBUTION I,8-39  
   CONFIDENCE LIMITS - NORMAL DISTRIBUTION I,8-35  
   CONFIDENCE LIMITS AND INTERVALS I,8-32  
   CONFIDENCE-INTERVAL ESTIMATES, BINOMIAL DISTRIBUTION I,8-45  
   EXAMPLE OF DATA ON TIMES TO FAILURE OF 20 ITEMS I,8-7  
   EXAMPLES OF GRAPHICAL METHODS I,8-10  
   FAILURE DATA FOR TEN HYPOTHETICAL ELECTRONIC COMPONENTS I,8-19  
   GRAPHICAL METHODS I,8-10  
   GRAPHICAL METHODS I,8-6  
   KOLMOROV-SMIRNOV (K-S) TEST I,8-48  
   RANKING OF DATA I,8-6  
   RELIABILITY FUNCTION (SURVIVAL CURVES) I,8-19  
   STATISTICAL ANALYSIS I,8-16  
   THEORETICAL RELIABILITY PARAMETER DISTRIBUTION I,8-47  
   TREATMENT OF FAILURE DATA I,8-18

RELIABILITY DATA COLLECTION AND ANALYSIS I,8-1  
 RELIABILITY DEGRADATION DURING PRODUCTION - INFANT MORTALITY I,11-11  
 RELIABILITY DEMONSTRATION I,6-9, I,8-1, I,8-60, I,8A-1  
   ACTUAL OPERATING CHARACTERISTIC CURVE I,8-63  
   ATTRIBUTES AND VARIABLES I,8-66  
   ATTRIBUTES DEMONSTRATION TESTS I,8A-1  
   ATTRIBUTES PLANS FOR LARGE LOTS I,8A-5  
   ATTRIBUTES PLANS FOR SMALL LOTS I,8A-1  
   ATTRIBUTES SAMPLING USING MIL-STD-105 I,8A-10  
   BAYES SEQUENTIAL TESTS I,8A-45  
   DETERMINANTS OF SAMPLE SIZE I,8-66  
   EXPONENTIAL DISTRIBUTION I,8A-36  
   EXPONENTIAL DISTRIBUTION I,8A-15, I,8A-24  
   FAILURE TRUNCATED TESTS I,8A-24  
   FIXED SAMPLE AND SEQUENTIAL TESTS I,8-66  
   HYPOTHESIS TEST A I,8-61  
   HYPOTHESIS TEST B I,8-62  
   IDEAL OPERATING CHARACTERISTIC (OC) CURVE I,8-62  
   INTERFERENCE DEMONSTRATION TESTS I,8A-42  
   INTRODUCTION I,8-60  
   METHOD(S) I,6-9  
   MIL-STD-105 I,8A-10  
   NORMAL DISTRIBUTION I,8A-27  
   NORMAL DISTRIBUTION I,8A-32  
   NORMAL DISTRIBUTION I,8A-17, I,8A-39  
   NORMAL DISTRIBUTION I,8-61  
   OC CURVE CHARACTERISTICS I,8-64  
   OPERATING CHARACTERISTIC CURVE I,8-63  
   PARAMETERIZATION OF RELIABILITY I,8-67  
   POISSON APPROXIMATION METHOD I,8A-7  
   SAMPLE MEAN I,8-61  
   SEQUENTIAL BINOMIAL TEST PLANS I,8A-12  
   SEQUENTIAL TESTS I,8A-36  
   SUMMARY I,8-67  
   TEST PLANS I,8A-1  
   TESTS DESIGNED AROUND SAMPLE SIZE I,8-66  
   TIME TRUNCATED DEMONSTRATION TEST PLANS I,8A-15  
   VARIABLES DEMONSTRATION TESTS I,8A-15  
   WEIBULL DISTRIBUTION I,8A-21  
   WEIBULL DISTRIBUTION I,8A-34  
 RELIABILITY DEMONSTRATION VS. RELIABILITY GROWTH TEST I,8-109  
 RELIABILITY DESIGN CHECKLIST I-7C  
 RELIABILITY DESIGN CONSIDERATIONS II,5-1  
 RELIABILITY DEVELOPMENT/GROWTH TESTING (RDGT) I,12-37  
 RELIABILITY DIDS I,12-78  
 RELIABILITY ENGINEERING DESIGN GUIDELINES (SEE DESIGN GUIDELINES) I,7-1  
 RELIABILITY FOR N STANDBY REDUNDANT ELEMENTS I,7A-37  
 RELIABILITY FUNCTION AND THEORETICAL EXPONENTIAL RELIABILITY FUNCTION I,8-29  
 RELIABILITY FUNCTIONS I,5-2, I,5-8, I,5-9, I,8-23  
 RELIABILITY FUNCTIONS FOR INTERVAL MONITORING AND REPAIR I,7A-47  
 RELIABILITY FUNCTIONS FOR PARTIAL REDUNDANT ARRAY I,7A-17  
 RELIABILITY GAIN FOR REPAIR OF SIMPLE PARALLEL ELEMENT AT FAILURE I,7-54  
 RELIABILITY GROWTH I,8-1, I,8-68, I,8-90, I,8-97  
   AERONAUTICAL REQUIREMENTS I,8-89  
   APPLICATION EXAMPLE I,8-77  
   ASSESSMENT I,8-105  
   BASED ON SPECIFIC PROBLEM RESOLUTIONS I,8-109  
   BUDGET I,8-101

COMPARISON OF RELIABILITY GROWTH MODELS I,8-79  
 CONCEPT I,8-69  
 CURVE, EXAMPLE I,8-95  
 DUANE CHART WITH PLOT OF CURRENT MTBF I,8-73  
 EQUIPMENT CATEGORIES I,8-81  
 EVALUATING SYSTEM GROWTH POTENTIAL I,8-100  
 EVALUATING THE RELIABILITY STATUS I,8-101  
 INFORMATION SOURCES THAT INITIATE RELIABILITY GROWTH I,8-94, I,8-97  
 INTRODUCTION I,8-68, I,8-90  
 MANAGEMENT MODEL (ASSESSMENT) I,8-94  
 MANAGEMENT MODEL (MONITORING) I,8-92  
 MANAGEMENT PROGRAM I,8-71  
 MANAGEMENT OF THE RELIABILITY GROWTH PROCESS I,8-92  
 MIL-HDBK-189 I,8-92  
 MODEL TYPES I,8-99  
 MODELING I,8-71  
 MODELS UTILIZED IN RELIABILITY GROWTH MANAGEMENT I,8-98  
 PARTIAL SYSTEM IMPROVEMENT I,8-106  
 PLANNING I,8-71  
 PLOT I,8-72, I,8-87  
 PROCESS I,8-70  
 PROJECTIVE ASSESSMENT I,8-108  
 RELATIONSHIPS AMONG GROWTH INFORMATION SOURCES I,8-96  
 SYSTEM/EQUIPMENT DESCRIPTION I,8-80  
 TAILORING GROWTH MODELS I,8-104  
 RELIABILITY GROWTH MODELS I,8-99, I,8B-1  
   COMPARISON I,8-79  
   CONTINUOUS I,8B-5  
   DISCRETE I,8B-1  
   INTRODUCTION I,8B-1  
   MODEL 01, LLOYD AND LIPOW (REF. 30) I,8B-1  
   MODEL 02, LLOYD AND LIPOW (REF. 30) I,8B-1  
   MODEL 03, WOLMAN (REF. 31) I,8B-2  
   MODEL 04, BARLOW AND SCHEUER (REF. 39) I,8B-2  
   MODEL 05, VIRENE (40) I,8B-2  
   MODEL 06, BARLOW, PROSCHAN AND SCHEUER (REF. 34) I,8B-3  
   MODEL 07, BARLOW, PROSCHAN AND SCHEUER (REF. 34) I,8B-3  
   MODEL 08, SINGPURWALLA (REF. 35) I,8B-4  
   MODEL 09, DUANE (REF. 16) I,8B-6  
   MODEL 10, CROW (REF. 44) I,8B-7  
   MODEL 11, LEWIS AND SHEDLER (45) I,8B-7  
   MODEL 12, IBM MODEL, ROSNER (REF. 39) I,8B-7  
   MODEL 13, EXPONENTIAL-SINGLE TERM POWER SERIES MODEL I,8B-9  
   MODEL 14, LLOYD AND LIPOW (REF. 30) I,8B-10  
   MODEL 15, AROEF (REF. 41) I,8B-10  
   MODEL 16, SIMPLE EXPONENTIAL MODEL I,8B-11  
   POISSON PROCESSES I,8B-5  
 RELIABILITY GROWTH TESTING I,8-85  
   ECONOMICS OF RELIABILITY GROWTH TESTING I,8-90  
   INTRODUCTION I,8-85  
   MIL-STD-2068 I,8-88  
   RELIABILITY GROWTH APPROACH I,8-85  
   WHEN RELIABILITY GROWTH TESTING IS PERFORMED I,8-85  
 RELIABILITY IMPROVEMENT POTENTIAL AT REDUCED TEMPERATURES II,6-6  
 RELIABILITY IMPROVEMENT TECHNIQUES IN ELECTRONIC EQUIPMENT I,7-87  
 RELIABILITY IMPROVEMENT TECHNIQUES FOR ENVIRONMENTAL PROTECTION II,6-1  
 RELIABILITY IMPROVEMENT WARRANTY (RIW) I,12-19, II,9-10  
 RELIABILITY LIFE CYCLE DEGRADATION AND GROWTH CONTROL I,11-2

RELIABILITY MAINTAINABILITY AVAILABILITY RELATIONSHIPS I,10-60  
 RELIABILITY MAINTAINABILITY TRADEOFFS I,5-77, I,10-64  
 RELIABILITY MODELING I,12-35  
   COMBINED CONFIGURATION NETWORK I,5-28  
   PARALLEL CONFIGURATION I,5-27  
   SERIES CONFIGURATION I,5-26  
   SIMPLE STRUCTURES K-OUT-OF-N CONFIGURATION I,5-30  
   SIMPLE STRUCTURES PARALLEL CONFIGURATION I,5-27  
   SIMPLE STRUCTURES SERIES CONFIGURATION I,5-26  
 RELIABILITY PREDICTION I,6-25, I,12-35  
   ALLOCATION PROCEDURE I,6-57  
   APR DCT (APPORTIONMENT/PREDICTION) I,6-54  
   BAYESIAN INTERACTIVE GRAPHICS RELIABILITY ASSESSMENT  
     PROCEDURE (BIGRAP) I,6-56  
   COMPUTER SOFTWARE MANAGEMENT & INFORMATION CENTER (COSMIC) I,6-53  
   COMPUTERIZED RELIABILITY PREDICTION METHODS I,6-51  
   COSMIC I,6-54, I,6-55, I,6-56  
   ERSON 3 RELIABILITY GOAL STATUS I,6-53  
   INTRODUCTION AND GENERAL INFORMATION I,6-25  
   MATHEMATICAL MODELS FOR RELIABILITY PREDICTION I,6-27  
   MIL-HDBK-217 RELIABILITY PREDICTION OF ELECTRONIC EQUIPMENT I,6-37  
   MIL-STD-756 RELIABILITY MODELING AND PREDICTION I,6-61  
   MINIMAL PATH AND MINIMAL CUT TECHNIQUES I,6-55  
   NONEXPONENTIAL FAILURE DENSITIES (GENERAL CASE) I,6-47  
   NONOPERATING FAILURE RATES I,6-49  
   ORACLE I,6-51  
   PART COUNT TECHNIQUE I,6-39  
   PREDICTION BY FUNCTION TECHNIQUE I,6-36  
   RADC ORACLE I,6-51  
   RAM - RELIABILITY ANALYSIS MODEL I,6-55  
   RELIABILITY COMPUTATION FROM RELIABILITY BLOCK DIAGRAMS I,6-54  
   SCOPE I,6-54  
   SIMILAR COMPLEXITY TECHNIQUES I,6-34  
   SIMILAR EQUIPMENT TECHNIQUES I,6-33  
   SPARCS - 2 I,6-53  
   STRESS ANALYSIS TECHNIQUE I,6-41  
   SUMMARY OF COMPUTER PROGRAMS I,6-52  
   WORKSHEET FOR STRESS ANALYSIS I,6-63  
 RELIABILITY PROGRAM ELEMENTS I,12-38  
 RELIABILITY PROGRAM PLAN I,12-32  
 RELIABILITY PROGRAM TASKS I,12-31  
 RELIABILITY QUALIFICATION TEST (RQT) I,12-39  
 RELIABILITY REQUIREMENTS I,6-1, I,6-3, I,12-27  
 RELIABILITY SCREENS II,7-2  
 RELIABILITY SPECIFICATION I,6-1, I,6-4, I,12-29, I,12-43  
   ALLOCATION AND PREDICTION I,6-1  
   CLEAR DEFINITION OF FAILURE I,6-7  
   DESCRIPTION OF METHOD(S) FOR RELIABILITY DEMONSTRATION I,6-9  
   ENVIRONMENT AND/OR USE CONDITIONS I,6-5  
   METHODS I,6-4, I,12-29  
   MIL-STD-210 CLIMATIC EXTREMES FOR MILITARY EQUIPMENT I,6-5  
   MIL-STD-781 RELIABILITY DESIGN QUALIFICATION AND PRODUCTION  
     ACCEPTANCE TESTS I,6-3  
   MISSION PROFILE I,6-7  
   RELIABILITY DEMONSTRATION I,6-9  
   RELIABILITY REQUIREMENTS I,6-1  
   REQUIREMENTS I,12-27  
   SPECIFYING THE RELIABILITY REQUIREMENT I,6-1

TIME MEASURE I,6-7  
 RELIABILITY TASK EMPHASIS  
 RELIABILITY TESTING OPTIONS I,8-110  
 RELIABILITY THEORY I,5-2, II,4-1  
   BASIC CONCEPTS I,5-2  
   BAYESIAN STATISTICS IN RELIABILITY ANALYSIS I,5-32  
   FAILURE MODELING I,5-22  
   MEAN TIME BETWEEN FAILURE (MTBF) I,5-6  
   MEAN TIME TO FAILURE (MTTF) I,5-5  
   RELIABILITY MODELING OF SIMPLE STRUCTURES I,5-25  
   STATISTICAL DISTRIBUTIONS USED IN RELIABILITY MODELS I,5-7  
 RELIABLE CIRCUIT DESIGN I,7-13  
 RELIABLE COMPONENTS, NEED FOR II,1-14  
 RENEWAL PROCESS IN TERMS OF ROUNDS FIRED I,10-39  
 REPAIR RATES I,5-40, I,10-69  
 REPAIR/EXCHANGE AGREEMENTS I,12-15  
 REPAIRABILITY I,3-4, 9  
 REPAIRABLE/REPLACEABLE UNITS I,10-25  
 REPLACEMENT ACTION I,11-61  
 REQUIREMENTS DEFINITION, SOFTWARE R & M I,12-71  
 RESISTORS II,5-103, II,A-2  
   COMPARISON CHART II,5-28  
   COMPOSITION RESISTORS, GENERAL APPLICATION CONSIDERATIONS II,5-112  
   DERATING CURVES, MIL-SPECIFICATION II,5-119  
   FAILURE RATES II,A-2  
   FILM RESISTOR, GENERAL APPLICATION CONSIDERATIONS II,5-113  
   FORM FACTORS AND PREFERRED RESISTANCE VALUE II,5-111  
   GENERAL APPLICATION DATA II,5-108  
   INTRODUCTION II,5-103  
   MIL-R-23285, RESISTANCE TAPERS II,5-125  
   MIL-R-39017, HIGH FREQUENCY OPERATION II,5-134  
   MOUNTING II,5-108  
   MOUNTING TECHNIQUES II,5-31  
   PARAMETER CHANGE WITH STRESS AND TIME I,7-29  
   PARAMETER CHANGE WITH TIME (TYPICAL) I,7-26  
   PART SELECTION AND CONTROL II,5-103  
   PRECISION, TEMPERATURE CONSIDERATIONS II,5-31  
   SELECTION II,5-103  
   SELECTION CRITERIA II,5-103  
   SPECIAL APPLICATION CONSIDERATIONS II,5-116  
   TEMPERATURE EFFECTS II,5-109  
   USAGE AND SELECTION GUIDELINES II,5-104  
   VARIABLE RESISTOR APPLICATIONS II,5-111  
   WIREWOUND RESISTORS, GENERAL APPLICATION CONSIDERATIONS II,5-114  
 REVIEW, DESIGN VERIFICATION I,7-148  
 REVIEW, RELIABILITY VERIFICATION I,7-148  
 REWARRANTY OF REPAIRED/OVERHAULED EQUIPMENT I,12-15  
 RIW (RELIABILITY IMPROVEMENT WARRANTY) II,9-10

## S

SAFETY II,3 4  
 SAFETY, COMPONENT II,1-14  
 SAMPLE AND HOLD CIRCUIT II,5-41  
 SAMPLE ENVIRONMENTAL TEST CYCLE I,11-53  
 SAMPLE PROCESS FLOW DIAGRAM I,11-20  
 SAMPLE RELIABILITY CALCULATION I,6-43  
 SAMPLE SIZE 1,8-66

SAMPLING PLANS II,4-15  
 SAND AND DUST EFFECTS ON SWITCHES II,5-192  
 SAND AND DUST PROTECTION I,7-81  
 SATISFACTORY PERFORMANCE LIMITS I,6-6, I,12-30  
 SAVE (SYSTEMS AVIONICS VALUE ESTIMATION) MODEL  
     FOR LOGISTIC SUPPORT COSTS I,10-129  
 SCHOTTKY BARRIER RECTIFIERS II,5-79  
 SCOPE (SYSTEM FOR COMPUTING OPERATIONAL PROBABILITY EQUATIONS) I,6-54  
 SCR II,5-80  
 SCR PROTECTION I,7-22, II,5-97  
 SCREEN TEST EFFECTIVENESS I,11-43  
 SCREEN TESTING I,11-24, I,11-25, I,11-27  
 SCREEN TESTING WITHIN THE MANUFACTURING PROCESS I,11-25  
 SCREENING I,11-22  
     AT MODULE AND UNIT/SYSTEM LEVEL I,11-29  
     COST EFFECTIVENESS II,7-25  
     GUIDELINES I,11-31  
     GUIDELINES MATRIX I,11-44, I,11-46  
     INTERCONNECTION DEFECTS I,11-40  
     INTERMEDIATE LEVEL I,11-31  
     METHODS COMPARISON II,7-22  
     MODEL I,11-44  
     RANDOM VIBRATIONS I,11-27  
     SEQUENCE-METHOD 5004-MIL-STD-883 II,7-25  
     STRENGTH I,11-31  
     TEST COST FOR CLASS B DEVICES II,7-26  
     TEST EFFECTIVENESS I,11-43  
     TEST PLANNING I,11-42  
 SCREENS, UNIT/EQUIPMENT AND SYSTEM LEVEL I,11-40  
 SECONDARY BREAKDOWN II,5-82  
 SELECTION AND USAGE GUIDE FOR CAPACITORS II,5-146  
 SELECTION AND USAGE GUIDE FOR CONNECTORS II,5-194  
 SELECTION AND USAGE GUIDELINES FOR MAGNETIC DEVICES II,5-170  
 SELECTION CRITERIA  
     CABLES II,5-208  
     CAPACITOR II,5-146  
     CONNECTORS II,5-194  
     ELECTRON TUBES II,5-207  
     MAGNETIC DEVICES II,5-169  
     RELAYS II,5-177  
     RESISTOR II,5-103  
     SEMICONDUCTORS II,5-75  
     SWITCHES II,5-186  
 SELECTION GUIDELINES FOR SWITCHES II,5-187  
 SELECTION GUIDELINES, MICROCIRCUITS II,5-12  
 SELECTION-FUNCTION GUIDE FOR RELAYS II,5-176  
 SEM PROGRAM I,7-18, II,5-222  
 SEMICONDUCTOR  
     CLASSES II,1-19  
     DEVICE MATERIALS AND PROCESSING II,1-20  
     DEVICES, CLASSES II,1-18  
     FABRICATION II,1-20  
     SELECTION CRITERIA II,5-75  
     TECHNOLOGY AND MATERIALS II,1-21, II,1-18  
 SEMICONDUCTORS (SEE DISCRETE SEMICONDUCTOR DEVICES) II,5-75  
 SEQUENTIAL BINOMIAL TEST PLANS I,8A-12  
 SEQUENTIAL TESTS I,8-66, I,8A-36  
 SERIES

CONFIGURATION MODELING I,5-26  
 ELEMENTS I,7A-21  
 SYSTEM BLOCK DIAGRAM I,5-74  
 SYSTEM BLOCK DIAGRAM I,10-27  
 SYSTEM BLOCK DIAGRAM I,10-67  
 SERIES-PARALLEL CONFIGURATION I,7A-4, I,7A-23  
 SERIES-PARALLEL ELEMENTS I,7A-22  
 SERIES-PARALLEL REDUNDANCY NETWORK I,7-46  
 SERVICEABILITY I,3-4,  
 SHIELDING II,5-25  
 SHIELDING, MAGNETIC DEVICES II,5-173  
 SHIPMENT AND STORAGE RELIABILITY AND QUALITY I,11-66  
 SHIPMENT AND STORAGE, PROTECTIVE CONTROL I,11-70  
 SHOCK AND VIBRATION EFFECTS ON SWITCHES II,5-192  
 SHOCK AND VIBRATION PROTECTION I,7-8, I,7-78  
 SIGNATURE GENERATING ALGORITHM, TYPICAL II,7-34  
 SILICON II,1-31  
 SILICON CONTROLLED RECTIFIERS II,5-80  
 SIMILAR COMPLEXITY TECHNIQUES I,6-27, I,6-34  
 SIMILAR EQUIPMENT TECHNIQUES I,6-27, I,6-33  
 SIMPLE EXPONENTIAL MODEL, RELIABILITY GROWTH MODELS I,8B-11  
 SIMPLE PARALLEL REDUNDANCY I,7A-11  
 SIMPLIFIED SPECIFICATION MODEL I,9-27  
 SINGLE UNIT AVAILABILITY WITH REPAIR I,5-71  
 SINGPURWALLA, RELIABILITY GROWTH MODELS I,8B-4  
 SMALL LOTS, ATTRIBUTES DEMONSTRATION TEST PLANS I,8A-1  
 SNEAK CIRCUIT ANALYSES (SCA) I,7-132, I,7-137, I,12-36  
   CLUE APPLICATION I,7-140  
   DIGITAL I,7-134  
   DIGITAL SNEAK CIRCUIT ANALYSIS I,7-134  
   HARDWARE/SOFTWARE SNEAK ANALYSIS INTEGRATION I,7-143  
   INTRODUCTION AND GENERAL DESCRIPTION I,7-132  
   NETWORK TREE PRODUCTION I,7-139  
   OTHER TECHNIQUES I,7-134  
   OTHER TECHNIQUES I,7-134  
   SNEAK CIRCUIT CATEGORIES I,7-134  
   SNEAK CIRCUIT METHODOLOGY I,7-139  
   SNEAK INDICATION I,7-139  
   SNEAK LABEL I,7-139  
   SNEAK PATH I,7-136  
   SNEAK PATH ANALYSIS I,7-134  
   SNEAK PATH, ENABLE I,7-136  
   SNEAK PATH, INHIBIT I,7-136  
   SNEAK TIMING I,7-136  
   SOFTWARE SNEAK PATH ANALYSIS I,7-134, I,7-140  
   SUMMARY I,7-145  
   TOPOLOGICAL PATTERN IDENTIFICATION I,7-140  
 SNEAK CIRCUIT CATEGORIES I,7-134  
 SNEAK CIRCUIT METHODOLOGY I,7-139  
 SNEAK CIRCUITS I,7-138  
 SNEAK EXAMPLE, SOFTWARE I,7-144  
 SNEAK INDICATION I,7-139  
 SNEAK LABEL I,7-139  
 SNEAK PATH ANALYSIS I,7-134  
 SNEAK PATH ANALYSIS OF SOFTWARE I,7-134, I,7-140  
 SNEAK PATH ENABLE I,7-136  
 SNEAK PATH INHIBIT I,7-136  
 SNEAK PATH I,7-136

SNEAK TIMING I,7-136  
 SOFTWARE DEVELOPMENT PROGRAM ELEMENTS I,12-70  
 SOFTWARE ERROR I,9-10  
 SOFTWARE FAILURE DATA I,9-26  
 SOFTWARE FAILURE DATA ANALYSIS AND DECISION-MAKING FLOWCHART I,9-38  
 SOFTWARE FAILURE DATA ANALYSIS, PROCEDURE OF I,9-37  
 SOFTWARE LIFE CYCLE COST BREAKDOWN STRUCTURE I,10-105  
 SOFTWARE LIFE CYCLE DOCUMENTATION I,9-34  
 SOFTWARE QUALITY ASSURANCE DIDS I,12-81  
 SOFTWARE RELIABILITY A GENERAL METHODOLOGY FOR SOFTWARE  
 FAILURE DATA ANALYSIS I,9-37  
 SOFTWARE RELIABILITY I,9-1, I,9-43, I,12-65  
 ACCEPTANCE TEST I,12-73  
 APPROACHES FOR ENHANCING SOFTWARE RELIABILITY I,9-27  
 BINOMIAL MODEL I,9-21  
 BROWN & LIPOW MODEL I,9-21  
 CHIEF PROGRAMMER TEAM ORGANIZATIONAL STRUCTURE I,9-40  
 COMBINATORIAL MODELS I,9-16  
 COMPUTATIONAL ERRORS I,9-13  
 CONFIGURATION CONTROL I,9-41  
 DATA BASE SPECIFICATION I,9-36  
 DATA REQUIREMENTS DOCUMENTS I,9-35  
 DATA SYSTEM I,12-75  
 DESIGN REVIEW KIT I,9-41  
 DESIGN, CODE AND DEBUG I,12-72  
 DOCUMENTATION WITHIN THE SOFTWARE LIFE CYCLE I,9-34  
 DOMAIN ERRORS I,9-12  
 EXAMPLES OF CALCULATIONS USING SOFTWARE RELIABILITY MODELS (REF. 5) I,9-21  
 FAILURE RATE BASED MODELS, ASSUMPTIONS I,9-16  
 FAILURE-RATE BASED SOFTWARE RELIABILITY MODELS I,9-15  
 FUNCTIONAL REQUIREMENTS DOCUMENT I,9-35  
 GOEL NHPP MODEL (REF. 18) I,9-24  
 HE MILLS MODEL I,9-22  
 HIGH LEVEL HIPO CHART I,9-30  
 INPUT DOMAIN BASED MODELS I,9-16  
 INTRODUCTION I,9-1, I,12-65  
 LITTLEWOOD MODELS I,9-23  
 LOGIC ERRORS I,9-13  
 MANAGEMENT I,9-39  
 MILL'S HYPERGEOMETRIC (ERROR SEEDING) MODEL I,9-20  
 MODELS I,9-14  
 MODELS, EXAMPLES OF CALCULATIONS USING I,9-21  
 MODELS, FAILURE-RATE BASED I,9-15, I,9-17  
 MODULAR PROGRAMMING I,9-31  
 NON-FAILURE RATE BASED MODELS, ASSUMPTIONS I,9-20  
 NON-TERMINATION ERRORS I,9-13  
 OPERATIONS MANUAL I,9-36  
 ORGANIZATION I,9-39  
 PACKAGE DESIGN I,12-72  
 PACKAGE INTEGRATION AND TEST I,12-73  
 PERFORMANCE ERRORS I,9-14  
 PROGRAM MAINTENANCE MANUAL I,9-36  
 PROGRAM PLAN I,12-73  
 PROGRAM PROVING I,9-11  
 PROGRAM REVIEW I,12-75  
 PROGRAM SPECIFICATION I,9-36  
 PROGRAM TESTING I,9-11, I,9-33  
 PROGRAMMING I,9-31



PROVISIONS, TECHNIQUES AND TOOLS I,12-69  
 REQUIREMENTS DEFINITION I,12-71  
 RUNTIME ERRORS I,9-2  
 SEMANTIC ERRORS 1 I,9-2  
 SIMPLIFIED SPECIFICATION MODEL I,9-27  
 SOFTWARE DESIGN I,9-28  
 SOFTWARE ERROR CLASSIFICATION I,9-11  
 SOFTWARE ERRORS AND THEIR SOURCES I,9-8  
 SOFTWARE FAILURE DATA I,9-26  
 SOFTWARE RELIABILITY PROVISIONS, TECHNIQUES AND TOOLS I,12-69  
 SOFTWARE RELIABILITY TOOLS AND TECHNIQUES I,12-68  
 SPECIFICATION ERRORS I,9-13  
 SPECIFICATIONS I,9-27, I,12-74  
 STRUCTURED PROGRAMMING 3 I,9-1  
 STRUCTURED PROGRAMMING CONSTRUCTS I,9-32  
 STRUCTURED WORKTHROUGH PROCEDURE I,9-41  
 SUMMARY OF FAILURE RATE BASED MODELS I,9-17  
 SYNTAX ERRORS I,9-11  
 SYSTEM ANALYSIS I,12-71  
 SYSTEM INTEGRATION AND TEST I,12-73  
 SYSTEM/SUBSYSTEM SPECIFICATION I,9-35  
 TECHNICAL MANUALS I,12-76  
 TEST ANALYSIS REPORT I,9-36  
 TEST PATH TRACING I,9-33  
 TEST PLAN I,12-75  
 TEST PLAN I,9-36  
 THE MUSA MODEL I,9-21  
 THE SOFTWARE PROBLEM I,9-3  
 USERS MANUAL I,9-36  
 SOFTWARE SNEAK  
   ANALYSIS I,7-140  
   EXAMPLE I,7-144  
   PATH ANALYSIS I,7-134, I,7-140  
   INHIBIT I,7-143  
   MESSAGE I,7-143  
   OUTPUT I,7-143  
   TIMING I,7-143  
 SOFTWARE TOPOGRAPHS I,7-142  
 SOLDER AND FLUX II,5-218  
 SOLDERING II,5-218  
 SOLID TANTALUM CAPACITORS, FAILURE MECHANISM ANALYSIS II,8-11  
 SOWS ELEMENT CONTENT I,10-100  
 SPARCS - 2 (SIMULATION PROGRAM FOR ASSESSING THE RELIABILITY  
   OF COMPLEX SYSTEMS) I,6-53  
 SPARES PROVISIONING  
   DIGITAL PWB QUANTITIES II,8-19  
   DISTRIBUTION OF TIMES TO REPAIR II,8-24  
   MARKOV-PROCESS II,8-25  
   OVERLAP REGION OF D1 AND D2 II,8-23  
   RADAR MAIN ASSEMBLIES II,8-19  
   REPAIR LINE COMMITMENTS II,8-22  
   SERVICING POLICY II,8-20  
   SERVICING POLICY II,8-21  
   SUPPLY PIPELINE II,8-29  
   TRAFFIC PATTERN AND STOCK LEVEL II,8-28  
   TRANSITION MATRIX II,8-26  
 SPECIFICATION FOR A PERMISSIBLE PREVENTIVE MAINTENANCE DOWNTIME I,12-47  
 SPECIFICATION FOR UNINTERRUPTED OPERATIONAL CAPABILITY WITHOUT PM I,12-48

SPECIFICATIONS AND STANDARDS I,2-1, II,2-1

DOD-C-85045 CABLES, FIBER OPTICS, GENERAL SPECIFICATIONS II,5-212

DOD-HDBK-263 ELECTROSTATIC DISCHARGE CONTROL HANDBOOK I,7-18

DOD-STD-1678 FIBER OPTICS TEST METHODS II,5-212

DOD-STD-1678 FIBER OPTICS TEST METHODS AND  
INSTRUMENTATION II,5-212, II,5-213

DOD-STD-1686 ELECTROSTATIC DISCHARGE CONTROL PROGRAM I,7-18

EIA STANDARD RS-455 AND ADDENDUMS II,5-213

FEDERAL II,2-1

HANDBOOKS II,2-12

IPC-CF-150 COPPER FOIL FOR PRINTED WIRING APPLICATION II,5-216

IPC-T-50 TERMS AND DEFINITIONS FOR INTERCONNECTING  
AND PACKAGING ELECTRONIC CIRCUITS II,5-216, II,5-217

MIL-C-10950, CAPACITORS, FIXED, MICA DIELECTRIC, BUTTON STYLE  
(STYLE CB) II,5-147, II,5-158

MIL-C-11015, CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE)  
(STYLE CK) II,5-148, II,5-158

MIL-C-11272 GLASS DIELECTRIC INACTIVE FOR NEW DESIGN.  
USE MIL-C-23269 II,5-147

MIL-C-12889 BYPASS RADIO-INTERFERENCE II,5-148

MIL-C-14409 CAPACITORS, VARIABLE (PISTON TYPE, TABULAR TRIMMER),  
(STYLE PC) II,5-152, II,5-158

MIL-C-15305 COIL, FIXED AND VARIABLE, RF,  
GENERAL SPECIFICATION FOR II,5-171, II,5-169

MIL-C-18312 METALLIZED PAPER II,5-148

MIL-C-19978, CAPACITORS, FIXED, PLASTIC (OR PAPER-PLASTIC),  
DIELECTRIC II,5-148, II,5-159

MIL-C-20, CAPACITORS, FIXED, CERAMIC DIELECTRIC II,5-149, II,5-157

MIL-C-21097 CONNECTORS, ELECTRICAL, PRINTED WIRING BOARD,  
GENERAL PURPOSE II,5-198, II,5-215

MIL-C-22992 NONREMOVAL SOLDER CLASS C CONTACTS II,5-196

MIL-C-23183, CAPACITORS, FIXED OR VARIABLE, GAS OR VACUUM DIELECTRIC,  
CERAMIC, CERAMIC OR GLASS ENVELOPE (STYLE CG) II,5-160

MIL-C-23269, CAPACITORS, FIXED, GLASS DIELECTRIC, ESTABLISHED  
RELIABILITY (STYLE CYR) II,5-147, II,5-161

MIL-C-24308 MINIATURE RECTANGULAR CONNECTORS 20 OR 22D II,5-196

MIL-C-25 CAPACITOR, PAPER, TYPE CP II,5-148

MIL-C-26482 ENVIRONMENT RESISTING, QUICK DISCONNECT,  
MINIATURE, CIRCULAR ELECTRIC CONNECTORS II,5-171, II,5-195

MIL-C-28731 RECTANGULAR ELECTRICAL CONNECTORS II,5-197

MIL-C-28748 STANDARD RECTANGULAR CONNECTORS II,5-197

MIL-C-28804 HIGH DENSITY, POLARIZED CENTER JACKSCREW ENVIRONMENT  
RESISTING CONNECTORS II,5-197

MIL-C-3655 PLUG AND RECEPTACLE, ELECTRICAL COAXIAL,  
CONNECTORS WEATHERPROOF II,5-198

MIL-C-38999 ELECTRICAL CONNECTORS II,5-195

MIL-C-39001, CAPACITORS, FIXED, MICA DIELECTRIC, ER (STYLE CMR) II,5-161

MIL-C-39003, CAPACITORS, FIXED (SOLID TANTALUM), ER (STYLE CSR) II,5-161

MIL-C-39006, CAPACITORS, FIXED, ELECTROLYTIC (NON-SOLID ELECTROLYTE)  
TANTALUM, ESTABLISHED RELIABILITY  
(STYLE CLR) II,5-150, II,5-162

MIL-C-39010 COILS, RF, ER II,5-170, II,5-171

MIL-C-39012 FLEXIBLE RADIO FREQUENCY CABLE AND COAXIAL  
TRANSMISSION LINE CONNECTORS II,5-198

MIL-C-39014, CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE),  
ESTABLISHED RELIABILITY (STYLE CKR) II,5-149, II,5-164

MIL-C-39018, CAPACITORS, FIXED, (ALUMINUM OXIDE)  
(STYLES CU AND CUR) II,5-150, II,5-164

MIL-C-39022, CAPACITORS, FIXED, METALLIZED, PAPER PLASTIC FILM OR  
 PLASTIC DIELECTRIC II,5-151, II,5-165  
 MIL-C-39024 TEST POINT II,5-197  
 MIL-C-3965 ELECTROLYTIC II,5-149  
 MIL-C-5 MICA DIELECTRIC CM05 CM07 II,5-147  
 MIL-C-5015 CONNECTORS, CYLINDRICAL II,5-195  
 MIL-C-55302 CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND  
 ACCESSORIES II,5-199, II,5-216  
 MIL-C-55363, CAPACITORS, CHIP, FIXED, TANTALUM,  
 ESTABLISHED RELIABILITY (STYLE CWR) II,5-151, II,5-165  
 MIL-C-55514, CAPACITORS, FIXED, PLASTIC (OR METALLIZED PLASTIC)  
 DIELECTRIC, DC (IN NON-METAL CASES),  
 ESTABLISHED RELIABILITY (STYLE CFR) II,5-151, II,5-166  
 MIL-C-55681, CAPACITORS, CHIP, MULTILAYER, FIXED, CERAMIC DIELECTRIC,  
 ESTABLISHED RELIABILITY (STYLE CDR) II,5-151, II,5-166  
 MIL-C-62 ELECTROLYTIC (DRY) II,5-149  
 MIL-C-81, CAPACITORS, VARIABLE, CERAMIC DIELECTRIC  
 (STYLE CV) II,5-151, II,5-158  
 MIL-C-81659 RECTANGULAR CONNECTORS SERIES 2 II,5-197  
 MIL-C-83723 ENVIRONMENT RESISTING, CIRCULAR,  
 ELECTRICAL CONNECTORS II,5-196  
 MIL-C-83733 MINIATURE RECTANGULAR CONNECTORS II,5-197  
 MIL-E-1, "ELECTRON TUBES, GENERAL SPECIFICATION FOR." II,5-207  
 MIL-F-14256 FLUX, SOLDERING, LIQUID (ROSIN BASE) II,5-217  
 MIL-HDBK-217 RELIABILITY PREDICTION OF ELECTRONIC  
 EQUIPMENT I,6-37, II,5-9  
 MIL-HDBK-246 PROGRAM MANAGERS' GUIDE FOR THE STANDARD  
 ELECTRONIC MODULES PROGRAM II,5-222  
 MIL-I-45208 INSPECTION SYSTEM REQUIREMENTS I,11-6  
 MIL-I-46058 INSULATING COMPOUND, ELECTRICAL (FOR COATING  
 PRINTED CIRCUIT ASSEMBLIES) II,5-215  
 MIL-M-28787 STANDARD ELECTRONIC MODULES,  
 GENERAL SPECIFICATION FOR II,5-222  
 MIL-P-11268(EL), "PARTS, MATERIALS AND PROCESSES USED  
 IN ELECTRONIC EQUIPMENT." II,5-194  
 MIL-P-13949 PLASTIC SHEET, LAMINATED METAL CLAD FOR  
 PRINTED WIRING II,5-215  
 MIL-P-28809 PRINTED WIRING ASSEMBLIES II,5-215  
 MIL-P-50884 PRINTED WIRING FLEXIBLE, GENERAL SPECIFICATION FOR II,5-215  
 MIL-P-55110 PRINTED WIRING BOARDS II,5-216  
 MIL-P-81728 PLATING TIN-LEAD (ELECTRODEPOSITED) II,5-215  
 MIL-Q-9859 QUALITY PROGRAM ELEMENTS I,11-4  
 MIL-R-10509 FILM SEE DATA ON MIL-R-55182 II,5-104  
 MIL-R-11 COMPOSITION, INACTIVE FOR NEW DESIGN. USE MIL-R-39008 II,5-104  
 MIL-R-11804, RESISTORS, FIXED, FILM (POWER TYPE)  
 (STYLE RD, UNINSULATED) II,5-104, II,5-121  
 MIL-R-12934, RESISTORS, VARIABLE, WIREWOUND, PRECISION  
 (STYLE RR) II,5-106, II,5-122  
 MIL-R-18546, FIXED, WIREWOUND, (POWER TYPE, CHASSIS  
 MOUNTED) II,5-104, II,5-123  
 MIL-R-19, RESISTORS, VARIABLE, WIREWOUND (LOW OPERATING  
 TEMPERATURE) (STYLE RA) II,5-106, II,5-116  
 MIL-R-22, RESISTORS, VARIABLE, WIREWOUND (POWER TYPE)  
 (STYLE RP) (UNENCLOSED) II,5-106, II,5-118  
 MIL-R-22097, RESISTORS, VARIABLE, NONWIREWOUND (ADJUSTMENT TYPE)  
 (STYLE RJ) II,5-107, II,5-124  
 MIL-R-22684 FILM (INSULATED) INACTIVE FOR NEW DESIGN.  
 USE MIL-R-39017 II,5-104

MIL-R-23285, RESISTORS, VARIABLE, NONWIREWOUND  
 (STYLE RVC) II,5-106, II,5-125  
 MIL-R-26, RESISTORS, FIXED, WIREWOUND (POWER TYPE)  
 (STYLE RW) II,5-104, II,5-119  
 MIL-R-27208, RESISTORS, VARIABLE, WIREWOUND (ADJUSTMENT TYPE)  
 (STYLE RT) II,5-107, II,5-127  
 MIL-R-39002, RESISTORS, VARIABLE, WIREWOUND, SEMIPRECISION  
 (STYLE RK) II,5-107, II,5-128  
 MIL-R-39005, RESISTORS, FIXED, WIREWOUND (ACCURATE) ESTABLISHED  
 RELIABILITY (STYLE RBR) II,5-104, II,5-129  
 MIL-R-39007, RESISTORS, FIXED, WIREWOUND (POWER TYPE),  
 ESTABLISHED RELIABILITY (STYLE RWR) II,5-104, II,5-130  
 MIL-R-39008, RESISTORS, FIXED, COMPOSITION (INSULATED)  
 ESTABLISHED RELIABILITY (STYLE RCR) II,5-105, II,5-131  
 MIL-R-39009, RESISTORS, FIXED, WIREWOUND (POWER TYPE,  
 CHASSIS MOUNTED) ESTABLISHED RELIABILITY  
 (STYLE RER) II,5-105, II,5-132  
 MIL-R-39015, RESISTORS, VARIABLE, WIREWOUND (LEAD SCREW  
 ACTUATED) ESTABLISHED RELIABILITY  
 (STYLE RTR) II,5-107, II,5-133  
 MIL-R-39016, RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY,  
 GENERAL SPECIFICATION FOR II,5-177  
 MIL-R-39017, RESISTORS, FIXED, FILM (INSULATED), ESTABLISHED  
 RELIABILITY (STYLE RLR) I,5-105, II,5-134  
 MIL-R-39023, RESISTORS, VARIABLE, NONWIREWOUND, PRECISION  
 (STYLE RQ) II,5-136  
 MIL-R-39035, RESISTORS, VARIABLE, NONWIREWOUND (LEAD-SCREW ACTUATED)  
 ESTABLISHED RELIABILITY (STYLE RJR) II,5-107, II,5-137  
 MIL-R-55182, RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY  
 (STYLE RNR) II,5-105, II,5-139  
 MIL-R-55342, RESISTORS, FIXED, FILM, CHIP, ESTABLISHED RELIABILITY II,5-140  
 MIL-R-55432 RESISTORS, FILM, CHIP RM0502 II,5-105  
 MIL-R-83401, RESISTOR NETWORKS, FIXED, FILM (STYLE RZ) II,5-106, II,5-141  
 MIL-R-93 RESISTORS, WIRE-WOUND INACTIVE FOR NEW DESIGN.  
 USE MIL-R-39005 II,5-104  
 MIL-R-94, RESISTORS, VARIABLE, COMPOSITION (STYLE RV) II,5-106, II,5-120  
 MIL-S-12285 SWITCH, THERMOSTATIC II,5-186  
 MIL-S-15291 SNAP ACTION II,5-187  
 MIL-S-15743 SWITCHES, ROTARY, ENCLOSED II,5-186  
 MIL-S-18396 SWITCHES, METER AND CONTROL, NAVAL SHIPYARD II,5-186  
 MIL-S-19500 SEMICONDUCTOR DEVICES,  
 GENERAL SPECIFICATIONS I,7-6, II,5-212, II,5-76  
 MIL-S-21604 SWITCHES, ROTARY, MULTIPOLE AND SELECTOR TYPE II,5-186  
 MIL-S-22710 PRINTED CIRCUIT, THUMBWHEEL, IN-LINE, AND PUSHBUTTON II,5-187  
 MIL-S-22885 PUSH-BUTTON ILLUMINATED II,5-185  
 MIL-S-24236 THERMOSTATIC II,5-188  
 MIL-S-24317 MULTISTATION II,5-188  
 MIL-S-28827 SWITCHES LIQUID, HERMETICALLY SEALED II,5-188  
 MIL-S-3786 ROTARY SWITCHES LOW CURRENT II,5-187  
 MIL-S-3950 TOGGLE SWITCHES II,5-187  
 MIL-S-45743 SOLDERING, MANUAL TYPE, HIGH RELIABILITY,  
 ELECTRICAL, ELECTRONIC, INSTRUMENT, COMMUNICATION  
 AND RADAR FOR AEROSPACE II,5-217  
 MIL-S-46844 SOLDER BATH SOLDERING OF PRINTED WIRING ASSEMBLIES II,5-217  
 MIL-S-5423 SWITCHES TOGGLE, PUSH-BUTTON AND ROTARY II,5-187  
 MIL-S-55433 REED SWITCHES II,5-188  
 MIL-S-6807 ROTARY SWITCHES SELECTOR II,5-187  
 MIL-S-83502 ROUND, TO, PLUG-IN SOCKETS II,5-199

MIL-S-83505 INDIVIDUAL LEAD SOCKETS II,5-199  
 MIL-S-83734 PLUG-IN ELECTRONIC COMPONENT SOCKETS II,5-199  
 MIL-S-8805 PUSH SWITCHES II,5-187  
 MIL-S-8834 II,5-187  
 MIL-S-9395 PRESSURE SWITCHES II,5-187  
 MIL-STD-105 SAMPLING PROCEDURES & TABLES FOR INSPECTION  
 BY ATTRIBUTES I,8A-10  
 MIL-STD-1132, SWITCHES AND ASSOCIATED HARDWARE II,5-4, II,5-186  
 MIL-STD-1286 TRANSFORMERS, INDUCTORS AND COILS,  
 SELECTION AND USE OF II,5-169  
 MIL-STD-1346, RELAYS, SELECTION AND USE OF II,5-177  
 MIL-STD-1353, SELECTION AND USE OF ELECTRICAL CONNECTORS II,5-194  
 MIL-STD-1378 REQUIREMENTS FOR EMPLOYING STANDARD  
 ELECTRONIC MODULES II,5-222  
 MIL-STD-1389 DESIGN REQUIREMENTS FOR STANDARD ELECTRONIC MODULES II,5-222  
 MIL-STD-1547, PARTS MATERIALS AND PROCESSES FOR SPACE AND  
 LAUNCH VEHICLES II,5-76  
 MIL-STD-1562, STANDARD MICROCIRCUITS, LISTS OF II,5-4  
 MIL-STD-1634 MODULE DESCRIPTION FOR THE SEM PROGRAM II,5-222  
 MIL-STD-198 CAPACITORS, SELECTION AND USE OF II,5-4, II,5-146  
 MIL-STD-199 RESISTORS, SELECTION AND USE OF I,5-104, II,5-4, II,5-111  
 MIL-STD-200, "ELECTRON TUBES, SELECTION OF." II,5-207  
 MIL-STD-202 TEST METHODS FOR COMPONENT PARTS II,1-26, II,5-4  
 MIL-STD-210 CLIMATIC EXTREMES FOR MILITARY EQUIPMENT I,6-5, I,7B-1  
 MIL-STD-275 PRINTED WIRING FOR ELECTRONIC EQUIPMENT II,5-216  
 MIL-STD-454, STANDARD GENERAL REQUIREMENTS FOR ELECTRONIC  
 EQUIPMENT II,5-177, II,5-186, II,5-194, II,5-207,  
 II,5-208, II,5-216, II,5-217  
 MIL-STD-701, STANDARD SEMICONDUCTOR DEVICES, LISTS OF II,5-4, II,5-76  
 MIL-STD-750 TEST METHODS FOR SEMICONDUCTOR DEVICES II,1-27, II,5-76  
 MIL-STD-756 RELIABILITY MODELING AND PREDICTION I,6-61  
 MIL-STD-781 QUALIFICATION AND PRODUCTION ACCEPTANCE TESTS I,6-3  
 MIL-STD-785 RELIABILITY PROGRAM FOR SYSTEMS AND EQUIPMENT I,12-33  
 MIL-STD-883, TEST METHODS AND PROCEDURES FOR MICROELECTRONIC  
 DEVICES II,1-27, II,5-4  
 MIL-STD-965, PARTS CONTROL PROGRAM II,5-2  
 MIL-T-21038 TRANSFORMERS, PULSE, LOW POWER, GENERAL  
 SPECIFICATION FOR II,5-169, II,5-171  
 MIL-T-23648, THERMISTOR (THERMALLY SENSITIVE RESISTOR) INSULATED  
 (STYLE RTH) II,5-107, II,5-143  
 MIL-T-27 TRANSFORMERS AND INDUCTORS, AUDIO, POWER AND HIGH POWER PULSE,  
 GENERAL SPECIFICATION FOR II,5-169, II,5-170  
 MIL-T-55631 TRANSFORMERS, IF, RF, AND DISCRIMINATOR,  
 GENERAL SPECIFICATION FOR II,5-169, II,5-171  
 MIL-T-83720 TRANSFORMERS AND INDUCTORS, NONEXPLOSIVE,  
 GENERAL SPECIFICATION FOR II,5-169  
 MIL-T-83721 TRANSFORMERS, VARIABLE, POWER,  
 GENERAL SPECIFICATION FOR II,5-169, II,5-171  
 MILITARY II,2-1  
 NAC TP-526 SEM PROGRAM MICROPROCESSOR APPLICATIONS HANDBOOK II,5-222  
 NAC TP-528 SEM PROGRAM MEMORY APPLICATION HANDBOOK II,5-222  
 NAC TP-529 SEM THERMAL APPLICATION HANDBOOK II,5-222  
 NAC TP-531 IN PROCESS MODULE DESCRIPTIONS HANDBOOK II,5-222  
 NAC TP-532 SEM HARDWARE CATALOG II,5-232  
 NTIA-SP-79-4 OPTICAL WAVEGUIDE COMMUNICATIONS GLOSSARY II,5-214  
 PROGRAM MODULE TESTING II,5-222  
 QQ-S-571 SOLDER, TIN ALLOY, TIN LEAD ALLOY, AND LEAD ALLOYS II,5-217  
 REPORT 393-2 SEM SYSTEMS APPLICATIONS REPORT II,5-212

STANDARD RS-455 II,5-212  
 WC-596 PLUG, RECEPTACLES AND CABLE OUTLET,  
     ELECTRICAL POWER CONNECTORS II,5-199  
 SPECIFIED INTERMEDIATE LEVEL MAINTAINABILITY REQUIREMENTS I,12-47  
 SPECIFIED LIMITATION IN MAINTENANCE MANHOUR REQUIREMENTS I,12-48  
 SPEED/POWER CAPABILITIES OF DIGITAL TECHNOLOGIES II,1-33  
 SPIKE PROBLEMS I,7-36  
 SSI-MSI LOGIC PERFORMANCE VS POWER II,5-20  
 STANDARD COMPONENTS AND CIRCUITS I,7-16  
 STANDARD COST FACTORS, TYPICAL I,10-107  
 STANDARD DEVIATION II,4-3  
 STANDARD ELECTRONIC MODULE (SEM) PROGRAM I,7-18, II,5-221  
     QUALITY AND RELIABILITY II,5-223  
     PART SELECTION AND CONTROL II,5-221  
     REFERENCES II,5-223  
 STANDARD ELECTRONIC MODULES, SELECTION AND USE CRITERIA II,5-222  
 STANDARD NORMAL CURVE AT Z, ORDINATES F(Z) I,5A-3  
 STANDARD NORMAL DISTRIBUTION FUNCTION VALUES I,5A-1  
 STANDBY REDUNDANCY I,7A-34, I,7A-37, I,7A-38, I,7-49, I,7-69,  
 STANDBY REDUNDANCY-WITH-REPAIR (CONTINUOUS MONITORING) I,7A-45  
 STANDBY REDUNDANT TWO CHANNEL R RECEIVER I,7-72  
 STATE TRANSFORMATIONS FOR STAGES 1, 2, AND 3 I,6A-9  
 STATISTICAL ANALYSIS INTRODUCTION I,8-16  
 STATISTICAL ANALYSIS I,8-16  
 STATISTICAL DISTRIBUTIONS I,5-7  
 STATISTICAL DISTRIBUTIONS USED IN MAINTAINABILITY MODELS I,5-40  
     AIRBORNE FIRE CONTROL SYSTEM I,5-13  
     BINOMIAL DISTRIBUTION I,5-17  
     CALCULATIONS TO DETERMINE T' AND T I,5-47  
     COMPUTER EXAMPLE I,5-14  
     CONTINUOUS DISTRIBUTIONS I,5-7  
     DISCRETE DISTRIBUTIONS I,5-17  
     EXPONENTIAL APPROXIMATION I,5-61  
     EXPONENTIAL DISTRIBUTION I,5-13, I,5-59  
     FATIGUE FAILURE I,5-12  
     GAMMA DISTRIBUTION I,5-14  
     LOGNORMAL DISTRIBUTION I,5-12, I,5-42  
     MAINTAINABILITY FUNCTION M(T) I,5-52  
     MECHANICAL EQUIPMENT I,5-11  
     MEDIAN TIME TO REPAIR I,5-52  
     MICROWAVE TUBE I,5-10  
     MISSILE SYSTEM I,5-15  
     MTTR (MEAN TIME TO REPAIR) I,5-52  
     NORMAL (OR GAUSSIAN) DISTRIBUTION I,5-7  
     NORMAL DISTRIBUTION I,5-56  
     PERMISSIBLE NUMBER OF FAILURES I,5-21  
     POISSON DISTRIBUTION I,5-20  
     PROBABILITY DENSITY FUNCTION I,5-46  
     QUALITY CONTROL I,5-18  
     REDUNDANT SYSTEM I,5-21  
     RELIABILITY I,5-18  
     RELIABILITY CALCULATIONS USING THE NORMAL DISTRIBUTION I,5-10  
     TIME TO REPAIR DATA I,5-45  
     WEIBULL DISTRIBUTION I,5-16, I,5-17  
 STATISTICAL QUALITY CONTROL II,4-14  
 STEADY STATE AVAILABILITY I,5-64  
 STEP (STANDARDIZATION EVALUATION PROGRAM) I,10-129  
 STEP MTBF APPROXIMATION I,11-17

STIMULUS INPUT I,7-93  
 STORAGE FAILURE MODES I,11-69, II,8-13  
 STORAGE FAILURE MODES ENCOUNTERED WITH ELECTRONIC COMPONENTS II,8-3  
 STORAGE LIFE (SHELF LIFE) II,3-5  
 STORAGE SERVICEABILITY STANDARDS I,11-72, I,11-73  
 STORAGE-INDUCED QUALITY DEFECTS I,11-74  
 STRESS ANALYSIS - RELIABILITY PREDICTION WORKSHEET I,6-63  
 STRESS ANALYSIS TECHNIQUE I,6-27, I,6-41  
 STRESS SCREENING GUIDELINES MATRIX I,11-46  
 STRESS SCREENING MODEL REPRESENTATION OF THE PRODUCTION FLOW PROCESS I,11-45  
 STRESS-STRENGTH DISTRIBUTIONS AND UNRELIABILITY IN DESIGN I,7-9  
 STRESS-TEMPERATURE DERATING SCHEME II,5-94  
 STRUCTURED PROGRAMMING CONSTRUCTS I,9-32  
 SUBSYSTEM REDUNDANCY I,7A-2  
 SUBTRACTOR AMPLIFIER ELIMINATES GROUND PROBLEMS II,5-33  
 SUCCESS COMBINATIONS IN TWO-ELEMENT LOAD-SHARING CASE I,7A-40  
 SUMMARY OF COMPUTER PROGRAMS I,6-52  
 SUPPLY DELAY TIME I,3-6, I,3-9  
 SURFACE BREAKDOWN II,6-15  
 SURVIVAL CURVES I,8-19, I,8-24  
 SWITCH FAILURE RATES II,A-2  
 SWITCHES II,5-185, II,A-2  
   ACCELERATION II,5-192  
   ALTITUDE II,5-192  
   APPLICATION CONSIDERATIONS II,5-189  
   APPLICATION PRECAUTIONS II,5-192  
   CHEMICAL ACTION OF SWITCH MATERIALS II,5-191  
   CONTACT LIFE II,5-190  
   CONTACT OPERATE AND BOUNCE TIMES II,5-189  
   CONTACT RATINGS II,5-189  
   CONTACT RESISTANCE II,5-190  
   CONTACTS II,5-189  
   DERATING II,5-193  
   ENCLOSURES II,5-189  
   ENVIRONMENTAL CONSIDERATIONS II,5-191  
   EXPLOSION RESISTANCE II,5-192  
   EXPOSURE TO LOW TEMPERATURE II,5-191  
   INSULATION RESISTANCE II,5-191  
   INTRODUCTION II,5-185  
   LIFE CYCLE I,12-1  
   LIFE OPERATIONS FOR TOTAL LIFE II,5-191  
   LOW LEVEL (DRY CIRCUIT) APPLICATIONS II,5-191  
   MOISTURE II,5-192  
   PART SELECTION AND CONTROL II,5-185  
   PRESSURE SWITCHES II,5-185  
   SAND AND DUST II,5-192  
   SELECTION OF SWITCHES II,5-186  
   SHOCK AND VIBRATION II,5-192  
   TEMPERATURE II,5-191  
   THERMOSTATIC SWITCHES II,5-185  
   USAGE II,5-186  
   USAGE AND SELECTION GUIDELINES FOR SWITCHES II,5-187  
   VARIATIONS IN TEMPERATURE II,5-191  
 SWITCHING EFFICIENCY II,5-88  
 SWITCHING REDUNDANCY I,7-54  
 SYMBOLIC LOGIC BLOCK DIAGRAM I,7-104, I,7-105, I,7-115  
 SYSTEM APPORTIONMENT FACTORS I,6-16  
 SYSTEM DESIGN REVIEW I,9-27

SYSTEM EFFECTIVENESS I,3-1, I,3-8, I,4-12, I,4-13, I,10-1, I,10-2  
   AVAILABILITY I,10-1  
   CALCULATIONS I,10-7  
   CAPABILITY I,10-1  
   COMPUTER PROGRAMS I,10-52  
   CONCEPTS I,10-2  
   DEPENDABILITY I,10-1, I,10-42  
   EVALUATION I,10-18  
   FACTORS INFLUENCING SYSTEM EFFECTIVENESS I,4-14  
   OPTIMIZATION I,4-16  
   R/M CONSIDERATIONS I,4-13  
   SYSTEM R&M PARAMETERS I,10-11  
   THE AIR FORCE (WSEIAC) CONCEPT (REF. 2) I,10-4  
   THE ARINC CONCEPT I,10-3  
   THE NAVY CONCEPT I,10-6  
   TRADEOFF TECHNIQUES I,10-56  
 SYSTEM EFFECTIVENESS MODELS I,10-8  
 SYSTEMS EFFECTIVENESS EVALUATION COMPUTER PROGRAM I,10-55  
 SYSTEM ENGINEERING PROCESS I,4-9  
 SYSTEM MANAGEMENT ACTIVITIES I,4-10  
 SYSTEM PERFORMANCE VARIABLES AND ATTRIBUTES I,6-10  
 SYSTEM R&M MODELING I,10-14  
   AVAILABILITY MODELS I,10-19  
   COMPUTER PROGRAMS, COMPLEX MODELS I,10-52  
   MISSION RELIABILITY AND DEPENDABILITY MODELS I,10-41  
   OPERATIONAL READINESS MODELS I,10-43  
 SYSTEM R&M PARAMETERS I,10-12, I,10-11, I,10-15  
   AVAILABILITY I,10-14, I,10-15  
   DEPENDABILITY I,10-15  
   DIRECT-MAINTENANCE-MANHOURS-PER-MAINTENANCE-ACTION (DMMH/MA) I,10-15  
   LOGISTIC SUPPORT COST I,10-12  
   MAINTENANCE MANPOWER COST I,10-12  
   MEAN-TIME-BETWEEN-DOWNING-EVENTS (MTBDE) I,10-15  
   MEAN-TIME-BETWEEN-MAINTENANCE-ACTIONS (MTBMA) I,10-15  
   MEAN-TIME-TO-RESTORE-SYSTEM (MTTRS) I,10-15  
   MISSION RELIABILITY I,10-15  
   MISSION SUCCESS I,10-12  
   MISSION-TIME-BETWEEN-CRITICAL-FAILURES (MTBCF) I,10-15  
   MISSION-TIME-TO-RESTORE-FUNCTIONS (MTTRF) I,10-15  
   OPERATIONAL READINESS I,10-15  
   READINESS OR AVAILABILITY I,10-12  
 SYSTEM REDUNDANCY I,7A-2  
 SYSTEM RELIABILITY  
   DEMONSTRATION I,10-81  
   PREDICTION I,10-81  
   PROBLEM I,4-2  
   SPECIFICATION I,10-81  
 SYSTEM RELIABILITY WITH STANDBY REDUNDANCY I,7A-37  
 SYSTEM RELIABILITY WITH OPERATIVE REDUNDANCY I,7A-12  
 SYSTEM REQUIREMENTS REVIEW I,9-27  
 SYSTEM SPECIFICATION REQUIREMENTS FOR AVIONICS, MISSILE SYSTEM,  
   AND AIRCRAFT I,6-11  
 SYSTEMS RELIABILITY ENGINEERING I,10-1  
   ALLOCATION OF AVAILABILITY, AND FAILURE AND REPAIR RATES I,10-69  
   COMPLEX MODELS I,10-52  
   COST CONSIDERATIONS I,10-90  
   INTRODUCTION I,10-1  
   SYSTEM DESIGN CONSIDERATIONS I,10-86



SYSTEM EFFECTIVENESS I,10-1, I,10-2  
 SYSTEM R&M MODELING I,10-14  
 SYSTEM R&M PARAMETERS I,10-11  
 TRADEOFF TECHNIQUES I,10-56  
 SYSTEMS USE CONDITIONS CHECKLIST II,7B-14

## T

TABLE OF EFFORT FUNCTIONS I,6A-6  
 TANTALUM FOIL CAPACITORS, FAILURE MECHANISM ANALYSIS II,8-12  
 TECHNICAL APPROACH TO STORAGE SERVICEABILITY STANDARDS I,11-73  
 TEMP-CYCLE ENVIRONMENTAL PROFILE, PCB I,11-37  
 TEMPERATURE II,4-18  
 CONSTANT SCREEN I,11-35  
 CONSIDERATIONS FOR PRECISION RESISTORS II,5-31  
 CYCLING I,11-36  
 CYCLING SCREEN I,11-35  
 EFFECTS ON FAILURE RATE II,4-17  
 EFFECTS, RESISTORS II,5-109  
 PROFILE I,6-8  
 PROTECTION I,7-76  
 RANGE I,11-27  
 RATE OF CHANGE I,11-27  
 TEMPERATURE/FAILURE RATE RELATIONSHIP OF NPN TRANSISTORS I,7-7  
 TEST, ANALYZE AND FIX (TAAF) I,8-69  
 TEST CONDITIONING MATRIX (TAKEN FROM MIL-STD-781C) I,11-52  
 TEST EFFECTIVENESS, SCREENING I,11-43  
 TEST METHOD COMPARISON II,7-31  
 TEST PATH TRACING I,9-33  
 TEST PLAN, SOFTWARE R & M I,12-75  
 TESTABILITY HAZARD I,7-36  
 TESTING OF ELECTRONIC PARTS II,1-25  
 TESTING OF LSI RANDOM LOGIC II,7-32  
 TEXAS INSTRUMENTS SBP 9989 II,5-70  
 THE AVIONICS LABORATORY PREDICTIVE OPERATIONS AND SUPPORT (ALPOS)  
 COST MODEL I,10-129  
 THERMAL CIRCUIT OF A DISCRETE ELECTRONIC PART II,6-36  
 THERMAL CIRCUIT OF A HEAT SINK II,6-37  
 THERMAL CYCLE SCREENING I,11-27  
 THERMAL EFFECTS ELECTRICAL CONNECTORS II,5-201  
 THERMAL IMPACT ON RELIABILITY II,6-46  
 THERMAL RESISTANCE II,5-36  
 THERMAL SCREENS, ASSEMBLY LEVEL DEFECT TYPES PRECIPITATED I,11-40  
 THERMAL SECONDARY BREAKDOWN (AVALANCHE DEGRADATION) II,6-14  
 THERMAL SYSTEMS I,7-76  
 THERMAL SYSTEMS MANAGEMENT PROGRESS FLOW CHART II,6-47  
 THERMALLY CONDUCTIVE COMPOUND USE II,6-42  
 THERP (TECHNIQUE FOR HUMAN ERROR RATE PREDICTION) I,7-100  
 THICK FILM CIRCUITS II,1-23  
 THIN FILM CIRCUITS II,1-24  
 THREE PARALLEL ELEMENT CIRCUIT, STATES OF OPERATION I,7A-32  
 THREE PARALLEL ELEMENTS I,7A-30  
 THREE-ELEMENT REDUNDANT CONFIGURATIONS WITH SWITCHING I,7A-31  
 THREE-ELEMENT VOTING REDUNDANCY I,7A-33  
 TRIBOELECTRIC CHARGING II,6-18

THYRATRON II,B-1  
 THYRISTORS II,5-80  
 TI 9900A II,5-70  
 TIGER I,10-54  
 TIME CATEGORIES I,3-9  
   ACTIVE TIME I,3-9  
   ADMINISTRATIVE TIME I,3-10  
   ALERT TIME I,3-10  
   CORRECTIVE MAINTENANCE TIME I,3-10  
   DELAY TIME I,3-9  
   DOWNTIME I,3-9  
   INACTIVE TIME I,3-9  
   MAINTENANCE TIME I,3-9  
   MISSION TIME I,3-10  
   MODIFICATION TIME I,3-9  
   NOT OPERATING TIME I,3-10  
   PREVENTIVE MAINTENANCE TIME I,3-10  
   REACTION TIME I,3-10  
   SUPPLY DELAY TIME I,3-9  
   UPTIME I,3-9  
 TIME CONCEPTS, TIME RELATIONSHIPS (MIL-STD-721) I,3-7  
 TIME MEASURE I,6-7  
 TIME TEMPERATURE REGRESSION II,5-77  
 TIME TO FAILURE, RANKS AND PERCENTILES II,4-10  
 TIME TO REPAIR II,8-24  
 TIME TO REPAIR DATA I,5-45  
 TIME TO REPAIR DISTRIBUTION I,5-41, I,12-46  
 TIME TO REPAIR, MEAN I,5-40  
 TIME TO REPAIR, MEDIAN I,5-40  
 TOLERANCE ANALYSIS, ELECTRONIC PARTS/CIRCUIT I,12-36  
 TOPOGRAPHS, SOFTWARE I,7-142  
 TP-532 (NAC) SEM HARDWARE CATALOG II,5-222  
 TRADEOFFS, RELIABILITY-AVAILABILITY-MAINTAINABILITY I,10-42  
 TRADEOFF TECHNIQUES I,10-56  
   ALTERNATIVE DESIGN TRADEOFF CONFIGURATIONS I,10-65  
   COST COMPARISON OF ALTERNATIVE DESIGN CONFIGURATIONS I,10-65  
   RELIABILITY - AVAILABILITY - MAINTAINABILITY I,10-58  
 TRANSFERRED ELECTRON DEVICE (TED) II,5-92  
 TRANSIENT AND OVERSTRESS PROTECTION I,7-18  
 TRANSIENT PROTECTION I,7-18  
 TRANSIENT STRESS I,7-38  
 TRANSISTOR MAXIMUM POWER DISSIPATION II,5-81  
 TRANSISTOR MAXIMUM VOLTAGES II,5-81  
 TRANSISTOR PROTECTION I,7-21, II,5-96  
 TRANSISTORS (SEE DISCRETE SEMICONDUCTOR DEVICES) II,5-81  
 TRANSISTORS (SILICON, NPN), STRESS/TEMPERATURE PLOT II,6-28  
 TRANSISTORS, ACTUAL CONSTANT JUNCTION TEMPERATURE CURVE II,6-31  
 TRAVELLING WAVE TUBES II,B-1  
 TRENDS IN MINIATURIZATION II,1-30  
 TRIBOELECTRIC SERIES II,6-19  
 TROUBLESHOOTING I,11-90  
 TRUNCATED TESTS I,8-44  
 TTL (TRANSISTOR-TRANSISTOR-LOGIC) I,7-35  
 TTL PROTECTION I,7-24, II,5-99  
 TWO PARALLEL ELEMENTS I,7A-28  
 TWO-DIMENSIONAL PROJECTION OF AVAILABILITY SURFACE I,10-120  
 TWO-SIDED CONFIDENCE LEVEL, INTERVAL, AND LIMITS I,8-37  
 TWYSTRON (HYBRID TWT-KLYSTRON) II,B-1

TYPICAL APPLICATIONS REQUIRING CAREFUL PRINTED CIRCUIT TECHNIQUES II,5-35  
 TYPICAL CHECKLIST FOR THE DESIGN REVIEW I,7-160  
 TYPICAL CIRCUIT ANALYSIS TECHNIQUES I,7-34  
 TYPICAL ITEMS TO BE COVERED IN A DESIGN REVIEW I,7-157  
 TYPICAL OPERATING CHARACTERISTIC CURVE I,8-63  
 TYPICAL OPERATING CHARACTERISTIC CURVE II,4-16  
 TYPICAL OPERATIONAL SEQUENCE FOR AIRBORNE FIRE CONTROL SYSTEM I,6-8  
 TYPICAL PRODUCTION PROCESS I,11-23  
 TYPICAL SWITCHING WAVEFORMS II,5-86

## U

UNAVAILABILITY CURVES I,10-80  
 UNRELIABILITY IN DESIGN I,7-9, I,7-11  
 UNRELIABILITY, FACTORS EFFECTING I,7-12  
 UNRELIABILITY FUNCTION I,5-2  
 UPPER TEST MTBF I,6-3  
 UPTIME I,3-6, I,3-9  
 USAGE AND SELECTION GUIDELINES FOR RESISTORS II,5-104  
 USAGE AND SELECTION GUIDELINES FOR SWITCHES II,5-187  
 USEFUL II,3-5

## V

VALIDATION PHASE PLANNING I,12-5  
 VALIDATION PHASE RELIABILITY AND MAINTAINABILITY DECISION POINTS I,12-58  
 VALIDATION PHASE RELIABILITY AND MAINTAINABILITY TASKS I,12-57  
 VALIDATION PHASE TRADEOFF STUDIES I,12-25  
 VALIDITY, TESTS FOR I,8-47  
 VAPOR PHASE SOLDERING II,5-218  
 VARACTORS II,5-80  
 VARIABILITY ANALYSIS METHODS I,7-30  
 VARIABLE RESISTORS II,5-111  
 VARIATIONS DUE TO LIFE AND ENVIRONMENTS OVER SPECIFICATIONS II,5-172  
 VARIOUS COOLING TECHNIQUES, LIMITATIONS II,6-39  
 VERY HIGH SPEED INTEGRATED CIRCUITS (VHSIC) (1980) I,1-29, II,1-11  
 VERY LARGE SCALE INTEGRATED CIRCUITS (VLSI) (1980) I,1-29, II,1-11  
 VIBRATION SCREEN  
   ASSEMBLY LEVEL DEFECT TYPES PRECIPITATED I,11-40  
   RANDOM I,11-32  
   SINGLE (FIXED) FREQUENCY I,11-34  
   SWEPT-SINE I,11-33  
 VIRENE, RELIABILITY GROWTH MODELS I,8B-2  
 VOLTAGE FOLLOWER CIRCUIT II,5-39  
 VOLTAGE REGULATOR II,5-42  
 VOLTAGE REGULATOR SUPPLY, REDUNDANT I,7-60, I,7-62  
 VOTING REDUNDANCY I,7-68, I,7A-32  
 VZAP I,7-19

## W

WARRANTY I,12-19  
 WARRANTY APPLICATION CRITERIA I,12-21  
 WARRANTY/GUARANTEE PLANS I,12-19

## W, Z

WARRANTY OF SUPPLIES I,12-1  
WARRANTY OF TECHNICAL DATA I,12-1  
WAVE SOLDERING II,5-218  
WC-596 ELECTRICAL POWER CONNECTORS II,5-199  
WEAROUT II,3-5  
WEAROUT PERIOD I,5-23  
WEAR OUT FAILURE DISTRIBUTION I,5-7 WEIBULL DISTRIBUTION I,5-16, I,8A-21,  
I,8A-34, II,4-7  
WEIBULL DISTRIBUTION, EXAMPLE I,8-52  
WEIBULL DISTRIBUTION, GRAPHICAL POINT ESTIMATION I, 8-15  
WEIBULL FAILURE RATE I,8-76  
WEIBULL PLOT EXAMPLE II,4-11  
WEIBULL PROBABILITY PAPER II,4-8  
WEIGHTED RESISTOR NETWORK II,5-45  
WEIGHTING CRITERIA TO DETERMINE RELATIVE PROGRAM EMPHASIS,  
QUANTITATIVE EXAMPLE OF I,12-39  
WIREWOUND RESISTORS II,5-114  
WOLMAN, RELIABILITY GROWTH MODELS I,8B-2  
WORST CASE ANALYSIS I,7-28  
WORST CASE METHOD OF VARIABILITY ANALYSIS I,7-31  
WSEIAC I,10-4

## Z

ZILOG Z8 FAMILY II,5-71  
ZILOG Z80 II,5-71  
ZILOG Z8000 FAMILY II,5-71

## **ADDITIONAL RAC SERVICES**

# **PRODUCT FEE SCHEDULE**

		Price U.S.	Per Copy Non-U.S.
<b>COMPONENT RELIABILITY DATABOOKS</b>			
DSR-4	Discrete Semiconductor Device Reliability - 1988	100.00	120.00
NPRD-3	Nonelectronic Parts Reliability Data 1985 - (Printed Copy)	80.00	90.00
FNPRD-3	Diskette of NPRD-3 Data (IBM PC Compatible)	125.00	135.00
VZAP-2*	Electrostatic Discharge Susceptibility Data - 1989	125.00	135.00
FVZAP-2*	Diskette of VZAP-2 Data (IBM PC Compatible)	185.00	195.00
MDR-21	Trend Analysis Databook - 1985	95.00	105.00
MDR-21A	Field Experience Databook - 1985	125.00	135.00
FMDR-21A	Diskette of MDR-21A Data (IBM PC Compatible)	175.00	185.00
MDR-22	Microcircuit Screening Analysis - 1987	125.00	135.00
MDR-22A	Microcircuit Screening Data - 1987	75.00	90.00
NONOP-1	Nonoperating Reliability Data - 1987	150.00	160.00
TOOLKIT	RADC Reliability Engineer's ToolKit	10.00	20.00
*The complete set of VZAP-2 including the hard copy and diskette version		200.00	220.00

## **EQUIPMENT DATABOOKS**

EERD-2	Electronic Equipment Reliability Data - 1986	80.00	95.00
EEMD-1	Electronic Equipment Maintainability Data - 1980	60.00	70.00

## **HANDBOOKS**

RDH-376	Reliability Design Handbook	36.00	46.00
MFAT-1	Microelectronics Failure Analysis Techniques Procedural Guide	125.00	135.00
NPS-1	Analysis Techniques for Mechanical Reliability	56.00	66.00
PRIM-1	A Primer for DoD Reliability, Maintainability and Safety Standards	95.00	115.00

## **PRODUCTS FOR PERSONAL COMPUTERS**

RAC-NRPS	Nonoperating Reliability Prediction Software (Price includes NONOP-1 listed above)	1400.00	1450.00
----------	---	---------	---------

## **STATE-OF-THE-ART REPORTS**

SOAR-2	Practical Statistical Analysis for the Reliability Engineer	36.00	46.00
SOAR-3	IC Quality Grades: Impact on System Reliability and Life Cycle Cost	46.00	56.00
SOAR-4	Confidence Bounds for System Reliability	46.00	56.00
SOAR-5	Surface Mount Technology: A Reliability Review	56.00	66.00
SOAR-6	ESD Control in the Manufacturing Environment	56.00	66.00

## **TECHNICAL RELIABILITY STUDIES**

TRS-2	Search and Retrieval Index to IRPS Proceedings - 1968 to 1978	24.00	34.00
TRS-2A	Search and Retrieval Index to IRPS Proceedings - 1979 to 1984	24.00	34.00
TRS-3A	EOS/ESD Technology Abstracts - 1982	36.00	46.00
TRS-4	Search and Retrieval Index to EOS/ESD Proceedings - 1979 to 1984	36.00	46.00
TRS-5	Search and Retrieval Index to ISTFA Proceedings - 1978 to 1985	36.00	46.00

## **ADDITIONAL RAC SERVICES**

### **Literature Searches**

Literature Searches are conducted at a flat fee of \$50. For best results, please call or write for assistance in formulating your search question. An extra charge, based on engineering time and costs, will be made for evaluating, extracting or summarizing information from the cited references.

### **Consulting Services - Call for Quote!**

Use order form and send payment, (check or money order), payable to **IITRI/RAC**.

# ORDER FORM

**ORDERED BY: (Please Print)**

Name: \_\_\_\_\_

Company: \_\_\_\_\_

Division: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_ Zip: \_\_\_\_\_

Country: \_\_\_\_\_

Phone: \_\_\_\_\_ Ext: \_\_\_\_\_

QTY.	DESCRIPTION	UNIT PRICE		TOTAL
		U.S.	NON-US	
PRIORITY HANDLING - INSTRUCTIONS BELOW				
QUANTITY DISCOUNT - INSTRUCTIONS BELOW				
TOTAL OF ORDER .....				

**MAKE CHECKS PAYABLE TO IITRI/RAC**

Return to:  
Reliability Analysis Center  
P.O. Box 4700 • Rome, NY 13440-8200

Place orders or obtain additional information directly from the Reliability Analysis Center. Specify the publications and services desired. Except for blanket purchase orders, **prepayment is required**. All Non-U.S. orders must be accompanied by a check drawn on a US bank. Please make checks payable to IITRI/RAC.

**Priority Handling** - Add \$15.00 per book (Non-U.S.) for Air Mail, add \$3.00 per book (U.S.) for First Class.

**Quantity Discounts** - are available, when ordering 10 or more copies. For details call or write Gina Nash at the Reliability Analysis Center, P.O. Box 4700, Rome, NY 13440-8200 (315) 330-4151.

**Military Agencies** - Blanket Purchase Agreement, DD Form 1155, may be used for ordering RAC reports and/or services. Please indicate maximum dollar amount authorized and cutoff date on your order. Also specify services (i.e., publications, search services, etc.) to be provided. Identify vendor as IIT Research Institute/Reliability Analysis Center.

# ORDER FORM

**ORDERED BY: (Please Print)**

Name: \_\_\_\_\_

Company: \_\_\_\_\_

Division: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_ Zip: \_\_\_\_\_

Country: \_\_\_\_\_

Phone: \_\_\_\_\_ Ext: \_\_\_\_\_

QTY.	DESCRIPTION	UNIT PRICE		TOTAL
		U.S.	NON-US	
PRIORITY HANDLING - INSTRUCTIONS BELOW				
QUANTITY DISCOUNT - INSTRUCTIONS BELOW				
TOTAL OF ORDER .....				

**MAKE CHECKS PAYABLE TO IITRI/RAC**

Return to:  
Reliability Analysis Center  
P.O. Box 4700 • Rome, NY 13440-8200

Place orders or obtain additional information directly from the Reliability Analysis Center. Specify the publications and services desired. Except for blanket purchase orders, **prepayment is required**. All Non-U.S. orders must be accompanied by a check drawn on a US bank. Please make checks payable to IITRI/RAC.

**Priority Handling** - Add \$15.00 per book (Non-U.S.) for Air Mail, add \$3.00 per book (U.S.) for First Class.

**Quantity Discounts** - are available, when ordering 10 or more copies. For details call or write Gina Nash at the Reliability Analysis Center, P.O. Box 4700, Rome, NY 13440-8200 (315) 330-4151.

**Military Agencies** - Blanket Purchase Agreement, DD Form 1155, may be used for ordering RAC reports and/or services. Please indicate maximum dollar amount authorized and cutoff date on your order. Also specify services (i.e., publications, search services, etc.) to be provided. Identify vendor as IIT Research Institute/Reliability Analysis Center.